



North Dakota Public Fishing Waters

Data as of: October 17, 2020

The following lists all public fishing waters alphabetically by county name. Each listing includes travel directions, current status of the fishery for the upcoming season, and fishing piers (listed if present). Lakes without a boat ramp are listed as 'no ramp'. Large systems have multiple access sites listed separately, with camping and other facilities noted along with the entity responsible for managing the facility.

Click on the Lake Name to view a [contour map](#) or [aerial photo](#) showing the access point for the lake. The **Current Lake Elevation** is listed if known.

[Stocking](#) will list fish stocking for the last 10 years.

[Survey Report](#) provides a summary of the most recent data (within the last 10 years) collected by fisheries biologists during their standard sampling. [Length Table](#) provides a table of the sizes of fish measured by fisheries biologists during their most recent standard sampling. [Length Chart](#) provides a graph of the sizes of

Statewide List by County Name

Adams County

[Mirror Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

South side of Hettinger. Bullheads up to a half-pound abundant. Some northern pike up to 5 pounds. Good number of channel catfish up to 6 pounds. Some small yellow perch and bluegill. (Fishing pier).

[North Lemmon](#) 2,483.7 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

5 miles north of Lemmon, South Dakota. Rainbow trout stocked annually. Some brown trout up to 2 pounds. Small yellow perch abundant. Fair number of bluegill, with some up to a three-quarters of a pound. Fair number of largemouth bass, mostly 2-4 pounds. Good number of walleye, mostly 3-9 pounds. (Fishing pier).

Barnes County

[Lake Ashtabula](#) 1,266.2 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

Walleye, pike and smallmouth bass abundant. Good number of larger fish. Moderate number of perch. Occasional crappie, white bass and bluegill. Muskellunge present.

[Ashtabula Crossing](#) -- 16.5 miles north of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

[Eggerts Landing](#) -- 12 miles north, .4 miles west of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

[Headwaters Area](#) -- No Public Boating Access

[Karnack Bridge](#) -- 20 miles north, 2.3 miles west, 4 miles north, 2.8 miles east of Valley City (Gravel access road, no restrooms -- North Dakota Game and Fish Department).

[Katie Olson](#) -- 14.5 miles north on River Road, 3 miles east of Valley City (Gravel access road, security lights -- U.S. Army Corps of Engineers).

[Mel Reiman Area](#) -- 11 miles north on River Road of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).

[Sibley Crossing](#) -- 23.5 miles north of Valley City (Paved access road, fish cleaning facility, security lights, trash receptacles, concession, fishing pier -- U.S. Army Corps of Engineers).

[Sundstroms Landing](#) -- 9 miles north, 2 miles west, 1 miles north of Valley City (Gravel access road, security lights, picnic shelter, trash receptacles, fishing pier -- U.S. Army Corps of Engineers).

Barnes County

| | | | | |
|--|--------------------|----------------------|---------------------|---------------------|
| <u>Blumers Pond</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south of Valley City. Perch and bluegill abundant. (No ramp). | | | | |
| <u>Clausen Springs</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles north, 1 mile east, .5 miles north of the junction of ND highways 46 and 1. Largemouth bass and bluegill abundant. Occasional perch. (Fishing pier). | | | | |
| <u>Clauson Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles west, .5 miles south, .5 miles east of Nome. Low density perch population. (No ramp). | | | | |
| <u>Eckelson Lake North</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles north, .5 miles east, 1 mile north, .5 miles east of Eckelson. Perch abundant, with some larger fish. (No ramp). | | | | |
| <u>Eckelson Lake South</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles south, 1.5 miles east of Eckelson. Low number of pike. Moderate number of perch. (No ramp). | | | | |
| <u>Fox Lake</u> 1,439.4 msl | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile north, .75 miles west of Eckelson. Walleye and perch abundant, with some larger fish. | | | | |
| <u>Hatchery Kids Pond</u> | Stocking | | Not Surveyed | |
| 2 miles northwest of Valley City. Various fish species, including rainbow trout stocked in spring. (No ramp). | | | | |
| <u>Hobart Lake North</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 3.5 miles northwest of I-94 Exit 288. Perch abundant, with some large fish. (No ramp). | | | | |
| <u>Hobart Lake South</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 1.4 miles south, 3.4 miles west of I-94 Exit 288. Perch abundant. (No ramp). | | | | |
| <u>Island Lake</u> 1,441.8 msl | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles south, .5 miles east of Urbana. Walleye abundant. Moderate number of perch. Seasonal boat use restrictions. (No ramp). | | | | |
| <u>Kee Lake</u> 1,461.0 msl | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles south, 2 miles east of Eckelson. Walleye abundant. Moderate number of perch. Occasional pike. (No ramp). | | | | |
| <u>Koebnick Pond</u> | Stocking | | Not Surveyed | |
| 1 mile north, 4 miles west, 1 mile north of Rogers. Moderate number of perch. (No ramp). | | | | |
| <u>Meadow Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles west, 6 miles north of Litchville. Moderate number of perch, with some larger fish. Low density walleye population. (No ramp). | | | | |
| <u>Middle Eckelson</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles east of Eckelson. Low density pike population. Moderate number of perch. (No ramp). | | | | |
| <u>Moon Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles west, 5.5 miles south, 4 miles west, 2 miles north of Valley City. Walleye and perch abundant. Occasional smallmouth bass, brown and/or rainbow trout. | | | | |
| <u>Mosher WPA</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2.5 miles north, 4.5 miles east of Dazey. Walleye abundant. (No ramp). | | | | |
| <u>Olson WPA</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles north of I-94 Exit 283. Moderate number of perch. (No ramp). | | | | |
| <u>Sanborn Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles east, 1 mile north, .5 miles east of Sanborn. Moderate number of pike. (No ramp). | | | | |
| <u>Sanborn WPA</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 1 mile east of Sanborn. Moderate numbers of pike and perch. (No ramp). | | | | |

Barnes County

[St. Mary's Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

2 miles west, 5.5 miles south, 4 miles west, 1 mile north of Valley City. Walleye and perch abundant. (No ramp).

[Sweetwater Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles south, 1 mile east of Sanborn. Moderate numbers of crappie, perch and walleye. (No ramp).

Benson County

[Fort Totten Dam](#)

Not Stocked **Not Surveyed**

.5 miles east of Fort Totten. No recent information. Managed by the U.S. Fish and Wildlife Service. (No ramp).

[Gravel Pit Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4.5 miles west of Fort Totten. No recent information. Managed by the U.S. Fish and Wildlife Service. (No ramp).

[Mission Lake](#)

Not Stocked **Not Surveyed**

5 miles south, 1.5 miles east, 2 miles south of Devils Lake. No recent information. Lake managed by the U.S. Fish and Wildlife Service. (No ramp).

[Wood Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

2 miles west, 1 mile south of Tokio. Bluegill numerous, but most are about 7 inches. Decent number of walleye and pike.

Bottineau County

[Boundary Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 11 miles east, 2.5 miles north of Bottineau. Decent number of 6- to 8-inch perch. (No ramp).

[Carbury Dam](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile south, 1 mile west of Carbury. Recent fishkills have led to low pike and perch numbers. (Fishing pier).

[Long Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

8 miles north, 7 miles east, 1 mile south, 1 mile east, .5 miles south, .3 miles east of Bottineau. Decent pike and walleye populations. Lots of small perch and some nice bluegill.

[Loon Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 4 miles east, 2 miles south, 2 miles east, .5 miles north of Bottineau. High number of mostly smaller perch. Good number of decent-sized walleye. (No ramp).

[Lake Metigoshe](#) *2,139.8 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 4 miles east, 1 mile north of Bottineau. Several sizes of bluegill, including some large fish, along with some nice crappie. Good number of walleye in a wide range of sizes. Good pike fishing, with some large fish. (Fishing pier).

[Pelican Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 8 miles east, .5 miles southwest of Bottineau. Decent number of northern pike.

[Strawberry Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles north, 2.5 miles east, .5 miles south of Carbury. Rainbow trout stocked annually. Some larger trout. (Fishing pier).

[Thompson Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 4 miles east, 2 miles south, 1 mile east, 1 mile south of Bottineau. Mostly smaller yellow perch abundant. (No ramp).

Bowman County

[Bowman-Haley Dam](#) *2,756.7 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

11 miles south, 8 miles east, 2 miles south of Bowman. Some walleye up to 7 pounds, northern pike up to 13 pounds. Good number of white bass up to 1 pound and smallmouth bass up to 2 pounds. Some yellow perch and crappie up to a half-pound. Carp up to 15 pounds abundant, good for bowfishing. (Fishing pier).

Bowman County

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Gascoyne Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles northwest of Gascoyne. Northern pike stocked annually, with some fish up to 2 pounds. Some carp up to 4 pounds. Bullheads and green sunfish abundant at times. | | | | |
| <u>Kalina Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles west, 1 mile south, 1 mile west, 1 mile south of Bowman. Good number of pike up to 8 pounds. Some small bluegill, crappie and yellow perch. Make sure to access lake from south shore. (No ramp). | | | | |
| <u>Lutz Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2.5 miles south, 2 miles west, .75 miles north of Griffin. Rainbow trout stocked annually. Abundant small bluegill, some yellow perch and black crappie. (No ramp). | | | | |
| <u>Spring Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south, 4 miles west of Rhame. Good number of walleye up to 3 pounds, some perch up to 1 pound and small bluegill abundant. | | | | |

Burke County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Northgate Dam</u> <i>1,898.4 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles north, 1 mile west, 2 miles north, .5 miles west of Bowbells. Good populations of walleye, bluegill and crappie. Stocked with rainbow trout annually, with some nice-sized carry-over trout. Decent largemouth bass population. (Fishing pier). | | | | |
| <u>Powers Lake</u> <i>2,191.7 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| Southeast side of Powers Lake. Primarily a northern pike fishery, with fish of various sizes. Suffered a partial winterkill in 2019. (Fishing pier). | | | | |
| <u>Short Creek Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5.5 miles north of Columbus. Significant winterkill in 2019 reduced fish populations. Stocked with adult perch, adult bluegill and fingerling walleye in 2019 and 2020. (Fishing pier). | | | | |
| <u>Smishek Lake</u> <i>2,245.9 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles northwest of Powers Lake. Decent numbers of walleye and northern pike, with some large fish of both species. Small yellow perch and bluegill abundant, with some large bluegill. White suckers fairly abundant and a management problem. (Fishing pier). | | | | |

Burleigh County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Apple Creek</u> | Not Stocked | Not Surveyed | | |
| South central part of state. Good for northern pike, walleye, crappie and catfish. (No ramp). | | | | |
| <u>Cottonwood Park Pond</u> | Stocking | Not Surveyed | | |
| On west side of Cottonwood soccer complex in south Bismarck. Adult northern pike, and other species, may be stocked in spring. (Fishing pier, no ramp). | | | | |
| <u>Crimmins WPA</u> <i>1,905.5 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles west, 11 miles north, .5 miles west of Wing. Walleye abundant and low numbers of perch present. (No ramp). | | | | |
| <u>Lake Harriet (Arena Lake)</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles west, 1 mile south of Tuttle. Impacted by partial winterkill in 2018-19, but a fair number of northern pike still present. (No ramp). | | | | |
| <u>Long Lake</u> | Not Stocked | Not Surveyed | | |
| 1 mile south, 2.5 miles east of Moffit. Northern pike abundant. Contact refuge for specific angling regulations. (Fishing pier, no ramp). | | | | |
| <u>McDowell Dam</u> <i>1,725.5 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles east, 1 mile north of Bismarck on ND Highway 10. Bluegill and largemouth bass abundant. Catchable-sized rainbow trout stocked in spring. (Fishing pier). | | | | |

Burleigh County

| | | | | |
|---|-----------------|----------------------|---------------------|---------------------|
| <u>New Johns Lake</u> <i>1,841.0 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 11.8 miles south, 3 miles east of Mercer. Decent walleye numbers, with some larger fish. Pike population increased in recent years. Good number and sizes of smallmouth bass. Periodically stocked with muskie. (Fishing pier). | | | | |
| <u>OWLS Pond</u> | Stocking | | Not Surveyed | |
| Just west of Bismarck Game and Fish office. Catchable-sized rainbow trout stocked in spring and fall. Other species (bluegill, perch, catfish and white bass) may be stocked. (Fishing pier, no ramp). | | | | |
| <u>Wilton City Pond</u> | Stocking | | Not Surveyed | |
| South side of Wilton. Catchable-sized rainbow trout stocked in spring. (No ramp). | | | | |

Cass County

| | | | | |
|--|-----------------|----------------------|---------------------|---------------------|
| <u>Brewer Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south, 1 mile west of Erie. Largemouth bass and bluegill abundant. Some larger bass. Occasional walleye and crappie. Boat ramp temporary closed due to pending dam reparations. (Fishing pier). | | | | |
| <u>Brooks Harbor</u> | Stocking | | Not Surveyed | |
| .5 miles south, .5 miles west of I-94 Exit 346. Rainbow trout and perch present. (No ramp). | | | | |
| <u>Casselton Pond</u> | Stocking | | Not Surveyed | |
| Southeast corner of Casselton. Rainbow trout stocked annually in late spring. (No ramp). | | | | |
| <u>Lindemann Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north, 1 mile east, .5 miles north of Enderlin. Walleye and perch abundant. (No ramp). | | | | |
| <u>North Woodhaven Pond</u> | Stocking | | Not Surveyed | |
| 2.25 miles south, .25 miles east of I-94 Exit 348. Rainbow trout stocked annually in spring. (Fishing pier, no ramp). | | | | |
| <u>South Woodhaven Pond</u> | Stocking | | Not Surveyed | |
| 2.8 miles south, .25 miles east of I-94 Exit 348. Perch present. (Fishing pier, no ramp). | | | | |

Cavalier County

| | | | | |
|---|-----------------|----------------------|---------------------|---------------------|
| <u>Langdon City Pond</u> | Stocking | | Not Surveyed | |
| South side of Langdon. Put-and-take trout lake, with most fish caught in May. (Fishing pier). | | | | |
| <u>Mount Carmel Dam</u> <i>1,530.7 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles north, 2 miles east, 2 miles north of Langdon. Fair number of perch, with most under 8 inches. Walleye numbers fair, with several sizes available, including some big fish. Decent number of nice-sized pike. Increasing crappie numbers, with most under 9 inches. (Fishing pier). | | | | |

Dickey County

| | | | | |
|--|--------------------|----------------------|---------------------|---------------------|
| <u>Heinrich Lake</u> | Stocking | | Not Surveyed | |
| 17.5 miles east, 1 mile south of Ashley. Low density perch population. (No ramp). | | | | |
| <u>Hofer Lake</u> | Stocking | | Not Surveyed | |
| 7 miles east, 1.75 miles north of Ellendale. No recent information. (No ramp). | | | | |
| <u>Moores Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 18.5 miles west, 1 mile north of Ellendale. Moderate numbers of pike and perch. (No ramp). | | | | |
| <u>Pheasant Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles west of Ellendale. Moderate number of pike, perch, bluegill, crappie, catfish and walleye. (Fishing pier). | | | | |
| <u>Shimmin Lake</u> | Not Stocked | | Not Surveyed | |
| 20.5 miles west, 1 mile south of Ellendale. Pike abundant. (No ramp). | | | | |
| <u>Whitestone Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles south, 1.5 miles west, 1 mile south of Merricourt. Abundant perch. Occasional bluegill. (No ramp). | | | | |

Divide County

[Baukol-Noonan Dam](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

2 miles east, .5 miles south of Noonan. Decent northern pike and walleye populations. Abundant small yellow perch and bluegill. Largemouth bass also present. (Fishing pier).

[Baukol-Noonan East Mine Pond](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

2 miles east, .5 miles south of Noonan. Good number of largemouth bass. Small bluegill and small yellow perch abundant. Black bullheads present.

[Fritz Slough](#)

[Stocking](#)[Not Surveyed](#)

6 miles east, 6 miles north, .5 miles east, 1.25 miles north of Wildrose. New lake stocked with adult perch in 2020. (No ramp).

[Magnuson's Slough](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

12 miles north of Alamo on County Road 11. Decent number of smaller perch. (No ramp).

[Skjermo Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

3 miles west, 4 miles northwest of Fortuna. Good perch population, with some nice fish. Northern pike also present. (Fishing pier).

[Willy's Slough](#)

[Stocking](#)[Not Surveyed](#)

5.5 miles south, 1 mile east of Noonan. New lake stocked with adult perch in 2020. (No ramp).

Dunn County

[BarZ Dam](#)

[Stocking](#)[Not Surveyed](#)

8 miles north, 3 miles west, 2 miles north, 3 miles northwest of Killdeer. Adult bluegill stocked in 2017. (No ramp).

[Lake Ilo](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

1 mile west, 1 mile south of Dunn Center. Pike up to 10 pounds abundant, some perch up to a half-pound. (Fishing pier).

Eddy County

[Adams Lake](#)

[Not Stocked](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

10 miles south of Warwick. Lots of smaller perch around 7 inches, with some up to 10 inches, and a few walleye. (No ramp).

[Lake Coe](#) 1,505.0 msl

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

10 miles south of Warwick on east side of Eddy County Road 8. Good number of walleye, with several size-classes. Fish longer than 18 inches common.

[New Rockford Reservoir](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

North side of New Rockford. Winterkilled in 2019, but adult northern pike were stocked in spring for an instant fishery. (Fishing pier, no ramp).

[North Lake Washington](#) 1,479.3 msl

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

6 miles south of Warwick. Good population of walleye, with fish up to 21 inches. Some keeper-sized perch, but most still too small.

[Warsing Dam](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

1 mile northeast of Sheyenne. Partial winterkill in 2019. Spring netting survey sampled pike, perch and bullheads. Northern pike adults were stocked in spring 2019 to establish an instant fishery. (Fishing pier).

Emmons County

[Braddock Dam](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

2 miles southwest of Braddock. Fair numbers of northern pike, walleye and yellow perch. Bluegill, channel catfish and black bullheads present.

[Goose Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

3 miles east of Braddock. Northern pike up to 8 pounds abundant and a low number of perch. (No ramp).

Emmons County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| Rice Lake <i>1,800.6 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 9.5 miles south, .8 miles west of Strasburg. Walleye abundant and occasionally over 25 inches. Northern pike and perch in low numbers. | | | | |

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| Senger Lake | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile north, 6 miles east of Strasburg. Low number of perch up to 13 inches. (No ramp). | | | | |

Foster County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| Dry Lake | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles east, 5 miles south, 2 miles east of Carrington. Fair number of walleye, with most fish about 18 inches. Low perch numbers. (No ramp). | | | | |

Golden Valley County

| | | | | |
|---|--------------------------|------------------------------|--|--|
| Beach City Pond | Stocking | Not Surveyed | | |
| Southwest side of Beach. Rainbow trout stocked annually. (Fishing pier, no ramp). | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Camels Hump Lake <i>2,704.6 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| Northeast of Sentinel Butte I-94 Exit 10. Rainbow trout stocked annually, with fish up to 2 pounds. Largemouth bass mostly 1/2 pound abundant, with some up to 6 pounds. Abundant bluegill up to three-quarters of a pound. Some brown trout and smallmouth bass. | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Odland Dam | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles north of Beach. Perch up to three-quarters of a pound abundant, some bluegill up to 1 pound and walleye up to 3 pounds. (Fishing pier). | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Williams Creek Dam | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles south, 5 miles east, 2 miles south of Golva. Winterkilled in 2018, will restock in 2019. (No ramp). | | | | |

Grand Forks County

| | | | | |
|--|-----------------------------|------------------------------|--|--|
| English Coulee Pond | Not Stocked | Not Surveyed | | |
| 5 miles south, 3 miles east, 1 mile south, .5 miles east of Emerado. No recent information. (No ramp). | | | | |

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| Fordville Dam | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles west, 1 mile north, .5 miles west, .5 miles north of Inkster. Fair numbers of eating-sized walleye and larger pike, with a fair number of perch under 10 inches. Bluegill numbers are increasing, with fish up to 8 inches. Bullheads and suckers remain a management issue. (Fishing pier). | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Kolding Dam | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles southeast, 1 mile south of Niagara on U.S. Highway 2. Adult pike stocked following winterkill in 2018-19. | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Larimore Dam <i>1,069.1 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles northeast of Larimore. Walleye, pike, largemouth bass, perch, crappie and bluegill provide angling opportunities. Various sizes of walleye and pike, with some bigger fish. Crappie and bluegill are smaller, but also some nice fish. Most perch less than 9 inches. (Fishing pier). | | | | |

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| Niagara Dam | Stocking | Survey Report | Length Table | Length Chart |
| North of Niagara. Probable winterkill in 2019, but adult pike were stocked in spring. | | | | |

| | | | | |
|--|--------------------------|------------------------------|--|--|
| Ryan Park Pond | Stocking | Not Surveyed | | |
| South side of Grand Forks. Small urban fishery that is a good place to take a kid fishing and is stocked annually with trout. Bluegill also introduced. (Fishing pier, no ramp). | | | | |

Grant County

Grant County

[Heart Butte Reservoir](#) *2,059.2 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

Abundance of mostly small walleye, with some fish up to 6 pounds, catfish up to 10 pounds, pike up to 17 pounds, white bass up to 2 pounds, crappie up to 1 pound and smallmouth bass up to 2 pounds. Good number of perch up to 1 pound and some bluegill up to a half-pound. Abundant large buffalo up to 40 pounds and bullheads up to 1.5 pounds, some large carp up to 15 pounds.

Boy Scout Camp -- 17.3 miles south on ND HWY 49, 1.5 miles west, .8 miles north of Glen Ullin (Gravel access road, fish cleaning facility, primitive camping, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).

Cabin Area -- 12.5 miles south on ND HWY 49, 1.6 miles south, 1.4 miles west of Glen Ullin (Gravel access road, no restrooms -- Grant County JDA).

Carson Sportsmens -- 17.3 miles south on ND HWY 49, .8 miles west, 1.7 miles west-northwest of Glen Ullin (Gravel access road, picnic shelter, trash receptacles -- Grant County JDA).

Crappie Creek -- 12.5 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Elgin Sportsmen -- 19.5 miles south on ND HWY 49, .5 miles west, 2 miles north, .7 miles east of Glen Ullin (Gravel access road, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).

Koehlrs Point -- 11.9 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

North Shore -- 16.6 miles south on ND HWY 49, .3 miles west of Glen Ullin (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Grant County JDA).

PLC Area -- 19.5 miles south on ND HWY 49, .5 miles west, 2.2 miles north of Glen Ullin (Gravel access road, no restrooms -- Grant County JDA).

Rimrock Rec Area -- 17.3 miles south on ND HWY 49, .6 miles southwest Glen Ullin (Gravel access road, developed and primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Schatz Creek -- 19.5 miles south on ND HWY 49, .5 miles west, 1.9 miles north, 1.6 miles east of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Sled Creek (New Leipzig) -- 19.5 miles south on ND HWY 49, .5 miles west, 1 miles south, 1.3 miles west, 1.5 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

[Raleigh Reservoir](#) *2,181.4 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

3.5 miles west, .25 miles south of Raleigh. Small bluegill abundant, with some up to a half- pound, good number of walleye up to 4 pounds and some mostly small yellow perch. Adult largemouth bass stocked in 2019. (Fishing pier).

[Sheep Creek Dam](#) *2,226.1 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles south, .5 miles west of Elgin. Rainbow trout stocked annually, with some up to 3 pounds. Fair number of bluegill up to half of a pound. Fair number of largemouth bass up to 5 pounds. Some mostly small walleye, crappie and brown trout. (Fishing pier).

Griggs County

[Lake Addie](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles east, 1 mile south, 1 mile west of Binford. Managed as a walleye and perch fishery. Several sizes of walleye available. Most perch smaller. (No ramp).

[Carlson-Tande Dam](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile south, 5 miles west of Aneta. 2019 netting survey showed small perch, bluegill and pumpkinseeds, along with a few nice walleye and pike.

[Red Willow Lake](#) *1,463.7 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

6 miles north, 2 miles west of Binford. Walleye, pike, perch and bluegill common. Nice walleye around 20 inches available. Pike abundant and in many sizes. Bluegill common and mostly smaller, but some up to 11 inches. Perch typically small.

[Sibley Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile west, 3 miles south of Binford. Good pike population, with fish averaging near 5 pounds. Some perch available. (No ramp).

Hettinger County

Hettinger County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Blickensderfer Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles south, 1 mile east, .5 miles south of Mott. Some small bluegill and yellow perch. Some northern pike up to 5 pounds and walleye up to 2 pounds. Stocked adult largemouth bass in 2017. (No ramp). | | | | |
| <u>Castle Rock Dam</u> | Stocking | Not Surveyed | | |
| 2 miles west, 1.5 miles south, 1.5 miles west of Mott. Rainbow trout stocked annually, with some trout up to 2 pounds. | | | | |
| <u>Indian Creek Dam</u> <i>2,582.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles west, 2 miles south, 2 miles west, 3 miles south of Regent. Good number of walleye up to 8 pounds, fair number of small perch, with some up to a half-pound. Some small bluegill and smallmouth bass up to 2 pounds. (Fishing pier). | | | | |
| <u>Larson Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles north and 2 miles east of Regent. Good number of yellow perch up to 1 pound. | | | | |
| <u>Mott Watershed Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| North side of Mott. Total winterkill in 2019. Stocked rainbow trout and adult bluegill spring of 2019 and 2020. Stocked adult largemouth bass spring of 2020. Currently, some bluegill up to three-quarters of a pound and largemouth bass up to half pound. (Fishing pier). | | | | |

Kidder County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Alkaline Lake</u> <i>1,864.9 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 15 miles south, 7 miles east, 1.4 miles southeast of Dawson. Walleye abundant. Fair pike numbers, with fish occasionally over 10 pounds. Large perch in low numbers. | | | | |
| <u>Cherry Lake</u> <i>1,760.1 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 15 miles north, 3 miles east of Steele. Small northern pike abundant. Low number of perch. | | | | |
| <u>Des Moines Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5.5 miles east of Robinson. Northern pike up to 5 pounds abundant. (No ramp). | | | | |
| <u>Etta-Alkaline Complex</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south, 2.5 miles west, 3 miles south of Dawson. Impacted by winterkill in 2018-19, but small northern pike remain abundant. (No ramp). | | | | |
| <u>Fresh Lake</u> <i>1,865.8 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 15 miles south, 7 miles east, 1 mile south of Dawson. Walleye abundant. Pike and perch present. (No ramp). | | | | |
| <u>Frettim Lake</u> | Stocking | Not Surveyed | | |
| 2 miles east, 1 mile north of Robinson. Suffered a complete winterkill during the winter of 2019-20. Small bluegill and fingerling walleye will be stocked in 2020 | | | | |
| <u>Geier Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 12 miles east, 9.5 miles north of Robinson. Walleye abundant and a fair number of perch. (No ramp). | | | | |
| <u>Lake Geneva</u> <i>1,805.1 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles south, .5 miles east of I-94 Exit 195. Quality walleye and perch fishery. (No ramp). | | | | |
| <u>Helen Lake</u> <i>1,919.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2.5 miles west, 6 miles north of Tuttle. An excellent northern pike fishery, with fish occasionally over 8 pounds. Perch present. (No ramp). | | | | |
| <u>Horsehead Lake</u> <i>1,737.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles west, 8 miles south, .25 miles east of Robinson. Northern pike abundant. (No ramp). | | | | |
| <u>Lake Isabel</u> <i>1,728.3 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles south, .5 miles east, .75 miles south of Dawson. Small northern pike abundant. | | | | |
| <u>Jasper Lake</u> <i>1,819.9 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles north, .5 miles east of Robinson. Walleye abundant and fish occasionally over 25 inches. Perch present. | | | | |

Kidder County

| | | | | |
|---|--------------------|----------------------|---------------------|---------------------|
| <u>Lake Josephine</u> <i>1,863.6 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north of Tuttle. Walleye abundant, with fish occasionally over 25 inches. Fair number of perch and low numbers of northern pike. (Fishing pier). | | | | |
| <u>Koenig North</u> | Stocking | Survey Report | Length Table | Length Chart |
| 12.25 miles north, 1.5 miles east of Robinson. Small walleye abundant and perch present. (Winter Access Only). (No ramp). | | | | |
| <u>Koenig South</u> | Stocking | Survey Report | Length Table | Length Chart |
| 12.25 miles north, 1.5 miles east of Robinson. Multiple perch year-classes present. (Winter access only.) (No ramp). | | | | |
| <u>Lake No. 5</u> | Stocking | Not Surveyed | | |
| 3.5 miles west, 7.5 miles north, 1.5 miles east, 1 mile south of Dawson. Northern pike abundant, but the lake frequently winterkills. (No ramp). | | | | |
| <u>Long Alkaline Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles west, 7 miles north of Robinson. Northern pike up to 4 pounds abundant. (No ramp). | | | | |
| <u>McPhail WMA</u> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles north, 2 miles west of Tappen. Perch up to 10 inches abundant and a low number of walleye. (No ramp). | | | | |
| <u>Pelican Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles east, 11 miles north, 1 mile east of Robinson. Walleye and small perch in fair numbers. (No ramp). | | | | |
| <u>Plowe Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles east, 5 miles north, 1 mile east of Robinson. Walleye, northern pike and perch in fair numbers. (No ramp). | | | | |
| <u>Ranch Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile west of Pettibone. Northern pike abundant and perch present. (No ramp). | | | | |
| <u>Round Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile north, 1.5 miles east of Pettibone. Winterkilled in 2017-18 and primarily impacted walleye. Walleye restocked in 2018. Currently holds fishable populations of northern pike and perch. (No ramp). | | | | |
| <u>Seil Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 6 miles east, 10 miles north, 4.25 miles east of Robinson. Yellow perch abundant. (No ramp). | | | | |
| <u>Sibley Lake</u> <i>1,733.4 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles north, 2 miles east, 1 mile south of Dawson. Small walleye abundant, but some fish over 20 inches. Multiple perch year-classes in good numbers. | | | | |
| <u>Swan Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10.5 miles north of Robinson. Small perch abundant, but fish up to 12 inches present. Low number of walleye. (No ramp). | | | | |
| <u>Lake Williams</u> | Stocking | Survey Report | Length Table | Length Chart |
| Just south of the town of Lake Williams. Fair numbers of walleye, northern pike and smallmouth bass. | | | | |
| <u>Willow Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles north, 3 miles west of Robinson. Perch and small walleye in fair numbers. (No ramp). | | | | |
| <u>Woodhouse Lake</u> <i>1,965.9 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 12 miles north, 12 miles east of Wing. Walleye up to 28 inches abundant. Fair number of small perch. Access may currently be difficult to Woodhouse Lake due to flooded roads. (No ramp). | | | | |

LaMoure County

| | | | | |
|---|-----------------|----------------------|---------------------|---------------------|
| <u>Alfred Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles east, 1.5 miles south of Gackle. Low density pike and perch populations. (No ramp). | | | | |

LaMoure County

| | | | | |
|--|--------------------|----------------------|---------------------|---------------------|
| <u>Boom Lake (Marion Lake)</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles west of Marion. Moderate numbers of pike and walleye. | | | | |
| <u>Cottonwood Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles west, 5 miles south, 1 mile west of LaMoure. Moderate number of pike. (No ramp). | | | | |
| <u>Diamond Lake</u> <i>1,940.0 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north of Kulm. Walleye and perch abundant. Moderate number of pike. | | | | |
| <u>Heinrich-Martin Dam</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| .75 miles east, .5 miles south of Adrian. Largemouth bass and bluegill abundant. Moderate numbers of crappie, perch and pike. | | | | |
| <u>Kalmbach Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles south, 4.5 miles west, .5 miles south of Jud. Pike abundant. | | | | |
| <u>Kulm-Edgeley Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles west, 2 miles south of Edgeley. Moderate numbers of pike, bluegill and perch. Low number of walleye. | | | | |
| <u>Lake LaMoure</u> <i>1,350.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south, 1 mile east, 2.5 miles south, 1 mile west, .5 miles south of LaMoure. Pike and crappie abundant. Moderate numbers of walleye and perch. Occasional bluegill. (Fishing pier). | | | | |
| <u>Limesand-Seefeldt Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south, 3 miles west of Marion. Pike abundant. Moderate numbers of bluegill, perch and crappie. | | | | |
| <u>Schlecht-Thom Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles west, .5 miles north of Edgeley. Moderate numbers of pike and bluegill. | | | | |
| <u>Schlenker Dam (Lehr Dam)</u> | Stocking | Survey Report | Length Table | Length Chart |
| 11 miles west, .5 miles south of the junction of U.S. Highway 281 and ND Highway 46. Moderate numbers of pike and bluegill. | | | | |
| <u>Twin Lakes</u> <i>1,406.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles north of LaMoure. Walleye, pike and perch abundant. Some larger fish. | | | | |

Logan County

| | | | | |
|--|-----------------|----------------------|---------------------|---------------------|
| <u>Arnies Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles south of Gackle, 2 miles east, 1 mile south. Moderate numbers of pike, perch and walleye. (No ramp). | | | | |
| <u>Beaver Lake</u> <i>1,959.8 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south, 8 miles east of Napoleon. Northern pike abundant, with fish occasionally over 10 pounds. | | | | |
| <u>Braun Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 18 miles south, 1 mile east of Steele. Walleye and small perch abundant. (No ramp). | | | | |
| <u>Erickson Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8.5 miles north, 3 miles west, 1 mile north, 1.5 miles west, .5 miles south of Kulm. Perch abundant, with some larger fish. (No ramp). | | | | |
| <u>Kleingartner Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles south, 5 miles west of Gackle. Fair number of northern pike and low numbers of perch. (No ramp). | | | | |
| <u>Lepp Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile east, 1 mile north of Lehr. Fair numbers of pike and perch. (No ramp). | | | | |
| <u>Logan Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile west of Gackle. Walleye abundant. Fair number of small perch. (No ramp). | | | | |

Logan County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Marvin Miller Lake</u> 1,857.5 msl | Stocking | Survey Report | Length Table | Length Chart |
| 6.5 miles south, 8 miles west, .5 miles north of Gackle. Excellent walleye fishery, with fish occasionally over 25 inches. Fair number of perch and a low number of northern pike. | | | | |
| <u>Mundt Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles east, 4 miles north, 1 mile east, .5 miles south of Lehr. Walleye abundant, with perch and smallmouth bass in fair numbers. (Fishing pier). | | | | |
| <u>North Napoleon Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4.5 miles west, 1 mile north, 1 mile east of Napoleon. Northern pike and small perch abundant. (No ramp). | | | | |
| <u>Oriole Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8.25 miles south of Gackle. Pike abundant. (No ramp). | | | | |
| <u>Ost Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles east, 1 mile north, 1 mile west, .5 miles north of Lehr. Small walleye abundant. Fair number of perch. (No ramp). | | | | |
| <u>Railroad Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5.5 miles east of Lehr. Fair numbers of walleye and perch. (No ramp). | | | | |
| <u>Thurn Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north of Lehr, .5 miles east. Fair number of walleye up to 24 inches. Low number of perch. (No ramp). | | | | |
| <u>West Lake Napoleon</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile west of Napoleon. Northern pike abundant and a fair number of large perch. (Fishing pier, no ramp). | | | | |
| <u>Wetzel Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 11 miles west, 1 mile south of Gackle. Small northern pike abundant. (No ramp). | | | | |

McHenry County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Buffalo Lodge Lake</u> 1,482.2 msl | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles east, 3 miles north, 2 miles east of Granville. Good numbers of northern pike and walleye. (Fishing pier). | | | | |
| <u>Cottonwood Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2.5 miles north of Butte. Decent number of pike and a good number of 14- to 26-inch walleye. (Fishing pier). | | | | |
| <u>George Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 13 miles north, 1 mile east, 1.3 miles north, .5 miles east of the junction of U.S. Highway 52 and ND Highway 14. Good number of pike, with some large fish. (Fishing pier). | | | | |
| <u>Round Lake</u> 1,542.7 msl | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles north, 1.5 miles west of Anamoose. Good numbers of pike and walleye. | | | | |

McIntosh County

| | | | | |
|---|-----------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Becker-Schlepp Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 3 miles north, 1 mile east, 1 mile north, .5 miles east of Ashley. Small perch abundant. (No ramp). | | | | |
| <u>Berlin Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9.5 miles east, 7 miles north, 2 miles east, 2 miles north of Ashley. Perch present. (No ramp). | | | | |
| <u>Blumhardt Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9.5 miles east, 7 miles north, 1.5 miles east of Ashley. Brown and rainbow trout. | | | | |
| <u>Clear Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles east, 2 miles south of Wishek. Small northern pike abundant (No ramp). | | | | |

McIntosh County

| | | | | |
|--|-----------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Coldwater Lake</u> 1,957.7 msl | Stocking | Survey Report | Length Table | Length Chart |
| 15.5 miles east, 1 mile south, 1 mile west of Ashley. Moderate numbers of walleye and pike, with some larger fish. (Fishing pier). | | | | |
| <u>Dollinger-Schnabel Lake</u> 2,120.5 msl | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north, 5 miles west, 3 miles north of Ventura. Fair number of perch up to 12 inches and small walleye abundant. (No ramp). | | | | |
| <u>Dorfman Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north, 2 miles west of Ashley. Walleye abundant, along with a fair number of pike and perch. (No ramp). | | | | |
| <u>Dry Lake</u> 1,987.2 msl | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles west, 4 miles north, 2 miles east, .5 miles south of Ashley. Excellent walleye and pike fishery, with a low number of large perch. | | | | |
| <u>Green Lake</u> 2,009.1 msl | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles east, 4 miles south, 1 mile east of Wishek. Quality walleye and perch fishery, with a low number of pike. (Fishing pier). | | | | |
| <u>Harr Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles east, 12 miles north of Ashley. Walleye abundant and low numbers of large yellow perch. (No ramp). | | | | |
| <u>Homestead Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south, 8 miles east, 2 miles north of Wishek. Small northern pike abundant. (No ramp). | | | | |
| <u>Lake Hoskins</u> 1,980.0 msl | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles west of Ashley. Fair numbers of walleye, northern pike and yellow perch. (Fishing pier). | | | | |
| <u>Kislingbury Lake</u> 1,932.5 msl | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles east, 1.5 miles north of Ashley. Walleye abundant and perch present in low numbers. | | | | |
| <u>McIntosh WMA</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles east, 9 miles north of Ashley. Low numbers of perch and walleye. (No ramp). | | | | |
| <u>Miller Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 7.5 miles east, 2.5 miles south of Lehr. Fair numbers of northern pike and small perch. (No ramp). | | | | |
| <u>Mudd Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile west of Lehr. Fair number of northern pike and a low number of perch. (No ramp). | | | | |
| <u>Nagel Lake (Koepplin WPA)</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles east, .5 miles south of Lehr. Walleye abundant and a low number of perch. (No ramp). | | | | |
| <u>Pfeifle Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles south, 2 miles east of Wishek. Northern pike, perch and walleye in fair numbers. (No ramp). | | | | |
| <u>Pintail Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles east of Ashley. Low number of perch. (No ramp). | | | | |
| <u>Pudwill Lake</u> | Stocking | Not Surveyed | | |
| 9 miles south, 4 miles west, 1 mile north, .5 miles west of Lehr. Low numbers of northern pike, walleye and perch. (No ramp). | | | | |
| <u>Rueb-Eszlinger</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 7.5 miles north, 2 miles west of Ashley. Multiple perch year-classes abundant. (No ramp). | | | | |
| <u>Serpent Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 13.5 miles east, 2 miles north, 1 mile east of Ashley. Moderate numbers of pike and perch. (No ramp). | | | | |

McKenzie County

McKenzie County

[Arnegard Dam](#) **2,175.7 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

.5 miles west, 2 miles north, 1.5 miles west of Arnegard. Good number of northern pike. Yellow perch present, but most are smaller fish. Abundant black bullhead population. Stocked with adult catfish in 2020. (Fishing pier).

[Glovatsky Pond](#)

[Stocking](#)

[Not Surveyed](#)

.5 miles east, .5 miles south, .5 miles east of the junction of U.S. Highway 85 and ND Highway 200. New Pond. Bluegill stocked in 2019. Catchable rainbow trout will be stocked annually, beginning in 2020. (No ramp).

[Sather Dam](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

11 miles south, 8 miles west of Alexander. Total winterkill in 2019. Stocked with adult bluegill in 2019 and adult largemouth bass in 2020. (Fishing pier).

[Watford City Park Pond](#)

[Stocking](#)

[Not Surveyed](#)

Southeast side of Watford City. All fish lost to winterkill nearly every winter. Stocked annually in spring with adult channel catfish and catchable-sized rainbow trout. (Fishing pier, no ramp).

McLean County

[Lake Audubon](#) **1,845.6 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

Good number of walleye and an excellent smallmouth bass fishery. Anglers should see good numbers of 14- to 20-inch walleye. Some large pike.

Cabin Sites -- 8.3 miles north on US HWY 83, 5.8 miles east, .8 miles south of Coleharbor (Gravel access road -- McLean County Park Board).

Lane Ramp -- 8.3 miles north on US HWY 83, 7.7 miles east, 1.5 miles south, 1 mile west of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

Nelson Bay -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

North Arm -- 8.3 miles north on US HWY 83, 7 miles east of Coleharbor (Paved access road, no restrooms -- McLean County Park Board).

Refuge-East -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

Refuge-West -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

Three Mile Corn -- 8.3 miles north on US HWY 83, 3 miles east, 1 miles south of Coleharbor (Gravel access road, no restrooms, primitive camping -- McLean County Park Board).

Totten Trail -- 6 miles north on US HWY 83, .2 miles east, .3 miles south of Coleharbor (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

Turtle Lake Ramp -- 8.3 miles north on US HWY 83, 7.7 miles east, 2.2 miles south of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

[Lake Brekken](#) **1,827.0 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

1.5 miles north of Turtle Lake. Good number of walleye, with some larger fish. Mostly smaller perch abundant. (Fishing pier).

[Brush Lake](#) **1,827.0 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

3 miles north of Mercer. Good numbers of walleye and smaller perch. Good pike population, with some larger fish. (Fishing pier).

[Camp Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

17.5 miles north, 2 miles east of Turtle Lake. Decent number of pike and lots of small perch. (No ramp).

[Camp Loop Pond](#)

[Stocking](#)

[Not Surveyed](#)

3 miles southwest of Riverdale on U.S. Army Corps of Engineers' downstream campground. Rainbow trout stocked annually. (Fishing pier, no ramp).

[Coal Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

3 miles south, 1.5 miles east, .75 miles north of Underwood. Severe winterkill in 2018-19. Restocked with walleye fingerlings in 2019. (No ramp).

[Crooked Lake](#) **1,918.2 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

10 miles north, .2 miles east, .1 mile south of Turtle Lake. High number of 18- to 32-inch pike, some walleye, and mostly smaller perch. (Fishing pier).

McLean County

| | | | | |
|--|-----------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Custer Mine</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles east, 2 miles south of Garrison. A good put-and-take rainbow trout fishery in a small, easy-to-fish pond. | | | | |
| <u>East Park Lake</u> <i>1,841.0 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles south of Mercer. Decent walleye numbers, with some larger fish. Fair number of northern pike. (Fishing pier). | | | | |
| <u>Lake Gertie</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south of Benedict. Good number of 22- to 29-inch northern pike. (No ramp). | | | | |
| <u>Lake Holmes</u> <i>1,825.8 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile northeast of Turtle Lake. Good number of walleye, with some larger fish. Small perch abundant. | | | | |
| <u>Lightning Lake</u> <i>1,829.4 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles east of Turtle Lake. A quality trout fishery, with some large fish. Stocked annually with rainbow trout. (Fishing pier). | | | | |
| <u>Long Lake</u> <i>1,915.4 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 13 miles north, 4 miles east, 2 miles north, 1.5 miles west of Turtle Lake. Good number of 19- to 32-inch northern pike. | | | | |
| <u>Painted Woods Creek</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles southeast of Washburn. Fair number of northern pike. (No ramp). | | | | |
| <u>Painted Woods Pond</u> | Stocking | Not Surveyed | | |
| .6 miles south, and .25 miles west of the junction of U.S. Highway 83 and ND Highway 1804. Stocked annually with rainbow trout. First stocked with bluegill in 2018. (No ramp). | | | | |
| <u>Pelican Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 7 miles north, 3 miles east, .4 miles north of Mercer. Good numbers of pike and smaller perch. (No ramp). | | | | |
| <u>Riverdale City Pond</u> | Stocking | Not Surveyed | | |
| North side of Riverdale. Popular pond for kids and family outings. Lots of small bluegill and bass. (Fishing pier, no ramp). | | | | |
| <u>Schroeder East</u> | Stocking | Survey Report | Length Table | Length Chart |
| 14 miles north, 3.7 miles east of Mercer. Newer perch lake, with some decent-sized fish. (No ramp). | | | | |
| <u>Scooby Lake</u> <i>1,996.3 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles south, 1 mile west, .3 miles south of Benedict. Newer fishery, with a good number of 14- to 18-inch walleye. Some good-sized perch. (No ramp). | | | | |
| <u>Strawberry Lake</u> <i>1,937.5 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 17.5 miles north, 2 miles east of Turtle Lake. Good pike and walleye populations. Lots of small perch and bluegill. | | | | |
| <u>Triangle Y Pond</u> | Stocking | Not Surveyed | | |
| 4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison. Small pond stocked with perch, used mostly by Triangle Y kids. (Fishing pier, no ramp). | | | | |
| <u>Turtle Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 4.5 miles west, 1 mile north of Turtle Lake. Decent number of northern pike, with some larger fish. (No ramp). | | | | |
| <u>Weishaar WPA</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 8 miles north, 8 miles west, 1 mile north of Turtle Lake. Winter perch fishery for mostly smaller perch. (No ramp). | | | | |
| <u>West Park Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles south, 3 miles west of Mercer. Fair number of walleye and small perch. Good number of pike, with some larger fish. (No ramp). | | | | |

Mercer County

| | | | | |
|--|-----------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Beulah Mine Pond</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 2 miles north, 2.5 miles east, .5 miles north of Beulah. Some pike and perch. (No ramp). | | | | |

Mercer County

[Harmony Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

6 miles north, 1 mile west of Hazen. Fair number of bluegill, with some quality-sized fish. (Fishing pier).

[Hazen Creek](#)

[Stocking](#)

[Not Surveyed](#)

West end of Hazen. Rainbow trout stocked annually in spring. (No ramp).

Morton County

[Crown Butte Dam](#) 1,925.5 msl

[Stocking](#)

[Not Surveyed](#)

4 miles west on access road on north side of I-94 Exit 147. Complete winterkill in 2019. Catchable-sized trout and bluegill stocked. (Fishing pier).

[Danzig Dam](#) 2,103.4 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles north, 1.4 miles west, .2 miles north of I-94 Exit 120. Good number of northern pike up to 15 pounds and walleye up to 3 pounds, some small perch and bluegill. Abundant carp up to 9 pounds and some bullheads up to a half-pound.

[Fish Creek Dam](#) 1,864.5 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles south, 2 miles east, 1 mile south of I-94 Exit 134. Largemouth bass and rainbow trout abundant. Smallmouth bass, brown trout and crappie in lower numbers. (Fishing pier).

[Gaebe Pond](#)

[Stocking](#)

[Not Surveyed](#)

1.5 miles west of New Salem. Rainbow trout stocked annually. Adult catfish up to 5 pounds stocked most years. Some small perch, crappie and bluegill. (Fishing pier, no ramp).

[Harmon Lake](#) 1,695.4 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles north of Mandan on ND Highway 1806. Largemouth bass, bluegill and crappie abundant. Rainbow trout and northern pike in lower numbers. (Fishing pier).

[Krieg's Pond](#)

[Stocking](#)

[Not Surveyed](#)

.5 miles east of Hebron. Rainbow trout stocked annually. Adult perch stocked most years. Adult catfish stocked 2015-19. (No ramp).

[Little Heart Pond](#)

[Stocking](#)

[Not Surveyed](#)

11 miles south of Mandan on ND Highway 1806. Catchable-sized rainbow trout stocked in spring. (No ramp).

[Nygren Dam](#) 1,982.0 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

6 miles north, 1 mile east, 3 miles north, .5 miles east of Flasher. Catchable-sized trout stocked in spring, small bluegill and 10- to 14-inch largemouth bass abundant. (Fishing pier).

[Porsborg Dam](#)

[Stocking](#)

[Not Surveyed](#)

Northwest Mandan. Rainbow trout (and other species) may be stocked in spring. (No ramp).

[Sweet Briar Lake](#) 1,941.5 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

18 miles west of Mandan I-94 Exit 134. Fair numbers of walleye, pike, perch, bluegill, crappie and largemouth bass. (Fishing pier).

Mountrail County

[Clearwater Lake](#) 2,229.6 msl

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles east, 3.8 miles north, .5 miles east, 3 miles north-northeast, .5 miles east of Stanley. Decent walleye population. Northern pike and yellow perch also present.

[East Bieri Lake](#)

[Stocking](#)

[Not Surveyed](#)

1.5 miles south of Blaisdell. New lake stocked with adult perch in 2020. (No ramp).

[Stanley Pond](#)

[Stocking](#)

[Not Surveyed](#)

Northeast side of Stanley. Significant winterkill most winters. Stocked annually in spring with adult channel catfish and catchable-sized rainbow trout. (Fishing pier).

[Stanley Reservoir](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

1 mile south of Stanley. Total winterkill in 2019. Stocked with fingerling northern pike in 2019 and 2020.

Mountrail County

West Bieri Lake

Stocking

Not Surveyed

1.5 miles south of Blaisdell. New lake stocked with adult perch in 2020. (No ramp).

White Earth Dam

Stocking

Survey Report

Length Table

Length Chart

6 miles north, 8.5 miles east, 2 miles south of Tioga. Decent walleye population. Black crappie, bluegill, northern pike and yellow perch also present. White suckers fairly abundant and a management problem. (Fishing pier).

Nelson County

Lake Laretta

Not Stocked

Survey Report

Length Table

Length Chart

2 miles west, 2 miles north of Michigan. Fair number of medium-sized pike. Perch that survive predation are large, but uncommon. Good number of walleye over 20 inches. (No ramp).

McVile Dam

Stocking

Survey Report

Length Table

Length Chart

1 mile east of McVile. Some larger walleye and pike, but at low densities. Perch and bluegill abundant, but most typically less than 8 inches. (Fishing pier).

Silver Creek Dam

Stocking

Survey Report

Length Table

Length Chart

4 miles west, .5 miles south of McVile. Small reservoir with a winter pike fishery. Perch present, but usually less than 9 inches. Bullheads and suckers abundant and a management problem. (No ramp).

Stump Lake 1,448.8 msl

Stocking

Survey Report

Length Table

Length Chart

Walleye population is doing well. There are a variety of sizes available, with good numbers of fish. The numbers of fish from 15-20 inches is a bit below average, but other size groups that anglers would be interested in are all above average.

Northern pike numbers are below average, but fish are still relatively abundant. Most pike are between 26-30 inches, but there are smaller and larger fish present.

Yellow perch numbers seem to be lower. All size-classes that anglers would be interested in seem to be below average. Overall, there should still be perch fishing opportunities in 2020, but fishing may be slower than usual.

White bass numbers seem to be lower than the last couple of years, but fish are still relatively abundant. Most bass will likely be between 14-16 inches in 2020.

East Central Area -- No Public Boating Access

Northwest Area -- No Public Boating Access

Stump Lake Park -- 11 miles south, 1 mile west of Lakota. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station, fishing pier -- Nelson County Park Board).

Tolna Landing (Stump Lake) -- 3 miles north of Tolna. (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles -- Tolna Community Club).

Tolna Dam

Stocking

Survey Report

Length Table

Length Chart

1 mile south, 2 miles east of Tolna. Fair walleye and and pike densities, several sizes present with some big fish. Perch numbers fairly low. Some smallmouth bass.

Whitman Dam

Stocking

Survey Report

Length Table

Length Chart

1.5 miles north, 3 miles east of Whitman. Keeper-sized perch, with most fish under 10 inches. Fair fishing for pike and walleye. Crappie population is good, with some larger fish. (Fishing pier).

Multi-County Waters

Bois De Sioux River

Not Stocked

Not Surveyed

Southeast corner of state in Richland County. Good catfish and walleye populations. (No ramp).

Cannonball River

Not Stocked

Not Surveyed

In Slope, Hettinger, Grant and Sioux counties. Carp abundant most of the time. Some walleye, northern pike and catfish during spring spawning. (No ramp).

Multi-County Waters

Devils Lake *1,448.7 msl*

Stocking

Survey Report

Length Table

Length Chart

Walleye population continues to do well. Reproduction in recent years has generally been good and there are many fish less than 15 inches. The number of 15- to 20-inch walleyes is below average due to three consecutive year-classes that were relatively low from 2013 to 2015. There are still fish in this size range, but anglers will have to fish longer to catch them. The number of walleye longer than 20 inches is similar to the long-term average.

Northern pike will continue to provide good angler opportunities in 2020. Pike continue to reproduce naturally, are relatively abundant and can be found throughout the lake, particularly in the shallower areas. Most fish are between 24-30 inches, but trophy-sized pike are available. Pike are underutilized, so anglers should not be shy about keeping their limit.

The number of catchable-sized yellow perch is lower than last year. The number of perch from 8-12 inches is below the long-term average. The number of jumbos over 12 inches is also below average. The number of perch smaller than 8 inches is below average as well. Overall, there should be perch for anglers to pursue in 2020, but their numbers are below average.

White bass numbers are high. Most were hatched in 2015 and will likely be between 13-15 inches in 2020.

Black Tiger Bay -- 16.5 miles south of Devils Lake on ND Highway 20, then 4 miles north-northeast. (Gravel access road, no restrooms -- North Dakota Parks and Recreation).

Creel Bay -- 3 miles south of Devils Lake on ND Highway 20, then 2 miles west and .25 miles north. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Ramsey County Park Board).

East Bay -- 3 miles south of Devils Lake on ND Highway 20. (Paved access road, security lights, trash receptacles -- North Dakota Game and Fish Department).

East Devils Lake -- No Public Boating Access

Estenson Landing -- 15 miles south of Devils Lake on ND Highway 20. (Paved access road, trash receptacles -- North Dakota Game and Fish Department).

Grahams Island State Park -- 10 miles west of Devils Lake on ND Highway 19, then 6 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

Henegar Landing -- 1 mile west of Devils Lake on ND Highway 19, then .75 miles south. (Paved access road, fish cleaning facility, security lights, trash receptacles -- Ramsey County Park Board).

Minnewaukan Dumpground -- 1.5 miles south of Minnewaukan on old U.S. Highway 281. (Gravel access road -- Minnewaukan Community Club).

Pelican Lake Bay -- 15 miles west of Devils Lake on ND Highway 19. (Paved access road, trash receptacles -- North Dakota Game and Fish Department).

Round Lake Bay -- 3 miles south of Minnewaukan on U.S. Highway 281. (Paved access road, trash receptacles -- Minnewaukan Community Club).

Schwab Landing -- 7 miles west of Devils Lake on ND Highway 19. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- North Dakota Game and Fish Department).

Spirit Lake Casino -- 6 miles south of Devils Lake on ND Highway 20/57. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, lodging, boat rental, RV dump station -- Spirit Lake Casino).

Heart River

Stocking

Not Surveyed

In Stark, Grant and Morton counties. Carp and buffalo abundant most of the time. Some walleye, northern pike and catfish during spring spawning. (No ramp).

James River *1,423.8 msl*

Not Stocked

Survey Report

Length Table

Length Chart

Southeastern part of state. Shore-fishing opportunities where lowhead dams and bridge crossings congregate pike and walleye.

Knife River

Not Stocked

Not Surveyed

In Dunn and Mercer counties. Connected to the Missouri River, so a variety of fish species available. (No ramp).

Multi-County Waters

Little Missouri River

Not Stocked

Not Surveyed

Southwestern part of state. Catfish up to 10 pounds abundant. Some sauger and walleye during spring spawning. (No ramp).

McClusky Canal

Stocking

Survey Report

Length Table

Length Chart

Central part of state in McLean, Burleigh and Sheridan counties. Excellent smallmouth bass fishery, with some larger fish. Variety of fish species available. (No ramp).

Missouri River *1,648.7 msl*

Stocking

Survey Report

Length Table

Length Chart

Fishery downstream of Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. The Garrison Reach of the Missouri River upstream of Bismarck has been slow to recover and still suffers from depressed forage conditions. Walleye reproduction was good from 2014-16, so smaller walleye are present in good numbers and this fishery continues to provide opportunity for trophy-sized fish.

Garrison Dam Tailrace continues to maintain a diverse quality fishery, especially for walleye, brown trout, rainbow trout and salmon. Channel catfish are abundant and underutilized throughout the entire reach.

Fox Island Park -- From Washington Street, .75 miles west on Riverwood Drive (1 block south of Expressway), 1.5 miles south and .5 miles west. (Paved access road, fish cleaning facility, security lights, trash receptacles -- Bismarck Parks and Recreation).

Garrison Dam Tailrace -- Directly below Garrison Dam. (Paved access road, fish cleaning facility, developed camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

Graner Bottoms (Sugar Loaf) -- 19 miles south of Mandan on ND Highway 1806, then 1 mile east, or about 3 miles north of Huff. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- Morton County Park Board).

Grant Marsh Bridge -- On east side of the Missouri River near Bismarck, south side of the I-94 bridge on River Road. (Paved access road, security lights, trash receptacles -- Bismarck Parks and Recreation).

Hoge Landing -- On east side of the Missouri River near Bismarck, 6.4 miles north of I-94 bridge on River Road, then .7 miles west and 1.5 miles south/southwest. (Gravel access road, picnic shelter, trash receptacles -- Bismarck Parks and Recreation).

Kimball Bottoms (Desert) -- 8 miles south of Bismarck on ND Highway 1804, then 2 miles south. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

Kniefel (Misty Waters) Landing -- On east side of the Missouri River near Bismarck, 3 miles north of I-94 bridge on River Road, then 1 mile west. (Paved access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Burleigh County Park Board).

Little Heart Bottoms (Schmidt) -- 11 miles south of Mandan on ND Highway 1806, then 1 mile north. (Paved access road, trash receptacles -- Morton County Park Board).

Sanger (Cross Ranch) -- Just east of Sanger townsite on west side of Missouri River. (Gravel access road, primitive camping, picnic shelter, trash receptacles -- North Dakota Parks and Recreation).

Steckel Boat Landing (Wilton) -- 22 miles north of Bismarck on ND Highway 1804, or 5.5 miles west, 1 mile south, and 1.5 miles west of junction of U.S. Highway 83 and ND Highway 36. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

UPA Site (Stanton) -- Just west of UPA Power Plant on ND Highway 200A near Stanton. (Paved access road, security lights, trash receptacles -- City of Stanton).

Washburn -- On east side of the Missouri River near Washburn, north of ND Highway 200A bridge. (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles, RV dump station, fishing pier -- Washburn City Park Board).

Multi-County Waters

Lake Oahe 1,613.1 msl

Stocking

Survey Report

Length Table

Length Chart

The fishery downstream of Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. Fortunately, the upper Oahe fishery recovered much better than the Garrison Reach. Forage conditions have improved and walleye growth rates have followed. Walleye reproduction was very good from 2014-16, so smaller walleye are abundant and larger fish present. Pike abundance has declined from recent years, but average size is excellent, with fish occasionally over 20 pounds.

Channel catfish are very abundant and vastly underutilized throughout upper Lake Oahe.

Beaver Bay -- 13 miles west of Linton on ND Highway 13, then 2 miles south on ND Highway 1804. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).

Cattail Bay (Winona) -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 1 mile north on ND Highway 1804, 2 miles west, 2 miles south, 1 mile west. (Gravel access road, primitive camping, trash receptacles, concession -- U.S. Army Corps of Engineers).

Fort Rice -- 28 miles south of Mandan on ND Highway 1806, then .5 miles east. (Paved access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles -- Morton County Park Board).

Fort Yates -- North edge of Fort Yates. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Standing Rock Sioux Tribe).

Hazelton -- 31 miles southeast of Bismarck on ND Highway 1804 or 13 miles west and 2 miles north of Hazelton. Campground located just south of boat ramp. (Paved access road, developed and primitive camping, security lights, picnic shelter, trash receptacles -- U.S. Army Corps of Engineers).

Jennerville (Rivory) -- 13 miles west of Linton on ND Highway 13, then 6.5 miles south on ND Highway 1804, and 3.5 miles west at Rivory turnoff. (Gravel access road, no restrooms, no courtesy docks -- U.S. Army Corps of Engineers).

Langeliers Bay -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 11 miles south on ND Highway 1804, and .75 miles west. (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles -- Emmons County Park Board).

Maclean Bottoms (Gun Range) -- 14 miles south of Bismarck on ND Highway 1804, then 2 miles south. (Paved access road, picnic shelter, trash receptacles -- Burleigh County Park Board).

Prairie Knights Marina -- 10 miles south of the Cannonball River on ND Highway 1806, then 3.5 miles east. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Prairie Knights Casino).

Red River

Not Stocked

Not Surveyed

Catfish abundant. Some larger fish common. Moderate number of walleye, with some larger fish.

52nd Ave Area -- 52nd Avenue in South Fargo. (Paved access road, picnic shelter, trash receptacles -- Fargo Park District).

Belmont Park -- 10 miles east and 1.5 miles north of Buxton. (Paved access road, no courtesy docks, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Trail County Park Board).

Brushvale Bridge -- 6 miles east, 1.3 miles south and east of Galchutt. (Paved access road, no restrooms -- Wahpeton Park District).

Drayton City Park -- East side of Drayton. (Paved access road, fish cleaning facility, security lights -- City Of Drayton).

Drayton Dam -- 2 miles north, 1 mile east of Drayton. (Gravel access road, security lights -- City Of Drayton).

Fort Abercrombie -- Just west of Abercrombie. (Paved access road, no restrooms, primitive camping, security lights, picnic shelter -- City of Abercrombie).

Kidder Recreation Area -- North edge of Wahpeton. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- Wahpeton Park District).

Lincoln Park -- Belmont road and Elk Drive, Grand Forks. (Paved access road, no courtesy docks, picnic shelter, trash receptacles -- City Of Grand Forks).

Midtown Dam -- Main Avenue south .3 miles off Lindenwood Dr. Fargo. (Paved access road, picnic shelter, trash receptacles -- Fargo Park District).

North Forks Landing -- 1 mile north of US Hwy 2 on Old Mill Road, Grand Forks. (Paved access road, trash receptacles -- City Of Grand Forks).

Pembina City Park -- East side of Pembina. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, access fee, RV dump station -- Pembina Community Club).

Multi-County Waters

[Lake Sakakawea](#) *1,839.5 msl*

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

Walleye fishing was good in 2019 and should remain so in 2020. High forage abundance and good habitat conditions have allowed Sakakawea walleye to maintain good body condition, good growth rates and high abundance. Overall walleye abundance is the highest documented in the last 45 years due to several strong year-classes in recent years. Anglers will find excellent numbers of 15- to 20-inch fish in 2020, with good numbers of larger fish.

Northern pike abundance has declined from record highs the last couple years, but still remain exceptional. However, the population is maturing and average size is increasing. Pike exceeding 15 pounds will become more common in 2020 and the next few years.

The smallmouth bass population remains good and anglers will continue to encounter good numbers of fish. The population also contains good numbers of whopper-sized fish.

The Missouri River salmon fishery was greatly affected by high water in 2011, but recovered and salmon fishing in 2016-17 was good, but somewhat slower in 2019. Fall spawning operations in 2019 found low numbers of fish in Sakakawea, but very high numbers in the Garrison Tailrace. Extremely high releases from the dam, and with the emergency spillway running well into fall 2019, resulted in very high entrainment of salmon and other fish thru Garrison Dam. It is unknown how this high entrainment will impact the Lake Sakakawea salmon fishery in 2020 and the next couple years.

Beaver Creek Bay -- 12 miles north of Zap. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Zap City Park Board).

Beulah Bay -- 17 miles north of Beulah. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Beulah City Park Board).

Camp of the Cross -- 4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison. (Gravel access road, no restrooms -- Camp of the Cross).

Charging Eagle Bay -- 12 miles north of Halliday on ND Highway 8, then 10 miles west on BIA No. 22. (Gravel access road, no restrooms, fish cleaning facility, primitive camping, trash receptacles -- Three Affiliated Tribes).

Dakota Waters Resort -- 15 miles north of Beulah. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- Dakota Waters Resort).

Deep Water Creek Bay -- 14 miles south of Parshall on ND Highway 37, then either 1 mile south to the corps ramp (no camping) or 2.5 miles west and .5 miles south to the county ramp (primitive camping). (Gravel access road -- U.S. Army Corps of Engineers/McLean County Park Board).

Douglas Creek Bay -- 11 miles west of Garrison on ND Highway 37, 5 miles south, 5 miles east to corps ramp or 11 miles west of Garrison on ND Highway 37, 2 miles south, 1 mile east, 1 mile south to county ramp. (Gravel access road, primitive camping, trash receptacles -- U.S. Army Corps of Engineers/McLean County Park Board).

Fort Stevenson State Park -- 3 miles south of Garrison. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

Four Bears -- 4 miles west of New Town on ND Highway 23. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Three Affiliated Tribes).

Garrison Creek -- 2 miles west of Garrison on ND Highway 37, 3 miles south, 1 mile east. (Gravel access road, no restrooms -- Garrison Cabin Association).

Government Bay -- Just north of Riverdale. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

Hale Marina -- 18 miles southeast of Mandaree. (Gravel access road, no restrooms, no courtesy docks -- Three Affiliated Tribes).

Hazen Bay -- 14 miles north of Hazen. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Hazen City Park Board).

Indian Hills Resort -- 11 miles west of White Shield on ND Highway 1804, then 3 miles south. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- North Dakota Parks and Recreation/Three Affiliated Tribes).

Lake Sakakawea State Park -- Just east and north of Pick City. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

Multi-County Waters

Lewis And Clark State Park -- 16 miles east of Williston on ND Highway 1804, then 3 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

Little Beaver Bay -- 32 miles northwest of New Town on ND Highway 1804, then 3 miles south. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Williams County WRD).

Little Missouri Bay -- 16 miles northeast of Dunn Center. (Gravel access road, security lights -- Dunn County Park Board).

Littlefield Bay -- 5 miles south, 2 miles east of New Town. (Gravel access road, no restrooms, no courtesy docks -- North Dakota Game and Fish Department).

McKenzie Bay -- 22 miles southeast of Mandaree. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Watford City Park Board).

New Town Marina -- 2 miles west of New Town on ND Highway 23. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- New Town Marina Association).

Parshall Bay -- 3 miles west, 1 mile south, 3 miles west, 1 mile south, 2 miles west of Parshall. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, boat rental, RV dump station -- Mountrail County Park Board).

Pouch Point -- 7 miles south, 2 miles east, 2 miles south, 1 mile east, 3 miles south of New Town. (Paved access road, security lights, picnic shelter, trash receptacles, concession -- Three Affiliated Tribes).

Sanish Bay (Aftem) -- 1 mile north, 2 miles west of New Town. (Gravel access road, no restrooms -- New Town Park Board/Aftem Development).

Skunk Bay -- 14 miles northeast of Mandaree. (Gravel access road, developed and primitive camping, concession, lodging -- Three Affiliated Tribes/Roads Maker, Inc.).

Sportsmens Centennial Park -- 1 mile west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south, 1 mile west. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession -- McLean County Park Board).

Steinke Bay -- 3 miles west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south. (Gravel access road, primitive camping -- North Dakota Game and Fish Department).

Tobacco Garden Creek Bay -- 2 miles east of Watford City on ND Highway 23, then 25 miles north and east on ND Highway 1806. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- McKenzie County Park Board).

Van Hook -- 5 miles east of New Town on ND Highway 23, then 2 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- Mountrail County Park Board).

West Totten Trail -- 7 miles north of Coleharbor on U.S. Highway 83, then .5 miles west, or 2 miles south of the junction of U.S. Highway 83 and ND Highway 37, then .5 miles west. (Gravel access road -- McLean County Park Board).

White Earth Bay -- 28 miles northwest of New Town on ND Highway 1804, then 2 miles south, 1 mile east, 3 miles south, 3 miles east. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- Mountrail County Park Board).

Whitetail Bay (Lund's Landing) -- 22 miles east of Williston on ND Highway 1804. (Paved access road, fish cleaning facility, developed camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental -- Williams County WRD).

Wolf Creek -- 1 mile east of Riverdale on ND Highway 200, then 2 miles north, 1 mile east, 1 mile north, .5 miles east. (Gravel access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- U.S. Army Corps of Engineers).

Sheyenne River *1,192.9 msl*

Stocking

Not Surveyed

Southeastern part of state. Smallmouth bass abundant. Moderate numbers of walleye and catfish. (Fishing pier).

Souris River (Mouse River) *1,569.1 msl*

Stocking

Survey Report

Length Table

Length Chart

North central part of state. Good numbers of pike, walleye and perch. (Fishing pier).

Multi-County Waters

Turtle River

Stocking

Not Surveyed

In Grand Forks County. Rainbow trout stocked twice in spring and once in fall to provide a unique riverine trout fishery. Mostly a put-and-take fishery. (No ramp).

Upper Missouri River **1,843.9 msl**

Not Stocked

Not Surveyed

Primarily a spring and fall fishery for sauger and walleye. Abundant channel catfish. Many other species present.

Confluence Area -- 1.5 miles south of Buford on ND Highway 1804. (Paved access road, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Williams County WRD).

Lewis And Clark Bridge -- 4 miles west of Williston on U.S. Highway 2, 3 miles south on U.S Highway 85, on south side of Missouri River, and east side of U.S. Highway 85. (Paved access road, security lights, picnic shelter -- Williams County WRD).

Wild Rice River

Not Stocked

Not Surveyed

Southeastern part of state. Moderate numbers of catfish, walleye and pike. (No ramp).

Yellowstone River **1,863.2 msl**

Not Stocked

Not Surveyed

Primarily a spring and fall fishery for sauger and walleye. Channel catfish abundant. Many other species present.

Sundheim Park -- 2 miles west of Cartwright on ND Highway 200, on west side of Yellowstone River and south side of ND Highway 200. (Paved access road, no courtesy docks, security lights, picnic shelter, trash receptacles -- Yellowstone Township).

Oliver County

East Arroda Dam

Stocking

Survey Report

Length Table

Length Chart

1 mile east of Fort Clark ND Highway 200A. Pike and perch numbers increased in recent years, with mostly smaller fish. Earthen fishing piers available for shore-fishing access.

Nelson Lake **1,926.7 msl**

Stocking

Survey Report

Length Table

Length Chart

5 miles east, 3 miles south of Center. Best largemouth bass lake in the state. Open water year-round allows warmwater fish to grow better than in other lakes. Quality-sized bluegill and crappie abundant. (Fishing pier).

Oliver County Sportsmen's Pond

Stocking

Not Surveyed

4 miles south, .5 miles west of Center. Rainbow trout stocked annually. (No ramp).

West Arroda Dam

Stocking

Survey Report

Length Table

Length Chart

1 mile east of Fort Clark ND Highway 200A. Stocked with adult bluegill, crappie and rainbow trout in spring 2019. Earthen fishing piers available for shore-fishing access.

Pembina County

Renwick Dam

Stocking

Survey Report

Length Table

Length Chart

6 miles west, 1 mile north of Cavalier. Mostly pike for a predator fish. Perch and crappie abundant, most under 8 inches. White suckers and bullheads abundant and a management problem. (Fishing pier).

Pierce County

Antelope Lake **1,532.3 msl**

Stocking

Survey Report

Length Table

Length Chart

6.7 miles north, 3 miles east, 1 mile north, 2 miles east, 2 miles south of Anamoose. Nice-sized perch abundant. Good number of walleye from 16-26 inches.

Balta Dam

Stocking

Survey Report

Length Table

Length Chart

.5 miles south of Balta. Recent winterkill reduced northern pike population.

Clear Lake

Stocking

Survey Report

Length Table

Length Chart

6 miles east, .7 miles south of Anamoose. Good number of quality-sized walleye from 14-27 inches. (No ramp).

Davis Lake

Stocking

Survey Report

Length Table

Length Chart

2 miles west, 1.5 miles south of Balta. Good number of small northern pike.

Pierce County

[Sand Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

4 miles north of Pleasant Lake. Good pike fishery, with fish commonly up to 5 pounds. Perch numbers good, but most fish less than 8 inches.

Ramsey County

[Cavanaugh Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

9 miles north, 1 mile west, .5 miles north of Devils Lake. Winterkills often, but fish repopulate during high spring runoff. No game fish sampled in 2019 netting survey. (No ramp).

[Fenster Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

3 miles north, 4 miles east of Crary. Pike in fair numbers, with most fish more than 5 pounds. Low density perch population. (No ramp).

[Irvine-Alice-Mikes Complex](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

4.5 miles north, .5 miles east of Churchs Ferry. Boat access conditions currently very poor, as the makeshift boat launch site a few miles north of Churchs Ferry is essentially unusable and likely will remain so unless water levels rise significantly.

Walleye population continues to do relatively well, but the number of 15- to 25-inch fish are below average.

Northern pike numbers are below average, but fish are still abundant. Most pike are medium-sized, but there are some larger fish. Pike in Lake Irvine are underutilized, so anglers should not be shy about keeping their limit. In fact, pike seem to be too abundant, as their body condition has declined, so keeping pike from this lake would be beneficial for the population as it may help reduce competition for food.

Yellow perch numbers are low, but the few perch in the lake tend to be larger.

White bass numbers are low, but they tend to be good-sized.

Fish populations in Lake Alice are similar to those in Lake Irvine. (No ramp). (No ramp).

Ransom County

[Dead Colt Creek](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

5 miles south, 1 mile east, .5 miles north, .5 miles east of Lisbon. Largemouth bass, bluegill and crappie abundant. Some larger bass. (Fishing pier).

[Lone Tree Lake \(Englevale\)](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

.5 miles north, 2 miles west of Englevale. Moderate number of perch. Pike present. Substantial winterkill 2018-19. (No ramp).

[Mooringsstone Pond](#)

[Stocking](#)**Not Surveyed**

.75 miles west of the city of Fort Ransom. Rainbow trout stocked annually in late spring. (No ramp).

Renville County

Renville County

[Lake Darling](#) *1,595.6 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

Strong northern pike, walleye and yellow perch populations, and a few smallmouth bass. Black bullheads abundant and a serious management problem.

Grano Crossing -- 1 miles west of Grano. (Paved access road, picnic shelter -- Renville County Park Board).

Greene Crossing -- 8 miles west, 7 miles south of Mohall. (Paved access road -- Renville County Park Board).

Headwaters Area -- No Public Boating Access

Outlet Fishing Area -- 6 miles east, 1 mile north, 1 mile east, .4 miles south of Carpio. (Gravel access road, no courtesy docks, picnic shelter, fishing pier -- Upper Souris NWR).

Spillway Boat Ramp -- 6 miles east, 1 mile north, 1 mile east of Carpio. (Paved access road -- Upper Souris NWR).

West Landing # 1 -- 6 miles east, 1 mile north of Carpio. (Gravel access road, picnic shelter -- Upper Souris NWR).

West Landing # 2 -- 6 miles east, 2 mile north of Carpio. (Gravel access road, no restrooms -- Upper Souris NWR).

West Landing # 3 -- 6 miles east, 3 mile north of Carpio. (Gravel access road, picnic shelter, fishing pier -- Upper Souris NWR).

[Glenburn Pond](#)

[Stocking](#) [Not Surveyed](#)

North side of Glenburn. Small pond stocked annually with trout. Perch and bluegill stocked periodically. (No ramp).

Richland County

[Elm Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

.5 miles east, 3.5 miles south of Lidgerwood. Walleye abundant. Moderate number of pike. (No ramp).

[Lake Elsie](#) *1,089.9 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile south, 1.5 miles west of Hankinson. Walleye and crappie abundant. Moderate numbers of smallmouth bass, bluegill and perch. Occasional catfish. 14-inch minimum length limit on walleye. (Fishing pier).

[Four Corners Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

3.5 miles east, 2 miles south, .5 miles west of Lidgerwood. Low density walleye and perch populations. (No ramp).

[Gullys Slough](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles east, 1 mile south of Lidgerwood. Moderate numbers of pike and walleye. (No ramp).

[Haus Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

2 miles east, 7 miles south, .25 miles east of Lidgerwood. Moderate number of walleye. Occasional perch. (No ramp).

[Horseshoe Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles west, 1 mile south of Hankinson. Moderate numbers of pike, perch, bluegill and walleye. Some larger walleye.

[Lueck Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

6 miles east, 2.5 miles south of Lidgerwood. Walleye abundant, with some larger fish. (No ramp).

[Mooreton Pond](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

2 miles east of Mooreton. Rainbow trout stocked annually in late spring. Moderate number of walleye. Occasional perch, bass, crappie and channel catfish. (Fishing pier).

[Reiland Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

3 miles north, .5 miles east of Lidgerwood. Walleye abundant. Moderate number of perch. (No ramp).

[Shriner Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4.5 miles south, .25 miles east of Lidgerwood. Moderate numbers of pike and perch. Occasional walleye and crappie. (No ramp).

[Vislisel Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile north, 2 miles east, 1 mile north, 1 mile west of Lidgerwood. Walleye and perch present. (No ramp).

[Wahl Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile east, 2 miles south of Lidgerwood. Walleye and bluegill abundant. Occasional pike. (No ramp).

Richland County

[West Moran Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles east, .5 miles south of Lidgerwood. Walleye abundant. (No ramp).

Rolette County

[Belcourt Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles north of Belcourt. Yellow perch and northern pike abundant, with some larger keeper-sized fish. Black bullheads abundant.

[Cain Lake](#)

[Stocking](#)

[Not Surveyed](#)

2 miles south, 9 miles west, .5 miles north of St. John. No recent information. Managed by the U.S. Fish and Wildlife Service. (No ramp).

[Carpenter Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

12 miles west of St. John. Good pike population, with most fish longer than 25 inches. Recently stocked walleye are about 15 inches. A few perch, but most are under 8 inches.

[Dion Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

10 miles west, 2 miles north, 1 mile east of St. John. Walleye densities lower than recent years, but there are fish up to 20 inches. Perch numbers are decent, with most fish under 10 inches. Illegally stocked pike common, with some fish longer than 30 inches. (Fishing pier).

[Gordon Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

4.5 miles north, 1 mile west, .25 miles northwest of Belcourt. Walleye and yellow perch abundant, with some larger fish. Northern pike and bluegill in good numbers.

[Gravel Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

6 miles west, .5 miles north of St. John. Pike, bluegill and perch fishery. Pike average about 24 inches, with some up to 36 inches. Most perch under 10 inches. Bluegill mostly under 7 inches. (Fishing pier).

[Hooker Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles west of St. John. One of a few rainbow trout lakes in the district. Trout stocked annually and reach maximum size in fall. Some older, larger trout available. (Fishing pier).

[Island Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

3 miles west, 2 miles south of Mylo. Partial winterkill in 2018-19, yet there are still good numbers of 24-inch-plus pike.

[Jarvis Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

.75 miles southwest, 6 miles west of St. John. Yellow perch abundant, with a few larger fish. Walleye ranging from 12-18 inches abundant. Bluegill and northern pike present. (No ramp).

[Long Lake](#)

[Stocking](#)

[Not Surveyed](#)

2 miles south, 5.3 miles east of Rolette. Good number of pike, with the average fish more than 5 pounds. (No ramp).

[Upsilon Lake](#) **2,106.8 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

6 miles west, 1 mile north of St. John. Partial winterkill in 2019. Annual netting survey in June 2019 sampled good pike numbers of all sizes and some large fish. Some nice walleye were sampled, along with many smaller bluegill and some smaller perch. Larger perch and bluegill are at low densities. (Fishing pier).

[Wheaton Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

4.5 miles north, 2 miles west of Belcourt. Northern pike and yellow perch fishery, with some decent keeper-sized fish.

Sargent County

[Alkali Lake](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

3 miles south of Cayuga. Low density walleye population. Crappie abundant.

[Bergh Slough](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

1 mile south, 2.5 miles east of Forman. Perch and pike present. (No ramp).

Sargent County

[Buffalo Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

6 miles north, 1 mile east of Rutland. Moderate numbers of walleye and pike, and the occasional crappie. 14-inch minimum walleye length limit.

[Consolidated Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

2 miles south, 3 miles east of Forman. Moderate numbers of pike, walleye and largemouth bass. Crappie present. (No ramp).

[Deuce Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

1.5 miles south, 1 mile east, .25 miles south of Forman. Moderate numbers of pike and crappie. Minor winterkill in 2018-19. (No ramp).

[Fiala Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

1 mile west, 2 miles south of Forman. Moderate number of pike and perch. (No ramp).

[Kraft Slough](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

1 mile south, 9 miles east, 2.5 miles north of Oakes. Walleye and perch abundant.

[Nelson Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

4.5 miles south, .5 miles east of Forman. Pike abundant. Moderate numbers of perch and walleye. (No ramp).

[Ole Breum Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

5 miles north, 1 mile east of Rutland. Moderate number of pike. Low number of perch. Occasional walleye and crappie. (No ramp).

[Silver Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

3 miles west, 2 miles south of Rutland. Moderate number of pike. (Fishing pier).

[Sprague Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

6 miles west, 4 miles south, 1.5 miles west of Cayuga. Fair number of walleye.

[Lake Tewaukon](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

5 miles south of Cayuga. Contact Tewaukon National Wildlife Refuge for most recent information. (Fishing pier).

[Tosse Slough](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

7.5 miles south, 1 mile east, 2 miles south, 1 mile east of Geneseo. Low numbers of pike and walleye. Some larger pike.

[Lake Walstead](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

4 miles south, 1 mile east, 1 mile north of Forman. Walleye abundant. Moderate number of pike. (No ramp).

Sheridan County

[Barreth Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

2 miles south, 2 miles east, 2 miles south, .6 miles west of Goodrich. Newer perch lake, with some keeper-sized fish. (No ramp).

[Bender Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

.5 miles south, 4 miles west, .5 miles south of Martin. Fair number of mostly small perch. (No ramp).

[Cherry Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

7 miles north, 3 miles east, 2 miles north, .3 miles west of Mercer. Fair number of small perch. (No ramp).

[Coal Mine Lake](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

14 miles south, 5 miles east of Anamoose. Significant winterkills greatly reduced northern pike numbers. (Fishing pier).

[Davis WPA](#)

[Stocking](#)[Survey Report](#)[Length Table](#)[Length Chart](#)

8 miles south, 1 mile east of Denhoff. Decent number of walleye, with some larger fish. Mostly smaller-sized perch. (No ramp).

Sheridan County

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Doctor Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles south of Denhoff. Newer perch lake, with some keeper-sized fish. (No ramp). | | | | |
| <u>Heckers Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles south, 2.4 miles east of Mercer. Fair number of walleye, with some quality-sized fish. Decent numbers of pike and smallmouth bass. (No ramp). | | | | |
| <u>Hinsz Lake</u> 1,624.4 msl | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south, 3 miles west, 1 mile south, .6 miles west, .7 miles northwest of Anamoose. Good number of 14- to 21-inch walleye. | | | | |
| <u>Kaibel Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10.2 miles south of Drake. Lots of perch, but many are smaller-sized. (No ramp). | | | | |
| <u>Miller Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 18 miles north, 2 miles east, .2 miles south of McClusky. Newish perch lake. (No ramp). | | | | |
| <u>Mud Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4.5 miles south of Anamoose. Newer perch lake, with a fair number of fish. (No ramp). | | | | |
| <u>North (Hoffer) McClusky</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north, 1 mile west of McClusky. Recent fishkills greatly reduced northern pike numbers. (No ramp). | | | | |
| <u>Lake Richard</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4.5 miles south of Drake. Good number of 14- to 27-inch walleye. (No ramp). | | | | |
| <u>Sheyenne Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 13.5 miles south, 1.5 miles east, .4 miles north of Anamoose. Pike stocked periodically. (No ramp). | | | | |
| <u>South (Hoffer) McClusky</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north, 1 mile west of McClusky. Decent numbers of perch, walleye and pike. Some bluegill and crappie. (Fishing pier). | | | | |
| <u>Stober Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles east, 2 miles north, 2 miles east of McClusky. Fair numbers of walleye and perch, with some larger fish. | | | | |
| <u>Vollrath Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5.5 miles north, 1 mile east, 1 mile south of Goodrich. Good number of perch, with some quality-sized fish. (No ramp). | | | | |
| <u>Wolf Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles south, 1.8 miles west of Martin. Restocked with pike fingerlings in spring 2018. (No ramp). | | | | |

Sioux County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Froelich Dam</u> 1,973.8 msl | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles north, 2 miles west of Selfridge. Walleye and northern pike abundant. Yellow perch, crappie, bluegill and largemouth bass present. | | | | |
| <u>Larson Lake</u> | Stocking | Not Surveyed | | |
| 4 miles north, 1 mile west of Thunderhawk, South Dakota. Possible total winterkill in 2019. (No ramp). | | | | |

Slope County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Cedar Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south, 5 miles west of the junction of ND highways 21 and 22. Some pike up to 9 pounds, good number of walleye up to 3 pounds, some catfish up to 7 pounds, some carp up to 10 pounds, bullheads up to a 1/2 pound abundant. | | | | |
| <u>Davis Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 16 miles west, 4 miles north of Amidon. Rainbow trout stocked annually, with some fish up to 1.5 pounds. Good number of bluegill up to a half-pound and largemouth bass up to 4 pounds. | | | | |

Stark County

[Belfield Pond](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

Southwest side of Belfield. Rainbow trout stocked annually. Total winterkill in 2019. Stocked rainbow trout, adult channel catfish up to 8 pounds and adult yellow perch up to a half-pound in 2019. (Fishing pier).

[Dassinger Pond](#)

[Stocking](#) [Not Surveyed](#)

8 miles south, 1 mile east, .8 miles north of Exit 72. Walk through the gate 500 yards northwest. Adult largemouth bass and bluegill stocked as needed. (No ramp).

[Dickinson Dike](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

Southwest side of Dickinson. Rainbow trout stocked annually. Stocked rainbow trout, adult channel catfish up to 8 pounds and adult yellow perch up to a half-pound in 2020. Currently, abundant mostly small largemouth bass and bluegill present. (Fishing pier).

[Dickinson Reservoir](#) *2,417.1 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

2 miles west of Dickinson. Good number of walleye up to 4 pounds, good number of bluegill up to 1 pound, good number of pike up to 8 pounds, good number of yellow perch up to 1 pound, some crappie up to a half-pound and catfish up to 24 pounds. Abundant bullheads up to 1 pound. (Fishing pier).

[Slater Pond](#)

[Stocking](#) [Not Surveyed](#)

From I-94 Exit 84, .75 miles north, 1 mile east, .5 miles north, .5 miles east. Rainbow trout stocked annually. Abundant small perch. (No ramp).

Steele County

[Finley Dam \(Lynch Lake\)](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile south of Finley. Pike stocked regularly and provide fishing opportunities. Most pike around 20-26 inches. High bullhead population and stunted perch are management problems. (No ramp).

[North Golden Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

10 miles east, 4 miles north, .5 miles west of Finley. Perch numbers down, with most fish less than 10 inches. Fair numbers of keeper-sized pike and walleye. Walleye longer than 20 inches and pike up to 10 pounds. Low number of bluegill, but decent-sized. Bullheads a serious fish management problem.

[South Golden Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

10 miles east, 3 miles north, .5 miles west of Finley. Primarily a walleye and perch fishery, with some pike and bluegill. Walleye do get large, with fish up to 8 pounds. Fair number of 20-inch-plus fish. Perch numbers relatively low. Pike numbers low, but bigger fish available. Some nice bluegill. Bullheads abundant and a huge problem. (Fishing pier).

Stutsman County

[Alkali Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

11 miles north, 5 miles east, .5 miles south of Jamestown. Good numbers of pike, perch and walleye. Some larger walleye and pike. (No ramp).

[Bader Lake](#) *1,779.1 msl*

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

4 miles south, 1 mile east of I-94 Exit 230. Moderate numbers of walleye and pike.

[Barnes Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile east, 6 miles north of Woodworth. Walleye abundant. Moderate number of pike.

[Big Mallard Marsh](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

9 miles north, 2.5 miles east of Woodworth. Walleye abundant. Low pike density.

[Brooks Complex](#)

[Not Stocked](#) [Not Surveyed](#)

4 miles south, 2 miles east, 2 miles south, .5 miles west of Cleveland. Abundant perch. (No ramp).

[Clark Lake](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

1 mile west, 3 miles north, 4 miles west of Woodworth. Moderate numbers of walleye and pike. Occasional perch.

[Cleveland Slough](#)

[Stocking](#) [Survey Report](#) [Length Table](#) [Length Chart](#)

.5 miles south of Cleveland along County Road 67. Perch abundant. Occasional large pike. (No ramp).

Stutsman County

| | | | | |
|--|--------------------|----------------------|---------------------|---------------------|
| <u>Crystal Springs</u> 1,747.9 msl | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile east of Crystal Springs. Walleye and pike abundant. | | | | |
| <u>Cysewski Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 11 miles north, 4 miles east, 2 miles north, .5 miles east, 1 mile north of Jamestown. Perch abundant. Pike present. (No ramp). | | | | |
| <u>East Easter Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north, 4 miles east, 1 mile south of Streeter. Perch abundant, with some larger fish. (No ramp). | | | | |
| <u>Foot Lake</u> | Stocking | Not Surveyed | | |
| 2 miles south, 4 miles west of Medina. Walleye abundant. Perch present. (No ramp). | | | | |
| <u>Gaier Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8.5 miles north, 1 mile west of Cleveland. Perch abundant. (No ramp). | | | | |
| <u>Hehn-Schaffer Lake</u> 1,897.7 msl | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles north of Gackle. Moderate numbers of pike, perch and walleye. (Fishing pier). | | | | |
| <u>Hieb Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3.5 miles east, 6 miles north, 1 mile east of Medina. Moderate number of perch. (No ramp). | | | | |
| <u>Hoggarth Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles west, 3 miles south of Courtenay. Walleye abundant, with the occasional perch. (No ramp). | | | | |
| <u>Jamestown Reservoir</u> 1,429.8 msl | Stocking | Survey Report | Length Table | Length Chart |
| Moderate numbers of pike and walleye. Crappie abundant. Occasional perch and smallmouth bass. 14 inch minimum length limit on Walleye. | | | | |
| Above Pelican Point -- No Public Boating Access | | | | |
| Boat Club Bay -- 5.5 miles north on ND Highway 20, .4 mile west, .4 miles north, .3 miles west of Jamestown (Gravel access road, primitive camping, security lights, picnic shelter, trash receptacles -- Stutsman County Park Board). | | | | |
| Buchanan Bridge Area -- No Public Boating Access | | | | |
| Five Mile Corner Landing -- 5.5 miles north on ND Highway 20, .8 mile west of Jamestown (Gravel access road, trash receptacles, fishing pier -- Stutsman County Park Board). | | | | |
| Marina Area -- 2 miles north on ND Highway 20, .5 miles southwest of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board). | | | | |
| Pelican Point -- 8 miles north on U.S. Highway 281, 2 miles east of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board). | | | | |
| West Landing -- 4.5 miles north on U.S. Highway 281 and 1 miles east of Jamestown (Paved access road, trash receptacles -- Stutsman County Park Board). | | | | |
| <u>Little Britches Pond</u> | Stocking | Not Surveyed | | |
| Next to Jamestown Reservoir marina. Late spring rainbow trout, crappie and perch. Occasional walleye and pike. (No ramp). | | | | |
| <u>Manley Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 4 miles south, 9 miles west, .25 miles north of Pingree. Moderate number of perch. (No ramp). | | | | |
| <u>Mud and Pearl Lakes</u> | Stocking | Survey Report | Length Table | Length Chart |
| North Access: 11 miles north, 2.5 miles west of Medina. South Access: 8 miles north, 2 miles west, 1.25 miles north of Medina. Perch and walleye abundant. (No ramp). | | | | |
| <u>Paris Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles east, 3.5 miles south of Woodworth. Abundant perch. (No ramp). | | | | |

Stutsman County

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Pipestem Reservoir</u> 1,442.8 msl | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles northwest, .8 miles west, 1 mile south of Jamestown. Pike and perch. | | | | |
| <u>R and M Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles east, 5 miles north of Buchanan. Walleye abundant. Moderate number of perch. (No ramp). | | | | |
| <u>Reule Lake</u> 1,752.0 msl | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north, 5 miles west, 1.7 miles south of Medina. Walleye abundant. Moderate number of perch. (No ramp). | | | | |
| <u>Schock Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 11 miles north, 3.5 miles east, 1 mile north, .5 miles west of Jamestown. Perch abundant. (No ramp). | | | | |
| <u>School Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north, 5 miles east, 3 miles north of Streeter. Perch abundant. (No ramp). | | | | |
| <u>Spiritwood Lake</u> 1,449.9 msl | Stocking | Survey Report | Length Table | Length Chart |
| 11 miles north, 4 miles east of Jamestown. Smallmouth bass abundant. Moderate numbers of walleye and perch. Low number of pike. (Fishing pier). | | | | |
| <u>Stink Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2.5 miles east of Crystal Springs. Walleye and perch abundant. Occasional large pike. (No ramp). | | | | |
| <u>Stirton Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles south of Cleveland. Walleye abundant. Some perch present. (No ramp). | | | | |
| <u>Streeter Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| South side of Streeter. Low density large pike population. | | | | |
| <u>Trautman Slough</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles south, 2 miles west, 1 mile south of Cleveland. Walleye abundant. Occasional perch. (No ramp). | | | | |
| <u>Wanzek Slough</u> | Stocking | Survey Report | Length Table | Length Chart |
| .5 miles west, 1 mile south, .75 miles west of Windsor. Pike, perch and small walleye present. Winter fishery only. (No ramp). | | | | |
| <u>Zimmerman Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles north of Cleveland. Perch abundant. (No ramp). | | | | |

Towner County

| | | | | |
|--|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Armourdale Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 9 miles east, 1.5 miles north of Rolla. Netting survey in 2019 showed walleye up to 16 inches, with most being smaller. Nice pike from 18-36 inches. Perch up to about 9 inches. (Fishing pier). | | | | |
| <u>Bisbee Dam-Big Coulee</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile east of Bisbee. Pike, walleye, perch, bluegill and crappie. Most walleye over 16 inches. Good pike numbers, with some up to about 6 pounds. Most perch are 8-9 inches. Also, the occasional large bluegill and crappie. (Fishing pier). | | | | |

Walsh County

| | | | | |
|---|--------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Bylin Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles east, 3 miles south of Adams. Nice population of pike, with some keeper-sized walleye. Perch mostly smaller. (Fishing pier). | | | | |
| <u>Homme Dam</u> 1,076.2 msl | Stocking | Survey Report | Length Table | Length Chart |
| 2 miles west of Park River. High perch numbers, with many in the 8- to 10-inch range. Crappie abundant, with most 6-9 inches, along with some bigger fish. Lower densities of pike and walleye. White suckers and bullheads abundant and problematic. (Fishing pier). | | | | |

Ward County

Ward County

| | | | | |
|---|----------|---------------|--------------|--------------|
| <u>Hiddenwood Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 8 miles south of Makoti. Decent numbers of yellow perch, walleye, smallmouth bass and pike. (Fishing pier). | | | | |
| <u>Makoti Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 6 miles south of Makoti. High number of 24- to 34-inch northern pike. (No ramp). | | | | |
| <u>North Carlson Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles east of Ryder. Good number of northern pike and mostly small perch. | | | | |
| <u>Rice Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 4 miles north, 7 miles east, 2 miles north of Ryder. Pike abundant, ranging from 18-37 inches. (Fishing pier). | | | | |
| <u>South Carlson Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 10 miles east of Ryder. Fair number of mostly smaller pike. Bluegill numbers increasing. (Fishing pier). | | | | |
| <u>State Fair Pond</u> | Stocking | Not Surveyed | | |
| North end of state fair grounds. Small pond stocked annually with trout and panfish. (Fishing pier, no ramp). | | | | |
| <u>Velva Sportsmen's Pond</u> | Stocking | Survey Report | Length Table | Length Chart |
| 7 miles south, 1.5 miles west, 1 mile south, .5 miles west of Velva. Consistently a quality fishery for nice-sized rainbow and brown trout. | | | | |

Wells County

| | | | | |
|--|-------------|---------------|--------------|--------------|
| <u>Georgeson Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 3 miles north, 3 miles east, .25 miles north of Bremen. Perch population is mostly fish less than 8 inches. Few larger perch remain. (No ramp). | | | | |
| <u>Goose Lake</u> <i>1,585.9 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles north, 3 miles east, 1 mile north of Harvey. Fair number of pike, with increasing size structure. Walleye population in fine shape, with a good number of fish longer than 17 inches. Nice perch down in numbers and not common. | | | | |
| <u>Hurdsfield-Tuffy Lake</u> <i>1,845.2 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 3.5 miles east of Hurdsfield. Lots of eating-sized walleye, ranging from 15-20 inches, with some big fish. Perch numbers fair, with most less than 11 inches. Carp are reproducing and may become a management problem. (No ramp). | | | | |
| <u>Monson Lake</u> | Not Stocked | Not Surveyed | | |
| 1 mile south, 1 mile east, 8 miles south, 1 mile west of Bowdon. Strong perch population, with a balanced size structure. Walleye population is small, with some big fish. (No ramp). | | | | |
| <u>Silver Lake</u> | Not Stocked | Survey Report | Length Table | Length Chart |
| 1 mile west, 7.5 miles south, 2 miles west, 2 miles north of Bowdon. No recent netting information. (No ramp). | | | | |
| <u>Silver Lake WMA</u> | Stocking | Survey Report | Length Table | Length Chart |
| 3 miles south of Chaseley. Fair number of 9-to 12-inch perch, with the occasional jumbo. Fast-growing walleye around 15-20 inches. (No ramp). | | | | |
| <u>Sykeston Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| Northwest side of Sykeston. There were low oxygen levels in winter 2019, but a spring netting survey revealed pike, perch and bullheads. (Fishing pier). | | | | |

Williams County

| | | | | |
|--|----------|---------------|--------------|--------------|
| <u>Blacktail Dam</u> <i>2,079.8 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles north, 5 miles west, 1 mile north of the junction of U.S. highways 2 and 85. Good numbers of walleye and northern pike, with some bigger fish of both species. Small yellow perch and bluegill abundant, with some bigger bluegill in low numbers. Smallmouth bass also present in low numbers. White suckers are fairly abundant and remain a management concern. (Fishing pier). | | | | |

Williams County

| | | | | |
|---|-----------------------------|-------------------------------|------------------------------|------------------------------|
| <u>Cottonwood Lake</u> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile east, .5 miles north of Alamo. Decent yellow perch population with some quality size fish available. (Fishing pier). | | | | |
| <u>East Spring Lake Pond</u> | Stocking | Not Surveyed | | |
| North side of Williston. Winterkills every year. Fishing opportunities reliant on annual stocking of adult northern pike. (Fishing pier, no ramp). | | | | |
| <u>Epping-Springbrook Dam</u> <i>2,106.5 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 1.5 miles east of Springbrook. Decent walleye population. Northern pike and yellow perch also present. Black bullheads and white suckers abundant and a serious management problem. (Fishing pier). | | | | |
| <u>Kettle Lake</u> | Stocking | Not Surveyed | | |
| 3 miles east, 2.5 miles north of Zahl. Stocked annually with rainbow trout. Largemouth bass and bluegill present. (Fishing pier). | | | | |
| <u>Kota-Ray Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| 5 miles south, .5 miles east, 2 miles south of Ray. Good numbers of nice largemouth bass. Small yellow perch abundant. Walleye, bluegill and smallmouth bass present. Rainbow trout stocked annually. (Fishing pier). | | | | |
| <u>Little Muddy River</u> | Not Stocked | | Not Surveyed | |
| East edge of Williston. Highly dependent on high water levels and fish movement from upper Missouri River. Fair populations of northern pike and channel catfish, with many other species present. (Fishing pier). | | | | |
| <u>McGregor Dam</u> <i>2,257.4 msl</i> | Stocking | Survey Report | Length Table | Length Chart |
| 1 mile south of McGregor. Total winterkill in 2019. Stocked annually with catchable-sized rainbow trout. Adult bluegill and adult crappie stocked in 2019. Fingerling walleye stocked in 2020. (Fishing pier). | | | | |
| <u>McLeod (Ray) Reservoir</u> | Stocking | Survey Report | Length Table | Length Chart |
| Southwest side of Ray. Northern pike abundant. Walleye, yellow perch and bluegill also present. (Fishing pier). | | | | |
| <u>Tioga Dam</u> | Stocking | Survey Report | Length Table | Length Chart |
| North side of Tioga. Good northern pike population. Yellow perch and bluegill also present. (Fishing pier). | | | | |
| <u>Trenton Lake</u> | Not Stocked | | Length Table | Length Chart |
| South side of Trenton. Good crappie population. Decent numbers of walleye, northern pike and catfish. Due to periodic interconnection with the Missouri River, many other species present. (Fishing pier). | | | | |
| <u>West Spring Lake Pond</u> | Stocking | Not Surveyed | | |
| North edge of Williston. Stocked annually with rainbow trout and adult catfish. Black bullheads abundant and a serious management problem. (No ramp). | | | | |