



North Dakota Public Fishing Waters

Data as of: December 10, 2018

The following lists all public fishing waters alphabetically by lake name. Each listing includes travel directions, current status of the fishery for the upcoming season, and fishing piers (listed if present). Lakes without a boat ramp are listed as 'no ramp'. Large systems have multiple access sites listed separately, with camping and other facilities noted along with the entity responsible for managing the facility.

Click on the Lake Name to view a [contour map](#) or [aerial photo](#) showing the access point for the lake.

[Stocking Report](#) lists fish stocking for the last 10 years.

[Sampling Report](#) provides a table of the most recent data (within the last 10 years) collected by fisheries biologists during their standard sampling.

[Fish Length Table](#) provides a summary of the sizes of fish measured by fisheries biologists during their most recent standard sampling.

Statewide List by Lake Name

Adams Lake (Eddy)	No Recent Stocking	Sampling Report	Fish Length Table
10 miles south of Warwick. Lots of smaller perch around 7 inches with some up to 10 inches and a few walleye. (No ramp).			
Lake Addie (Griggs)	Stocking Report	Sampling Report	Fish Length Table
4 miles east, 1 mile south, 1 mile west of Binford. Managed as a walleye and perch fishery. Walleye are nice-sized, with an average length of 18 inches. Smaller perch numbers are high, with some fish up to 10 inches.			
Alfred Lake (LaMoure)	Stocking Report	Sampling Report	Fish Length Table
7 miles east, 1.5 miles south of Gackle. Pike and perch present. Water level extremely low. Fish numbers dwindling. (No ramp).			
Alkali Lake (Sargent)	Stocking Report	Sampling Report	Fish Length Table
3 miles south of Cayuga. Low density walleye population. Crappie abundant.			
Alkali Lake (Stutsman)	Stocking Report	Sampling Report	Fish Length Table
11 miles north, 5 miles east, .5 miles south of Jamestown. Moderate numbers of pike, perch and walleye. Some larger walleye present. (No ramp).			
Alkaline Lake (Kidder)	Stocking Report	Sampling Report	Fish Length Table
15 miles south, 7 miles east, 1.4 miles southeast of Dawson. Walleye are abundant. Excellent pike numbers, with fish occasionally surpassing 10 pounds. Large perch are present in in low numbers.			
Antelope Lake (Pierce)	Stocking Report	Sampling Report	Fish Length Table
6.7 miles north, 3 miles east, 1 mile north, 2 miles east, 2 miles south of Anamoose. Nice-sized perch abundant. Very good number of walleye, with some larger fish.			
Apple Creek (Burleigh)	No Recent Stocking	No Recent Netting	No Recent Netting
South central part of state. Good for northern pike, walleye, crappie and catfish. (No ramp).			
Armourdale Dam (Towner)	Stocking Report	Sampling Report	Fish Length Table
9 miles east, 1.5 miles north of Rolla. Fair pike and eating-sized walleye numbers. Some 8-9 inch perch as well. (Fishing pier).			
Arnegard Dam (McKenzie)	Stocking Report	Sampling Report	Fish Length Table
.5 miles west, 2 miles north, 1.5 miles west of Arnegard. Good numbers of northern pike. Yellow perch present but mostly smaller fish. Abundant black bullhead population. Stocked with adult catfish in 2018. (Fishing pier).			
Arnies Lake (Logan)	Stocking Report	Sampling Report	Fish Length Table
1.5 miles south of Gackle, 2 miles east, 1 mile south. Moderate numbers of pike, perch and walleye. (No ramp).			

[Lake Ashtabula \(Barnes\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Abundant walleye, pike and smallmouth bass. Good number of larger fish. Moderate number of perch. Occasional crappie, white bass and bluegill.

Headwaters Area -- No Public Boating Access

Karnack Bridge -- 20 miles north, 2.3 miles west, 4 miles north, 2.8 miles east of Valley City (Gravel access road, no restrooms -- North Dakota Game and Fish Department).

Sibley Crossing -- 23.5 miles north of Valley City (Paved access road, fish cleaning facility, security lights, trash receptacles, concession, fishing pier -- U.S. Army Corps of Engineers).

Ashtabula Crossing -- 16.5 miles north of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

Katie Olson -- 14.5 miles north on River Road, 3 miles east of Valley City (Gravel access road, security lights -- U.S. Army Corps of Engineers).

Eggerts Landing -- 12 miles north, .4 miles west of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

Sundstroms Landing -- 9 miles north, 2 miles west, 1 miles north of Valley City (Gravel access road, security lights, picnic shelter, trash receptacles, fishing pier -- U.S. Army Corps of Engineers).

Mel Reiman Area -- 11 miles north on River Road of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).

[Lake Audubon \(McLean\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Good number of walleye and an excellent smallmouth bass fishery. Anglers should see good numbers of 14- to 19-inch walleye. Some large pike.

Totten Trail -- 6 miles north on US HWY 83, .2 miles east, .3 miles south of Coleharbor (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

Three Mile Corn -- 8.3 miles north on US HWY 83, 3 miles east, 1 miles south of Coleharbor (Gravel access road, no restrooms, primitive camping -- McLean County Park Board).

Cabin Sites -- 8.3 miles north on US HWY 83, 5.8 miles east, .8 miles south of Coleharbor (Gravel access road -- McLean County Park Board).

North Arm -- 8.3 miles north on US HWY 83, 7 miles east of Coleharbor (Paved access road, no restrooms -- McLean County Park Board).

Lane Ramp -- 8.3 miles north on US HWY 83, 7.7 miles east, 1.5 miles south, 1 mile west of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

Turtle Lake Ramp -- 8.3 miles north on US HWY 83, 7.7 miles east, 2.2 miles south of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

Refuge-East -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

Nelson Bay -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

Refuge-West -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

[Bader Lake \(Stutsman\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

4 miles south, 1 mile east of I-94 Exit 230. Moderate numbers of walleye and pike.

[Balta Dam \(Pierce\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

.5 miles south of Balta. Recent winterkills have reduced the number of northern pike.

[Barnes Lake \(Stutsman\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

1 mile east, 6 miles north of Woodworth. Abundant walleye. Moderate number of pike.

[Barreth Lake \(Sheridan\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles south, 2 miles east, 2 miles south, .6 miles west of Goodrich. Newer perch lake, with some keeper-sized fish. (No ramp).

<u>BarZ Dam (Dunn)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
8 miles north, 3 miles west, 2 miles north, 3 miles northwest of Killdeer. Adult bluegill stocked in 2017. (No ramp).			
<u>Battle Lake (Eddy)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
.5 miles south, 1.5 miles west, 1.5 miles south of Hamar. High density pike lake with most about 24 inches. Some small perch also present. (No ramp).			
<u>Baukol-Noonan Dam (Divide)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east, .5 miles south of Noonan. Decent northern pike population. Walleye and largemouth bass also present. Abundant small yellow perch and bluegill. Stocked with rainbow trout in 2018. (Fishing pier).			
<u>Baukol-Noonan East Mine Pond (Divide)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east, .5 miles south of Noonan. Good numbers of largemouth bass. Abundant small bluegill and small yellow perch. Black bullheads present. Stocked with rainbow trout in 2018.			
<u>Baumgartner Lake (Emmons)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles south of Linton. Small northern pike are abundant. (No ramp).			
<u>Beach City Pond (Golden Valley)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
Southwest side of Beach. Rainbow trout stocked annually. (Fishing pier, no ramp).			
<u>Beaver Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south, 8 miles east of Napoleon. Northern are pike abundant with fish occasionally surpassing 10 pounds.			
<u>Becker-Schlepp Lake (McIntosh)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, 1 mile east, 1 mile north, .5 miles east of Ashley. Fair numbers of small perch are present. (No ramp).			
<u>Belcourt Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north of Belcourt. Significant walleye and bluegill winter-kill in 2017. Yellow perch and northern pike still abundant with some larger, keeper fish present. Black bullhead are also abundant.			
<u>Belfield Pond (Stark)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Southwest side of Belfield. Partial winterkill in 2017. Rainbow trout stocked annually. Some bluegill up to 1 pound. Adult catfish and perch stocked in 2017. (Fishing pier).			
<u>Bender Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles south, 4 miles west, .5 miles south of Martin. Fair number of mostly small perch. (No ramp).			
<u>Bentley Lake (McHenry)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
3 miles west of Drake. Fair number of small pike and some perch. (No ramp).			
<u>Bergh Slough (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 2.5 miles east of Forman. Moderate numbers of pike and crappie. (No ramp).			
<u>Berlin Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9.5 miles east, 7 miles north, 2 miles east, 2 miles north of Ashley. Perch present. (No ramp).			
<u>Beulah Mine Pond (Mercer)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 2.5 miles east, .5 miles north of Beulah. Some pike and perch. (No ramp).			
<u>Big Flat Slough (Dunn)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
4 miles north, 3.5 miles west, .5 miles north of Marshall. Adult yellow perch stocked in 2017. (No ramp).			
<u>Big Mallard Marsh (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 2.5 miles east of Woodworth. Walleye abundant. Low pike density.			
<u>Bisbee Dam-Big Coulee (Towner)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east of Bisbee. Pike, walleye, perch, bluegill and crappie. Most walleye longer than 16 inches. Good pike numbers, with some up to about 6 pounds. Most perch are 8-9 inches. Also, there are the occasional large bluegill and crappie. (Fishing pier).			
<u>Blacktail Dam (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 5 miles west, 1 mile north of the junction of U.S. highways 2 and 85. Good numbers of walleye and northern pike with some bigger fish of both species present. Abundant small yellow perch and bluegill with some bigger bluegill in low numbers. Low numbers of smallmouth bass. White suckers are fairly abundant and remain a management concern. (Fishing pier).			

<u>Blickensderfer Dam (Hettinger)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, 1 mile east, .5 miles south of Mott. Abundant small bluegill, with some up to a half-pound. Some northern pike up to 10 pounds. Some small perch. Stocked adult largemouth bass in 2017. (No ramp).			
<u>Blumers Pond (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south of Valley City. Abundant perch and bluegill. (No ramp).			
<u>Blumhardt Dam (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9.5 miles east, 7 miles north, 1.5 miles east of Ashley. Brown and rainbow trout, with some larger fish.			
Bois De Sioux River (Not Specified)	No Recent Stocking	No Recent Netting	No Recent Netting
Southeast corner of state in Richland County. Good catfish and walleye populations. (No ramp).			
<u>Boom Lake (Marion Lake) (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles west of Marion. Moderate numbers of pike and walleye.			
<u>Boundary Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 11 miles east, 2.5 miles north of Bottineau. Decent number of 6- to 8-inch perch. (No ramp).			
<u>Bowman-Haley Dam (Bowman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles south, 8 miles east, 2 miles south of Bowman. Fair number of walleye up to 5 pounds, northern pike up to 10 pounds. Good number of white bass up to 1 pound and smallmouth bass up to 2 pounds. Some yellow perch and crappie up to a half-pound. Abundant large carp up to 15 pounds, good for bowfishing. (Fishing pier).			
<u>Braddock Dam (Emmons)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles southwest of Braddock. Fair numbers of northern pike, walleye and yellow perch. Bluegill, channel catfish and black bullhead are also present.			
<u>Braun Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
18 miles south, 1 mile east of Steele. Walleye and perch are present in fair numbers. (No ramp).			
<u>Lake Brekken (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles north of Turtle Lake. Good number of walleye, with some larger fish. Abundant perch, mostly smaller. (Fishing pier).			
<u>Brewer Lake (Cass)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 1 mile west of Erie. Abundant largemouth bass and bluegill. Some larger bass present. Occasional walleye and crappie. (Fishing pier).			
<u>Brooks Harbor (Cass)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
.5 miles south, .5 miles west of I-94 Exit 346. Perch present. (No ramp).			
<u>Brush Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north of Mercer. Good number of walleye and smaller perch. Good pike population, with some larger fish. (Fishing pier).			
<u>Buffalo Lake (Pierce)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles west, 1 mile south of Esmond. Winterkills often and pike fishing opportunities occur when winters are mild. Currently has a high pike population, with most fish about 24 inches. (Fishing pier).			
<u>Buffalo Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles north, 1 mile east of Rutland. Moderate numbers of walleye and pike. Occasional crappie. 14-inch minimum length limit on walleye.			
<u>Buffalo Lodge Lake (McHenry)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 mile east, 3 miles north, 2 miles east of Granville. Good number of northern pike and walleye. (Fishing pier).			
<u>Bylin Dam (Walsh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles east, 3 miles south of Adams. Nice population of pike, with some keeper walleye. Perch are mostly smaller. (Fishing pier).			
<u>Cain Lake (Rolette)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
2 miles south, 9 miles west, .5 miles north of St. John. No recent information. This lake is managed by the U.S. Fish and Wildlife Service. (No ramp).			

<u>Camels Hump Lake (Golden Valley)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Northeast of Sentinel Butte I-94 Exit 10. Rainbow trout stocked annually, with some up to 2 pounds. Abundant largemouth bass are mostly small, with some up to 5 pounds. Fair number of bluegill up to three-quarters of a pound. Some brown trout and smallmouth bass.			
<u>Camp Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
17.5 miles north, 2 miles east of Turtle Lake. Decent number of pike and lots of small perch. (No ramp).			
<u>Camp Loop Pond (McLean)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
3 miles southwest of Riverdale on U.S. Army Corps of Engineers' downstream campground. Stocked annually with rainbow trout. (Fishing pier, no ramp).			
<u>Cannonball River (Not Specified)</u>	<u>No Recent Stocking</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
In Slope, Hettinger, Grant and Sioux counties. Carp abundant most of the time. Some walleye, northern pike and catfish during spring spawning. (No ramp).			
<u>Carbury Dam (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 1 mile west of Carbury. Recent fishkills have led to very low pike and perch numbers. (Fishing pier).			
<u>Carlson-Tande Dam (Griggs)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 5 miles west of Aneta. Some pike, a few nice walleye, smaller perch and various-sized panfish.			
<u>Carpenter Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12 miles west of St. John. Good pike population, with most fish longer than 24 inches. A few perch, but most are under 8 inches.			
<u>Casselton Pond (Cass)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
Southeast corner of Casselton. Rainbow trout stocked annually. (No ramp).			
<u>Casselton Reservoir (Cass)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Just west of Casselton. Pike and perch present. Substantial winter kill 2017. (Fishing pier).			
<u>Castle Rock Dam (Hettinger)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
2 miles west, 1.5 miles south, 1.5 miles west of Mott. Rainbow trout stocked annually, with some trout up to 2 pounds.			
<u>Cavanaugh Lake (Ramsey)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 1 mile west, .5 miles north of Devils Lake. Winterkills often, but fish repopulate the lake when high spring runoff occurs. Walleye and pike present. (No ramp).			
<u>Cedar Lake (Slope)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
13 miles north, 2 miles west of Reeder. Abundant catfish up to 6 pounds. Some carp up to 7 pounds. Some pike up to 6 pounds. some walleye up to 1/2 pound. Some bullhead up to 1/2 pound.			
<u>Cherry Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
15 miles north, 3 miles east of Steele. Small northern pike are abundant. Low numbers of perch are present.			
<u>Cherry Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles north, 3 miles east, 2 miles north, .3 miles west of Mercer. Fair number of small perch, with some quality-sized fish. (No ramp).			
<u>Clark Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 3 miles north, 4 miles west of Woodworth. Moderate numbers of walleye and pike. Occasional perch.			
<u>Clausen Springs (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, 1 mile east, .5 miles north of the junction of ND highways 46 and 1. Abundant largemouth bass and bluegill. Occasional perch. (Fishing pier).			
<u>Clauson Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles west, .5 miles south, .5 miles east of Nome. Lake levels dropping. Remnant perch population. (No ramp).			
<u>Clear Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles east, 2 miles south of Wishek. Small northern pike are abundant (No ramp).			
<u>Clear Lake (Pierce)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles east, .7 miles south of Anamoose. Good numbers of quality-sized walleye and perch. (No ramp).			

<u>Clearwater Lake (Mountrail)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east, 3.8 miles north, .5 miles east, 3 miles north-northeast, .5 miles east of Stanley. Decent numbers of 13-14 inch walleye, abundant small northern pike. Yellow perch also present in low numbers.			
<u>Cleveland Slough (Stutsman)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles south of Cleveland along County Road 67. Abundant perch. Occasional large pike. (No ramp).			
<u>Coal Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles south, 1.5 miles east, .75 miles north of Underwood. Newer walleye lake, with a good number of small- to medium-sized fish. (No ramp).			
<u>Coal Mine Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
14 miles south, 5 miles east of Anamoose. Significant winterkills have greatly reduced the number of northern pike. (Fishing pier).			
<u>Lake Coe (Eddy)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles south of Warwick on east side of Eddy County Road 8. Good number of walleye with several size-classes. Fish longer than 18 inches common. Lots of perch, but most less than 8 inches.			
<u>Coldwater Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
15.5 miles east, 1 mile south, 1 mile west of Ashley. Moderate numbers of walleye and pike, with some larger fish. (Fishing pier).			
<u>Consolidated Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles south, 3 miles east of Forman. Moderate numbers of pike, walleye and largemouth bass. Crappie present. (No ramp).			
<u>Cottonwood Lake (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles west, 5 miles south, 1 mile west of LaMoure. Moderate number of pike. (No ramp).			
<u>Cottonwood Lake (McHenry)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2.5 miles north of Butte. Decent number of pike and a good number of nice-sized walleye. (Fishing pier).			
<u>Cottonwood Lake (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east, .5 miles north of Alamo. Good northern pike fishery, with a variety of sizes. Abundant small yellow perch. Some eater sized walleye available. (Fishing pier).			
<u>Cottonwood Park Pond (Burleigh)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
On west side of Cottonwood soccer complex in south Bismarck. Adult northern pike, and other species, may be stocked in spring. (Fishing pier, no ramp).			
<u>Crimmins WPA (Burleigh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west, 11 miles north, .5 miles west of Wing. Walleye up to 22 inches are abundant. Perch are present in low numbers. (No ramp).			
<u>Crooked Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles north, .2 miles east, .1 mile south of Turtle Lake. Good numbers of nice-sized pike and walleye, with some smaller perch. Bluegill population increasing in recent years. (Fishing pier).			
<u>Crown Butte Dam (Morton)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles west on access road on north side of I-94 Exit 147. Largemouth bass and bluegill are abundant. Crappie are present in low numbers. (Fishing pier).			
<u>Crystal Springs (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east of Crystal Springs. Abundant walleye and pike.			
<u>Custer Mine (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles east, 2 miles south of Garrison. A good put-and-take rainbow trout fishery in a small, easy-to-fish pond.			
<u>Cysewski Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles north, 4 miles east, 2 miles north, .5 miles east, 1 mile north of Jamestown. Abundant perch. (No ramp).			
<u>Danzig Dam (Morton)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 1.4 miles west, .2 miles north of I-94 Exit 120. Some northern pike up to 10 pounds and good number of walleye up to 4 pounds, some small perch and bluegill. Abundant carp up to 5 pounds and bullhead up to a half-pound.			

[Lake Darling \(Renville\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Strong northern pike, walleye and yellow perch, populations, and a few smallmouth bass. Black bullhead are extremely abundant and a serious management problem.

Outlet Fishing Area -- 6 miles east, 1 mile north, 1 mile east, .4 miles south of Carpio. (Gravel access road, no courtesy docks, picnic shelter, fishing pier -- Upper Souris NWR).

Spillway Boat Ramp -- 6 miles east, 1 mile north, 1 mile east of Carpio. (Paved access road -- Upper Souris NWR).

West Landing # 1 -- 6 miles east, 1 mile north of Carpio. (Gravel access road, picnic shelter -- Upper Souris NWR).

West Landing # 2 -- 6 miles east, 2 mile north of Carpio. (Gravel access road, no restrooms -- Upper Souris NWR).

Grano Crossing -- 1 miles west of Grano. (Paved access road, picnic shelter -- Renville County Park Board).

West Landing # 3 -- 6 miles east, 3 mile north of Carpio. (Gravel access road, picnic shelter, fishing pier -- Upper Souris NWR).

Greene Crossing -- 8 miles west, 7 miles south of Mohall. (Paved access road -- Renville County Park Board).

Headwaters Area -- No Public Boating Access

[Dassinger Pond \(Stark\)](#)

[Stocking Report](#)

No Recent Netting

No Recent Netting

8 miles south, 1 mile east, .8 miles north of Exit 72. Walk through the gate 500 yards northwest. Adult largemouth bass and bluegill stocked as needed. (No ramp).

[Davis Dam \(Slope\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

16 miles west, 4 miles north of Amidon. Rainbow trout stocked annually, with some up to 1.5 pounds. Good number of bluegill up to half of a pound and largemouth bass up to 3 pounds.

[Davis Lake \(Pierce\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles west, 1.5 miles south of Balta. Good number of small northern pike.

[Davis WPA \(Sheridan\)](#)

No Recent Stocking

[Sampling Report](#)

[Fish Length Table](#)

8 miles south, 1 mile east of Denhoff. Decent number of walleye, with some larger fish. Mostly smaller sized perch. (No ramp).

[Dead Colt Creek \(Ransom\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

5 miles south, 1 mile east, .5 miles north, .5 miles east of Lisbon. Abundant largemouth bass, bluegill and crappie. Some larger bass. (Fishing pier).

[Deer Lake \(Kidder\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

8 miles east of Robinson. Abundant perch up to 12 inches. (No ramp).

[Des Moines Lake \(Kidder\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

5.5 miles east of Robinson. Northern pike up to 5 pounds are abundant. (No ramp).

[Deuce Lake \(Sargent\)](#)

[Stocking Report](#)

No Recent Netting

No Recent Netting

1.5 miles south, 1 mile east, .25 miles south of Forman. Moderate numbers of pike and crappie. (No ramp).

[Devils Lake \(Not Specified\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

The walleye population in Devils Lake continues to do well. Reproduction in recent years has generally been good and there are many fish that are less than 15 inches long. The numbers of walleye that are 15 to 20 inches long has dropped below average for the first time in many years. This is due to three consecutive year classes that were relatively low from 2013 to 2015. There are still fish in this size range, but anglers will probably have to fish longer to catch them than normal. The numbers of walleye over 20 inches long is a bit higher than the long-term average.

Northern pike will continue to provide excellent angler opportunities in 2018-2019. The northern pike in Devils Lake are doing very well and continue to reproduce naturally. Pike are abundant and can be found throughout the lake, particularly in the shallower areas. Most of the northern are between 23 to 30 inches, but trophy-sized pike are known to be present in the lake. Northern are a very under-utilized fish in Devils Lake, so anglers should not be shy about keeping their limit of pike.

The numbers of catchable-sized yellow perch in Devils Lake seems to be lower than last year. The numbers of perch from 8 to 12 inches are a little lower than the long-term average. The numbers of jumbos over 12 inches is below average as well. The numbers of perch smaller than 8 inches is above average. Overall, there should be perch for anglers to pursue in 2018-2019, but their average size will likely be on the smaller end of the keeper range.

White bass numbers have increased greatly recently and their numbers are currently very high. However, most of them are from the strong hatch in 2015. Most of them will probably be between 12 to 14 inches long in 2018-2019.

Pelican Lake Bay -- 15 miles west of Devils Lake on ND Highway 19. (Paved access road, trash receptacles -- North Dakota Game and Fish Department).

Minnewaukan Dumpground -- 1.5 miles south of Minnewaukan on old U.S. Highway 281. (Gravel access road, no restrooms -- Minnewaukan Community Club).

Round Lake Bay -- 3 miles south of Minnewaukan on U.S. Highway 281. (Paved access road, trash receptacles -- Minnewaukan Community Club).

Grahams Island State Park -- 10 miles west of Devils Lake on ND Highway 19, then 6 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

Schwab Landing -- 7 miles west of Devils Lake on ND Highway 19. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- North Dakota Game and Fish Department).

Creel Bay -- 3 miles south of Devils Lake on ND Highway 20, then 2 miles west and .25 miles north. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Ramsey County Park Board).

Henegar Landing -- 1 mile west of Devils Lake on ND Highway 19, then .75 miles south. (Paved access road, fish cleaning facility, security lights, trash receptacles -- Ramsey County Park Board).

Spirit Lake Casino -- 6 miles south of Devils Lake on ND Highway 20/57. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, lodging, boat rental, RV dump station -- Spirit Lake Casino).

East Bay -- 3 miles south of Devils Lake on ND Highway 20. (Paved access road, security lights, trash receptacles -- North Dakota Game and Fish Department).

Black Tiger Bay -- 16.5 miles south of Devils Lake on ND Highway 20, then 4 miles north-northeast. (Gravel access road, no restrooms, no courtesy docks, concession -- North Dakota Parks and Recreation).

Estenson Landing -- 15 miles south of Devils Lake on ND Highway 20. (Paved access road, no restrooms, trash receptacles -- North Dakota Game and Fish Department).

East Devils Lake -- No Public Boating Access

[Diamond Lake \(LaMoure\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

5 miles north of Kulm. Abundant walleye and perch. Moderate number of pike.

[Dickinson Dike \(Stark\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Southwest side of Dickinson. Rainbow trout stocked annually, cutthroat trout stocked in 2016. Adult catfish up to 5 pounds stocked most years. Fair number of largemouth bass up to 4 pounds and small bluegill. (Fishing pier).

<u>Dickinson Reservoir (Stark)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west of Dickinson. Good number of walleye up to 6 pounds, good number of bluegill up to 1.5 pounds, good number of northern pike up to 14 pounds, good number of yellow perch up to 1 pound, some crappie up to a three-quarter pound and catfish up to 15 pounds. Abundant bullhead up to 1 pound. (Fishing pier).			
<u>Dion Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles west, 2 miles north, 1 mile east of St. John. Walleye densities are lower than in recent years but there are fish up to 20 inches. Perch numbers are decent with most fish under 10 inches. Illegally stocked pike are now common with some fish longer than 30 inches. (Fishing pier).			
<u>Doctor Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles south of Denhoff. Newer perch lake, with some keeper-sized fish. (No ramp).			
<u>Dollinger-Schnabel Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 5 miles west, 3 miles north of Ventura. Fair numbers of perch up to 12 inches in length are present as are low numbers of walleye up to 14 inches. (No ramp).			
<u>Dorfman Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 2 miles west of Ashley. Walleye are abundant along with a fair number of pike and perch. (No ramp).			
<u>Dougherty Dam (Walsh)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
1 mile west of Bylin Dam. Located just upstream from Bylin Dam. Holds some pike. (No ramp).			
<u>Dry Lake (Foster)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles east, 5 miles south, 2 miles east of Carrington. Fair number of walleye with most about 18 inches. Some big walleye. Fewer perch and more bullhead and carp showing up. (No ramp).			
<u>Dry Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles west, 4 miles north, 2 miles east, .5 miles south of Ashley. an excellent walleye and pike fishery with a low number of large perch.			
<u>East Arroda Dam (Oliver)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east of Fort Clark ND Highway 200A. Decent crappie numbers, with some quality fish. Pike and perch numbers increased in recent years, with mostly smaller fish. Earthen fishing piers for shore-fishing access.			
<u>East Easter Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 4 miles east, 1 mile south of Streeter. Abundant perch, with some larger fish. (No ramp).			
<u>East Park Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles south of Mercer. Decent walleye numbers, with some larger fish. Fair number of small- to medium-sized yellow perch. Bluegill population has increased in recent years. (Fishing pier).			
<u>East Spring Lake Pond (Williams)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
North side of Williston. Winterkills every year. Fishing opportunities reliant on annual stockings of adult northern pike. (Fishing pier, no ramp).			
<u>Eckelson Lake North (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, .5 miles east, 1 mile north, .5 miles east of Eckelson. Abundant perch, with some larger fish. (No ramp).			
<u>Eckelson Lake South (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, 1.5 miles east of Eckelson. Moderate numbers of pike and perch. (No ramp).			
<u>Elm Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles east, 3.5 miles south of Lidgerwood. Abundant pike and crappie. Moderate number of walleye. (No ramp).			
<u>Lake Elsie (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 1.5 miles west of Hankinson. Abundant walleye and crappie. Moderate numbers of Smallmouth bass, bluegill and perch. Occasional catfish. 14-inch minimum length limit on walleye. (Fishing pier).			
<u>English Coulee Pond (Grand Forks)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
5 miles south, 3 miles east, 1 mile south, .5 miles east of Emerado. No recent information. (No ramp).			
<u>Epping-Springbrook Dam (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles east of Springbrook. Fair northern pike and walleye populations. Abundant small yellow perch. Black bullhead and white sucker are abundant and a serious management problem. (Fishing pier).			

<u>Erickson Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8.5 miles north, 3 miles west, 1 mile north, 1.5 miles west, .5 miles south of Kulm. Abundant perch, with some larger fish. (No ramp).			
<u>Etta-Alkaline Complex (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 2.5 miles west, 3 miles south of Dawson. Small northern pike are abundant. (No ramp).			
<u>Fenster Lake (Ramsey)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, 4 miles east of Crary. Pike in fair numbers, with most fish more than 5 pounds. Low density perch population. (No ramp).			
<u>Fiala Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 2 miles south of Forman. Moderate number of pike, with some larger fish. (No ramp).			
<u>Finley Dam (Lynch Lake) (Steele)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south of Finley. Pike stocked regularly and provide some fishing opportunities. Most pike are around 20-26 inches. High bullhead population and stunted perch are management problems. (No ramp).			
<u>Fish Creek Dam (Morton)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south, 2 miles east, 1 mile south of I-94 Exit 134. Largemouth bass and rainbow trout are abundant. Smallmouth bass, brown trout and crappie are found in lower numbers. (Fishing pier).			
<u>Flood Lake (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles north of Kulm. Abundant pike.			
<u>Fordville Dam (Grand Forks)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles west, 1 mile north, .5 miles west, .5 miles north of Inkster. Fair number of larger walleye and pike, with a fair number of perch under 10 inches. Bullhead remain a management issue. (Fishing pier).			
<u>Fort Totten Dam (Benson)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
.5 miles east of Fort Totten. No recent information. This lake is managed by the U.S. Fish and Wildlife Service. (No ramp).			
<u>Four Corners Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles east, 2 miles south, .5 miles west of Lidgerwood. Abundant walleye. (No ramp).			
<u>Fox Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile north, .75 miles west of Eckelson. Abundant walleye and perch, with some larger fish.			
<u>Fresh Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
15 miles south, 7 miles east, 1 mile south of Dawson. Primarily a northern pike fishery, but a fair number of walleye and perch are present. (No ramp).			
<u>Frettim Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east, 1 mile north of Robinson. Good numbers of walleye, northern pike, perch and bluegill.			
<u>Froelich Dam (Sioux)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 2 miles west of Selfridge. Walleye and northern pike are abundant. Yellow perch, crappie, bluegill and largemouth bass are also present.			
<u>Gaebe Pond (Morton)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
1.5 miles west of New Salem. Rainbow trout stocked annually. Adult catfish up to 5 pounds stocked most years. Some small perch and bluegill. (Fishing pier, no ramp).			
<u>Gaier Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8.5 miles north, 1 mile west of Cleveland. Moderate number of perch, with some larger fish. (No ramp).			
<u>Gascoyne Lake (Bowman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles northwest of Gascoyne. Pike stocked annually. Some pike up to 2 pounds. Perch stocked in 2014. Some carp up to 4 pounds. Bullhead and green sunfish abundant at times.			
<u>Geier Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12 miles east, 9.5 miles north of Robinson. Walleye up to 22 inches are abundant and a fair number of perch are also present. (No ramp).			

<u>Lake Geneva (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles south, .5 miles east of I-94 Exit 195. Walleye up to 20 inches and perch up to 11 inches are abundant. (No ramp).			
<u>George Lake (McHenry)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
13 miles north, 1 mile east, 1.3 miles north, .5 miles east of the junction of U.S. Highway 52 and ND Highway 14. Good number of pike, with some large fish. (Fishing pier).			
<u>Georgeson Lake (Wells)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, 3 miles east, .25 miles north of Bremen. Perch population is primarily smaller fish less than 8 inches. There are very few of the larger perch remaining. (No ramp).			
<u>Lake Gertie (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south of Benedict. Fairly new lake, with a good number of pike and walleye. (No ramp).			
<u>Glenburn Pond (Renville)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
North side of Glenburn. Small pond stocked annually with trout. Perch and bluegill stocked periodically. (No ramp).			
<u>Goose Lake (Wells)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, 3 miles east, 1 mile north of Harvey. Fair number of pike with increasing size structure. Walleye population is in fine shape with a good number of fish longer than 17 inches. Nice perch are down in numbers and not very common.			
<u>Goose Lake (Emmons)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles east of Braddock. Northern pike up to 8 pounds are abundant and low numbers of perch are present. (No ramp).			
<u>Gordon Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles north, 1 mile west, .25 miles northwest of Belcourt. Abundant walleye and yellow perch fishery with some larger fish present. Northern pike and bluegill are also present in good numbers.			
<u>Grass Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west, 1 mile north, 1 mile west, 1 mile north, 1.5 miles west of Lidgerwood. Moderate to low numbers of pike, walleye and largemouth bass. Abundant crappie.			
<u>Gravel Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles west, .5 miles north of St. John. Pike, bluegill and perch fishery. Pike average about 24 inches with some up to 36 inches. Most perch under 10 inches. Bluegill are mostly under 7 inches. (Fishing pier).			
<u>Gravel Pit Lake (Benson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles west of Fort Totten. No recent information. This lake is managed by the U.S. Fish and Wildlife Service. (No ramp).			
<u>Green Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east, 4 miles south, 1 mile east of Wishek. A quality walleye and perch fishery with a low number of pike. (Fishing pier).			
<u>Gullys Slough (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles east, 1 mile south of Lidgerwood. Moderate numbers of pike and walleye. (No ramp).			
<u>Harmon Lake (Morton)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles north of Mandan on ND Highway 1806. Largemouth bass, bluegill and crappie are abundant. Rainbow trout and northern pike are present in lower numbers. (Fishing pier).			
<u>Harmony Lake (Mercer)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles north, 1 mile west of Hazen. Good number of bluegill, with some quality-sized fish. Stocked annually with rainbow trout. (Fishing pier).			
<u>Harr Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles east, 12 miles north of Ashley. Abundant walleye up to 18 inches in length and a fair number of large yellow perch. (No ramp).			
<u>Lake Harriet (Arena Lake) (Burleigh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles west, 1 mile south of Tuttle. Northern pike are abundant and occasionally surpass 10 pounds. Perch are present in low numbers. (No ramp).			

[Harvey Dam \(Wells\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Southeast side of Harvey. Fair number of walleye around 15 inches. Good pike population of various sizes, with fish more than 5 pounds. Bullhead are a continued management problem. (Fishing pier).

[Hatchery Kids Pond \(Barnes\)](#)

[Stocking Report](#)

No Recent Netting

No Recent Netting

2 miles northwest of Valley City. Good shore-fishing for early season trout. (No ramp).

[Haus Lake \(Richland\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles east, 7 miles south, .25 miles east of Lidgerwood. Moderate number of walleye. Occasional perch. (No ramp).

[Hazen Creek \(Mercer\)](#)

[Stocking Report](#)

No Recent Netting

No Recent Netting

West end of Hazen. Rainbow trout stocked annually in spring. (No ramp).

[Heart Butte Reservoir \(Grant\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

An abundance of mostly small walleye, with some fish up to 5 pounds, catfish up to 10 pounds, pike up to 9 pounds, white bass up to 2 pounds, crappie up to 1 pound and smallmouth bass up to 3 pounds. Good number of perch up to 1 pound and some bluegill up to 1/2 pound. Abundant large buffalo up to 30 pounds and bullhead up to 1.5 pounds, some large carp up to 15 pounds.

Koehlers Point -- 11.9 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Sled Creek (New Leipzig) -- 19.5 miles south on ND HWY 49, .5 miles west, 1 miles south, 1.3 miles west, 1.5 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Schatz Creek -- 19.5 miles south on ND HWY 49, .5 miles west, 1.9 miles north, 1.6 miles east of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Crappie Creek -- 12.5 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

Elgin Sportsmen -- 19.5 miles south on ND HWY 49, .5 miles west, 2 miles north, .7 miles east of Glen Ullin (Gravel access road, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).

Carson Sportsmens -- 17.3 miles south on ND HWY 49, .8 miles west, 1.7 miles west-northwest of Glen Ullin (Gravel access road, picnic shelter, trash receptacles -- Grant County JDA).

Cabin Area -- 12.5 miles south on ND HWY 49, 1.6 miles south, 1.4 miles west of Glen Ullin (Gravel access road, no restrooms -- Grant County JDA).

Lower End -- 17.3 miles south on ND HWY 49, .6 miles southwest Glen Ullin (Gravel access road, developed and primitive camping, picnic shelter, trash receptacles -- Grant County JDA).

North Shore -- 16.6 miles south on ND HWY 49, .3 miles west of Glen Ullin (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Grant County JDA).

Boy Scout Camp -- 17.3 miles south on ND HWY 49, 1.5 miles west, .8 miles north of Glen Ullin (Gravel access road, fish cleaning facility, primitive camping, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).

Heart River (Not Specified)

[Stocking Report](#)

No Recent Netting

No Recent Netting

In Stark, Grant, and Morton counties. Abundant carp and buffalo most of the time. Some walleye, northern pike and catfish during spring spawning. (No ramp).

[Heaton Slough \(Wells\)](#)

No Recent Stocking

[Sampling Report](#)

[Fish Length Table](#)

4 miles east, 8 miles south, 3 miles east of Bowdon. 3- to 8-pound pike common, with some perch. (No ramp).

[Heckers Lake \(Sheridan\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

9 miles south, 2.4 miles east of Mercer. Fair numbers of perch and walleye, with some quality-sized fish. Decent numbers of pike and smallmouth bass. (No ramp).

[Hehn-Schaffer Lake \(Stutsman\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

4 miles north of Gackle. Moderate numbers of pike, perch and walleye. (Fishing pier).

[Heinrich Lake \(Dickey\)](#)

No Recent Stocking

No Recent Netting

No Recent Netting

17.5 miles east, 1 mile south of Ashley. Moderate number of perch, with some larger fish. (No ramp).

[Heinrich-Martin Dam \(LaMoure\)](#)

No Recent Stocking

[Sampling Report](#)

[Fish Length Table](#)

.75 miles east, .5 miles south of Adrian. Abundant largemouth bass and bluegill. Moderate numbers of crappie, perch and pike.

<u>Helen Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2.5 miles west, 6 miles north of Tuttle. An excellent northern pike fishery, with fish occasionally topping 8 pounds. Perch are also present. (No ramp).			
<u>Heley Lake (Richland)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
5 miles north, 1 mile east, .5 miles south of Lidgerwood. Moderate numbers of walleye and perch. (No ramp).			
<u>Hiddenwood Lake (Ward)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south of Makoti. Decent numbers of yellow perch, walleye, smallmouth bass and pike. (Fishing pier).			
<u>Hieb Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
3.5 miles east, 6 miles north, 1 mile east of Medina. Moderate number of perch. (No ramp).			
<u>Hinsz Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south, 3 miles west, 1 mile south, .6 miles west, .7 miles northwest of Anamoose. Good number of quality-sized walleye and perch.			
<u>Hobart Lake North (Barnes)</u>	<u>No Recent Stocking</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles northwest of I-94 Exit 288. Perch abundant, with some large fish. (No ramp).			
<u>Hobart Lake South (Barnes)</u>	<u>No Recent Stocking</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.4 miles south, 3.4 miles west of I-94 Exit 288. Perch abundant. (No ramp).			
<u>Hofer Lake (Dickey)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
7 miles east, 1.75 miles north of Ellendale. Moderate number of pike. (No ramp).			
<u>Hoggarth Dam (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west, 3 miles south of Courtenay. Walleye and perch present. (No ramp).			
<u>Lake Holmes (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile northeast of Turtle Lake. Good number of walleye, with some larger fish. Small perch abundant.			
<u>Homestead Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south, 8 miles east, 2 miles north of Wishek. Small northern pike are abundant. (No ramp).			
<u>Homme Dam (Walsh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west of Park River. High perch numbers with many in the 8-10 inch range. Crappie are abundant with most from 6-9 inches along with some bigger fish. Lower densities of pike and walleye are available. White suckers and bullheads abundant and are problematic. (Fishing pier).			
<u>Hooker Lake (Rolette)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles west of St. John. One of a few rainbow trout lakes in the district. Trout stocked annually and reach maximum size in fall. Some older, larger trout available going into this winter. (Fishing pier).			
<u>Horsehead Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west, 8 miles south, .25 miles east of Robinson. Northern pike are abundant. (No ramp).			
<u>Horseshoe Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles west, 1 mile south of Hankinson. Moderate numbers of pike, perch, bluegill and walleye. Some larger walleye present.			
<u>Lake Hoskins (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west of Ashley. Fair numbers of walleye, northern pike and yellow perch are present. (Fishing pier).			
<u>Hurdsfield-Tuffy Lake (Wells)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles east of Hurdsfield. Lots of eating-sized walleye with the some big fish. Perch numbers fair with most smaller than 11 inches. Carp are reproducing successfully and may become a management problem. (No ramp).			
<u>Lake Ilo (Dunn)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 1 mile south of Dunn Center. Abundant pike up to 10 pounds, some perch up to a half-pound. (Fishing pier).			
<u>Indian Creek Dam (Hettinger)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles west, 2 miles south, 2 miles west, 3 miles south of Regent. Abundant walleye up to 10 pounds, abundant small perch with some up to a half-pound and good number of bluegill up to 1 pound. Some smallmouth bass up to 2 pounds and largemouth bass up to 1 pound. (Fishing pier).			

[Irvine-Alice Complex \(Ramsey\)](#)

No Recent Stocking

[Sampling Report](#)

[Fish Length Table](#)

4.5 miles north, .5 miles east of Churchs Ferry. Boat access conditions are currently very poor, as the make-shift boat launching site a few miles north of Churchs Ferry is unusable due to low water levels.

The walleye population in Lake Irvine is doing very well. They are abundant with many sizes available. Most are between 15 and 20 inches long, but larger individuals are present in good numbers as well.

Northern pike are very abundant in Lake Irvine. Most of the pike are medium-sized, but there are some larger fish present. Pike in Lake Irvine are under-utilized, so anglers should not be shy about keeping their limit of pike from this lake. In fact, the pike seem to be too abundant for their own good, as their body condition, or plumpness, has been declining, so keeping pike from this lake would actually be beneficial for the pike population as it may help reduce competition for food.

The numbers of yellow perch in Lake Irvine are low, but the few perch in the lake tend to be larger individuals.

The white bass numbers in Lake Irvine are low, but they are good-sized.

Fish populations in Lake Alice are similar to those in Lake Irvine. (No ramp).

[Lake Isabel \(Kidder\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles south, .5 miles east, .75 miles south of Dawson. Small northern pike are abundant.

[Island Lake \(Barnes\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

3 miles south, .5 miles east of Urbana. Abundant walleye. Moderate number of perch. (No ramp).

[Island Lake \(Rolette\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

3 miles west, 2 miles south of Mylo. A partial winterkill occurred in 2017-2018. However, there are still good numbers of 24-inch-plus pike. Smaller perch also available.

[Jake's Lake \(Emmons\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

13 miles south, 1 mile east of Strasburg. Northern pike up to 6 pounds are abundant. (No ramp).

James River (Not Specified)

No Recent Stocking

[Sampling Report](#)

[Fish Length Table](#)

Southeastern part of the state. Shore-fishing opportunities where lowhead dams and bridge crossings congregate pike and walleye.

[Jamestown Reservoir \(Stutsman\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

Moderate numbers of pike and walleye. Abundant crappie. Occasional perch and smallmouth bass.

Buchanan Bridge Area -- No Public Boating Access

Above Pelican Point -- No Public Boating Access

Boat Club Bay -- 5.5 miles north on ND Highway 20, .4 mile west, .4 miles north, .3 miles west of Jamestown (Gravel access road, primitive camping, security lights, picnic shelter, trash receptacles -- Stutsman County Park Board).

West Landing -- 4.5 miles north on U.S. Highway 281 and 1 miles east of Jamestown (Paved access road, trash receptacles -- Stutsman County Park Board).

Pelican Point -- 8 miles north on U.S. Highway 281, 2 miles east of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board).

Five Mile Corner Landing -- 5.5 miles north on ND Highway 20, .8 mile west of Jamestown (Gravel access road, trash receptacles, fishing pier -- Stutsman County Park Board).

Marina Area -- 2 miles north on ND Highway 20, .5 miles southwest of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board).

[Jarvis Lake \(Rolette\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

.75 miles southwest, 6 miles west of St. John. Yellow perch abundant with a few larger fish present. Walleye ranging from 12-18 inches also abundant. Bluegill and northern pike present. (No ramp).

[Jasper Lake \(Kidder\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

7 miles north, .5 miles east of Robinson. Walleye are abundant and fish occasionally surpass 25 inches in length. Perch are also present.

<u>Lake Jessie (Griggs)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles east, 1 mile south, 1 mile west of Binford. Primarily an ice fishing lake for pike that average about 28 inches. A few perch present that may reach 9 inches (No ramp).			
<u>Jim Lake (Stutsman)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
6 miles east of Pingree. No recent information. (No ramp).			
<u>Lake Josephine (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north of Tuttle. Walleye are abundant with fish occasionally surpassing 25 inches in length. Fair numbers of perch and low numbers of northern pike are also present. (Fishing pier).			
<u>Juanita Lake (Foster)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east of Grace City. Good pike numbers with the average length about 27 inches. Bullhead abundant. (Fishing pier).			
<u>Kaibel Lake (Sheridan)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
10.2 miles south of Drake. Lots of perch, but many are smaller-sized. (No ramp).			
<u>Kalina Dam (Bowman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west, 1 mile south, 1 mile west, 1 mile south of Bowman. Fair number of pike up to 6 pounds. Some small bluegill with some up to 1 pound, Fair amount of small perch. Make sure to access lake from south shore. (No ramp).			
<u>Kalmbach Lake (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles south, 4.5 miles west, .5 miles south of Jud. Abundant pike.			
<u>Kautz Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 6 miles west of Lehr. Perch up to 13 inches are common. (No ramp).			
<u>Kee Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles south, 2 miles east of Eckelson. Abundant walleye. Moderate number of perch. Occasional pike. (No ramp).			
<u>Kettle Lake (Williams)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
3 miles east, 2.5 miles north of Zahl. Lake was eradicated in spring 2017 and was restocked with rainbow trout, largemouth bass and bluegill. (Fishing pier).			
<u>Kislingbury Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles east, 1.5 miles north of Ashley. Walleye up to 16 inches in length are abundant. (No ramp).			
<u>Kleingartner Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles south, 5 miles west of Gackle. Fair numbers of northern pike and low numbers of perch are present. (No ramp).			
Knife River (Not Specified)	No Recent Stocking	No Recent Netting	No Recent Netting
In Dunn and Mercer counties. Connected to the Missouri River, so a variety of fish species available. (No ramp).			
<u>Koebnick Pond (Barnes)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
1 mile north, 4 miles west, 1 mile north of Rogers. Moderate number of perch. (No ramp).			
<u>Koenig North (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12.25 miles north, 1.5 miles east of Robinson. A developing walleye fishery with abundant fish up to 15 inches in length. Perch are also present. (No ramp).			
<u>Koenig South (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12.25 miles north, 1.5 miles east of Robinson. Multiple perch year-classes are present (winter access only). (No ramp).			
<u>Kolding Dam (Grand Forks)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles southeast, 1 mile south of Niagara on U.S. Highway 2. Managed for northern pike with some fish over 4 pounds.			
<u>Kota-Ray Dam (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles south, .5 miles east, 2 miles south of Ray. Good numbers of nice largemouth bass. Abundant small yellow perch. Walleye, bluegill and smallmouth bass also present. Stocked annually with rainbow trout. (Fishing pier).			
<u>Kraft Slough (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 9 miles east, 2.5 miles north of Oakes. Abundant walleye and perch.			

<u>Krieg's Pond (Morton)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
<p>.5 miles east of Hebron. Rainbow trout stocked annually. Adult perch stocked most years. Adult catfish stocked in 2015 -16. (No ramp).</p>			
<u>Kulm-Edgeley Dam (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>4 miles west, 2 miles south of Edgeley. Moderate number of pike and perch. Low numbers of walleye and bluegill.</p>			
<u>Lake No. 5 (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>3.5 miles west, 7.5 miles north, 1.5 miles east, 1 mile south of Dawson. Northern pike are abundant, but the lake frequently winterkills. (No ramp).</p>			
<u>Lake LaMoure (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>1 mile south, 1 mile east, 2.5 miles south, 1 mile west, .5 miles south of LaMoure. Abundant pike and crappie. Moderate numbers of walleye and perch. Occasional bluegill. (Fishing pier).</p>			
<u>Langdon City Pond (Cavalier)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
<p>South side of Langdon. Put-and-take trout lake, with most fish caught in May. (Fishing pier).</p>			
<u>Lake Laretta (Nelson)</u>	<u>No Recent Stocking</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>2 miles west, 3 miles north of Michigan. Fair numbers of medium-sized pike. Perch that survive predation are large but uncommon. Good walleye numbers of medium to large fish. (No ramp).</p>			
<u>Larimore Dam (Grand Forks)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>2 miles northeast of Larimore. Walleye, pike, largemouth bass, perch, crappie and bluegill provide angling opportunities. Various sizes of walleye and pike with some bigger fish. Crappie and bluegill are smaller, but also some nice fish. Most perch are less than 9 inches. (Fishing pier).</p>			
<u>Larson Lake (Hettinger)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>.5 miles north and 2 miles east of Regent. Abundant pike up to 6 pounds and fair number of mostly small perch, with some up to 1 pound.</p>			
<u>Larson Lake (Sioux)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
<p>4 miles north, 1 mile west of Thunderhawk, South Dakota. History of winterkill. Largemouth bass and bluegill stocked in recent years. (No ramp).</p>			
<u>Lehr WMA (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>2 miles east, 1 mile south of Lehr. An excellent walleye fishery that also contains a low number of large perch.</p>			
<u>Leland Dam (McKenzie)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>11 miles south, 8 miles west, 8 miles south, 2 miles southeast, 1.5 miles east, 1 mile north of Alexander. Strong bluegill and largemouth bass populations.</p>			
<u>Leno Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>1 mile east, 7 miles north of Tuttle. Small northern pike are abundant. (No ramp).</p>			
<u>Lepp Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>1 mile east, 1 mile north of Lehr. Fair numbers of northern pike pike and perch are present. (No ramp).</p>			
<u>Lightning Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>.5 miles east of Turtle Lake. A quality trout fishery, with some large fish. Stocked annually with rainbow trout. (Fishing pier).</p>			
<u>Limesand-Seefeldt Dam (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>8 miles south, 3 miles west of Marion. Abundant pike. Moderate numbers of bluegill, perch and crappie.</p>			
<u>Lindemann Lake (Cass)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
<p>2 miles north, 1 mile east, .5 miles north of Enderlin. Abundant walleye and perch. (No ramp).</p>			
<u>Little Britches Pond (Stutsman)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
<p>Next to Jamestown Reservoir marina. Abundant rainbow trout. Moderate numbers of crappie and perch. Occasional walleye and pike. (No ramp).</p>			
<u>Little Heart Pond (Morton)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
<p>11 miles south of Mandan on ND Highway 1806. Catchable-sized rainbow trout are stocked in the spring. (No ramp).</p>			

Little Missouri River (Not Specified)	No Recent Stocking	No Recent Netting	No Recent Netting
Southwestern part of state. Abundant catfish up to 10 pounds. Some sauger and walleye during spring spawning. (No ramp).			
<u>Little Muddy River (Williams)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
East edge of Williston. Highly dependent on high water levels and fish movement from upper Missouri River. Fair populations of northern pike and channel catfish, with many other species present. (Fishing pier).			
<u>Logan (Mueller) WMA (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles north, 5 miles west, .5 miles south of Lehr. Walleye are abundant and a low number of perch up to 13 inches are also present. (No ramp).			
<u>Logan Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west of Gackle. Walleye up to 18 inches in length are abundant. Fair numbers of small perch are also present. (No ramp).			
<u>Lone Tree Lake (Englevale) (Ransom)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles north, 2 miles west of Englevale. Moderate number of perch. Pike present. (No ramp).			
<u>Long Alkaline Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west, 7 miles north of Robinson. Small pike are abundant and perch are present. (No ramp).			
<u>Long Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles north, 7 miles east, 1 mile south, 1 mile east, .5 miles south, .3 miles east of Bottineau. Decent pike and walleye populations. Lots of small perch. Some nice bluegill.			
<u>Long Lake (Burleigh)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
1 mile south, 2.5 miles east of Moffit. Northern pike abundant. Contact refuge for specific angling regulations. (Fishing pier, no ramp).			
<u>Long Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
13 miles north, 4 miles east, 2 miles north, 1.5 miles west of Turtle Lake. Good number of pike.			
<u>Long Lake (Rolette)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
2 miles south, 5.3 miles east of Rolette. Good number of pike, with the average fish more than 5 pounds. (No ramp).			
<u>Loon Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 4 miles east, 2 miles south, 2 miles east, .5 miles north of Bottineau. High number of mostly smaller perch. Walleye population increasing in recent years. (No ramp).			
<u>Lueck Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles east, 2.5 miles south of Lidgerwood. Abundant walleye. Some larger fish present. (No ramp).			
<u>Lutz Dam (Bowman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2.5 miles south, 2 miles west, .75 miles north of Griffin. Rainbow trout stocked annually. Abundant small bluegill, yellow perch and black crappie. (No ramp).			
<u>Magnuson's Slough (Divide)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12 miles north of Alamo on County Road 11. Adult perch stocked in 2016. Fish of various sizes present. (No ramp).			
<u>Makoti Lake (Ward)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles south of Makoti. Good number of pike and perch. (No ramp).			
<u>Manley Lake (Stutsman)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, 9 miles west, .25 miles north of Pingree. Moderate number of perch. (No ramp).			
<u>Marvin Miller Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6.5 miles south, 8 miles west, .5 miles north of Gackle. An excellent walleye fishery with fish occasionally surpassing 25 inches in length. Fair numbers of perch and a low number of northern pike are also present.			
<u>Matejcek Dam (Walsh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles south of Lankin. A significant winterkill occurred in 2017-2018. No walleye were netted in a subsequent survey. Stocked adult perch numbers appear fair for fish under 7 inches. Some pike survived and are present in fair numbers. Some crappie also available. White suckers still common.			

McClusky Canal (Not Specified)	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Central part of state in McLean, Burleigh and Sheridan counties. Excellent smallmouth bass fishery, with some larger fish. A variety of fish species available to anglers. (No ramp).			
<u>McDowell Dam (Burleigh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles east, 1 mile north of Bismarck on ND Highway 10. Bluegill and largemouth bass are abundant. Catchable-size rainbow trout are stocked in the spring. (Fishing pier).			
<u>McGregor Dam (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south of McGregor. Fair number of walleye with some larger fish. Bluegill and small yellow perch present. Stocked annually with rainbow trout, with some nice-sized carry-over trout. (Fishing pier).			
<u>McIntosh WMA (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles east, 9 miles north of Ashley. Low numbers of perch are present. (No ramp).			
<u>McLeod (Ray) Reservoir (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Southwest side of Ray. Abundant small northern pike. Walleye, yellow perch and bluegill present in low numbers. (Fishing pier).			
<u>McPhail WMA (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles north, 2 miles west of Tappen. Perch up to 10 inches in length are abundant and a low number of walleye are present. (No ramp).			
<u>McVille Dam (Nelson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east of McVille. Some larger walleye, largemouth bass and pike available, but at low densities. Perch and bluegill abundant, but most are typically small. (Fishing pier).			
<u>Meadow Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles west, 6 miles north of Litchville. Moderate number of perch. Some larger fish present. Low number of walleye. (No ramp).			
<u>Lake Metigoshe (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 4 miles east, 1 mile north of Bottineau. Holds several sizes of bluegill, including some large fish, along with some nice crappie. Good number of walleye, with a wide range of sizes. Good pike fishing, with some large fish. (Fishing pier).			
<u>Middle Eckelson (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles east of Eckelson. Abundant pike. Moderate number of perch. (No ramp).			
<u>Miller Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7.5 miles east, 2.5 miles south of Lehr. Northern pike up to 10 pounds are abundant. Small perch are also present. (No ramp).			
<u>Miller Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
18 miles north, 2 miles east, .2 miles south of McClusky. Newish perch lake, first stocked in 2014. (No ramp).			
<u>Mirror Lake (Adams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
South side of Hettinger. Abundant bullhead up to a half-pound. Some pike up to 2 pounds. Some catfish up to 2 pounds. (Fishing pier).			
<u>Mission Lake (Benson)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
5 miles south, 1.5 miles east, 2 miles south of Devils Lake. No recent information. This lake is managed by the U.S. Fish and Wildlife Service. (No ramp).			

[Missouri River \(Not Specified\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

The fishery downstream of Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. The Garrison Reach upstream of Bismarck has been slow to recover and still suffers from depressed forage conditions. Most walleye from the abundant 2009 year-class are now 18-plus inches and reproduction was decent from 2014-16, so smaller walleye are present in good numbers.

Garrison Dam Tailrace continues to maintain a diverse quality fishery, especially for walleye, brown trout, rainbow trout, and salmon. Channel catfish are abundant and underutilized throughout the entire reach.

Garrison Dam Tailrace -- Directly below Garrison Dam. (Paved access road, fish cleaning facility, developed camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

UPA Site (Stanton) -- Just west of UPA Power Plant on ND Highway 200A near Stanton. (Paved access road, security lights, trash receptacles -- City of Stanton).

Washburn -- On east side of the Missouri River near Washburn, north of ND Highway 200A bridge. (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles, RV dump station, fishing pier -- Washburn City Park Board).

Sanger (Cross Ranch) -- Just east of Sanger townsite on west side of Missouri River. (Gravel access road, primitive camping, picnic shelter, trash receptacles -- North Dakota Parks and Recreation).

Steckel Boat Landing (Wilton) -- 22 miles north of Bismarck on ND Highway 1804, or 5.5 miles west, 1 mile south, and 1.5 miles west of junction of U.S. Highway 83 and ND Highway 36. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

Hoge Landing -- On east side of the Missouri River near Bismarck, 6.4 miles north of I-94 bridge on River Road, then .7 miles west and 1.5 miles south/southwest. (Gravel access road, no courtesy docks, picnic shelter, trash receptacles -- Bismarck Parks and Recreation).

Kniefel (Misty Waters) Landing -- On east side of the Missouri River near Bismarck, 3 miles north of I-94 bridge on River Road, then 1 mile west. (Paved access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Burleigh County Park Board).

Grant Marsh Bridge -- On east side of the Missouri River near Bismarck, south side of the I-94 bridge on River Road. (Paved access road, security lights, trash receptacles -- Bismarck Parks and Recreation).

Fox Island Park -- From Washington Street, .75 miles west on Riverwood Drive (1 block south of Expressway), 1.5 miles south and .5 miles west. (Paved access road, fish cleaning facility, security lights, trash receptacles -- Bismarck Parks and Recreation).

Little Heart Bottoms (Schmidt) -- 11 miles south of Mandan on ND Highway 1806, then 1 mile north. (Paved access road, trash receptacles -- Morton County Park Board).

Kimball Bottoms (Desert) -- 8 miles south of Bismarck on ND Highway 1804, then 2 miles south. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

Graner Bottoms (Sugar Loaf) -- 19 miles south of Mandan on ND Highway 1806, then 1 mile east, or about 3 miles north of Huff. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- Morton County Park Board).

[Mitchell Lake \(Burleigh\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

1 mile west, 2 miles north of Wing. Northern pike up to 6 pounds are abundant.

[Monson Lake \(Wells\)](#)

No Recent Stocking

No Recent Netting

No Recent Netting

1 mile south, 1 mile east, 8 miles south, 1 mile west of Bowdon. Strong perch population, with a balanced size structure. Walleye population is small, with some big fish. (No ramp).

[Moon Lake \(Barnes\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles west, 5.5 miles south, 4 miles west, 2 miles north of Valley City. Abundant walleye and perch. Occasional smallmouth bass, brown and/or rainbow trout.

[Moore's Lake \(Dickey\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

18.5 miles west, 1 mile north of Ellendale. Moderate numbers of pike and perch. (No ramp).

[Mooreton Pond \(Richland\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles east of Mooreton. Abundant bluegill. Moderate numbers of walleye and rainbow trout. Occasional perch, bass and channel catfish. (Fishing pier).

<u>Mooringsstone Pond (Ransom)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
.75 miles west of the city of Fort Ransom. Rainbow trout stocked annually. (No ramp).			
<u>Morrison Lake (Ramsey)</u>	<u>No Recent Stocking</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
3 miles east, 2 miles south of Webster. Typically has good winter pike fishing until oxygen levels decline. Most fish are less than 5 pounds. (No ramp).			
<u>Mosher WPA (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2.5 miles north, 4.5 miles east of Dazey. Abundant walleye. Winter fishery. (No ramp).			
<u>Mott Watershed Dam (Hettinger)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
North side of Mott. Winterkill of largemouth bass in 2018, very few left. Rainbow trout stocked annually, with some up to 2 pounds. Fair number of bluegill up to 1 pound. (Fishing pier).			
<u>Mount Carmel Dam (Cavalier)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 2 miles east, 2 miles north of Langdon. Fair number of perch with most under 9 inches. Walleye numbers fair with fish averaging 17 inches. Decent number of nice pike. (Fishing pier).			
<u>Mud and Pearl Lakes (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles north, 2.5 miles west of Medina. Abundant perch, with some larger fish present. (No ramp).			
<u>Mud Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles south of Anamoose. Newer perch lake, with a fair number of fish. (No ramp).			
<u>Mudd Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west of Lehr. Fair numbers of northern pike and low numbers of perch are present. (No ramp).			
<u>Mundt Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles east, 4 miles north, 1 mile east, .5 miles south of Lehr. Walleye are abundant with perch and smallmouth bass present in fair numbers. (Fishing pier).			
<u>Nagel Lake (Koeplin WPA) (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east, 1 mile south, 1 mile east of Lehr. Walleye are abundant and a fair number of perch are also present. (No ramp).			
<u>North Napoleon Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles west, 1 mile north, 1 mile east of Napoleon. Both northern pike and small perch are abundant. (No ramp).			
<u>Nelson Lake (Oliver)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles east, 3 miles south of Center. The best largemouth bass lake in the state. Open water year-round allows warmwater fish to grow better than in other lakes. Abundant quality-sized bluegill and crappie. (Fishing pier).			
<u>Nelson Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles south, .5 miles east of Forman. Abundant pike. Moderate numbers of perch and walleye. (No ramp).			
<u>Neustel Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north of Robinson. Walleye up to 15 inches in length are abundant in this developing fishery. Low numbers of perch are also present. (No ramp).			
<u>New Johns Lake (Burleigh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11.8 miles south, 3 miles east of Mercer. Decent walleye numbers, with some larger fish. Pike numbers increased in recent years. Good number and sizes of smallmouth bass. Periodically stocked with muskie. (Fishing pier).			
<u>New Rockford Reservoir (Eddy)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
North side of New Rockford. Primarily a pike fishery, but walleye and smaller perch also present. Bullheads too abundant. (Fishing pier, no ramp).			
<u>Niagara Dam (Grand Forks)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
North of Niagara. Winterkills often. When a series of nice winters occur, nice-sized pike available. Currently pike over 24 inches and lots of bullheads.			
<u>North (Hoffer) McClusky (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 1 mile west of McClusky. Recent fishkills have greatly reduced the northern pike numbers. (No ramp).			
<u>North Carlson Lake (Ward)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles east of Ryder. Good number of northern pike and mostly small perch.			

[North Des Moines Lake \(Kidder\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

5.5 miles east of Robinson. Fair numbers of northern pike. (No ramp).

[North Golden Lake \(Steele\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

10 miles east, 4 miles north, .5 miles west of Finley. Perch numbers are down with most less than 10 inches. Fair numbers of keeper pike and walleye. Walleye longer than 20 inches and pike up to 10 pounds. Low number of bluegill but decent-sized. Bullheads are a serious fish management problem.

[North Lake Washington \(Eddy\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

8.5 miles south, 1 miles east, 1 mile north of Warwick. Good population of one and two year old walleye that are now up to 18 inches, with most fish being smaller. Some keeper-sized perch but most are still too small to be harvested. (No ramp).

[North Lemmon \(Adams\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

5 miles north of Lemmon, South Dakota. Rainbow trout stocked annually. Some brown trout up to 2 pounds. Abundant small yellow perch. Fair number of bluegill, with some up to a half-pound. Fair number of largemouth bass, mostly 1 to 4 pounds. Good number of walleye, mostly 3 to 10 pounds. (Fishing pier).

[Northgate Dam \(Burke\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

6 miles north, 1 mile west, 2 miles north, .5 miles west of Bowbells. Good populations of walleye and bluegill. Stocked with rainbow trout annually, with some nice-sized carry-over trout. Fair number of black crappie and a few largemouth bass. (Fishing pier).

[Nygren Dam \(Morton\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

6 miles north, 1 mile east, 3 miles north, .5 miles east of Flasher. Catchable-sized trout are stocked in the spring and small bluegill and 10-14 inch largemouth bass are abundant. (Fishing pier).

[Lake Oahe \(Not Specified\)](#) [Stocking Report](#) [Sampling Report](#) [Fish Length Table](#)

The fishery downstream of Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. Fortunately, the upper Oahe fishery recovered much better than the Garrison Reach. Forage conditions have improved and growth rates of walleye have followed. Most walleye from the abundant 2009 year-class are now 20-plus inches and reproduction was very good from 2014-16, so smaller walleye are abundant. Pike abundance has declined from recent years, but average size is excellent, with many fish surpassing 20 pounds. Channel catfish are very abundant and vastly underutilized throughout upper Lake Oahe.

Maclean Bottoms (Gun Range) -- 14 miles south of Bismarck on ND Highway 1804, then 2 miles south. (Paved access road, picnic shelter, trash receptacles -- Burleigh County Park Board).

Hazelton -- 31 miles southeast of Bismarck on ND Highway 1804 or 13 miles west and 2 miles north of Hazelton. Campground located just south of boat ramp. (Paved access road, developed and primitive camping, security lights, picnic shelter, trash receptacles -- U.S. Army Corps of Engineers).

Fort Rice -- 28 miles south of Mandan on ND Highway 1806, then .5 miles east. (Paved access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles -- Morton County Park Board).

Prairie Knights Marina -- 10 miles south of the Cannonball River on ND Highway 1806, then 3.5 miles east. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Prairie Knights Casino).

Beaver Bay -- 13 miles west of Linton on ND Highway 13, then 2 miles south on ND Highway 1804. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).

Jennerville (Rivery) -- 13 miles west of Linton on ND Highway 13, then 6.5 miles south on ND Highway 1804, and 3.5 miles west at Rivery turnoff. (Gravel access road, no restrooms, no courtesy docks -- U.S. Army Corps of Engineers).

Fort Yates -- North edge of Fort Yates. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Standing Rock Sioux Tribe).

Cattail Bay (Winona) -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 1 mile north on ND Highway 1804, 2 miles west, 2 miles south, 1 mile west. (Gravel access road, primitive camping, trash receptacles, concession -- U.S. Army Corps of Engineers).

Langeliers Bay -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 11 miles south on ND Highway 1804, and .75 miles west. (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles -- Emmons County Park Board).

<u>Odland Dam (Golden Valley)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles north of Beach. Abundant perch up to three-quarters of a pound and bluegill up to 1/2 pound. Abundant small walleye, with some up to 2 pounds. (Fishing pier).			
<u>Ole Breum Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 1 mile east of Rutland. Moderate number of perch. Low number of pike. Occasional walleye and crappie. (No ramp).			
<u>Oliver County Sportsmen's Pond (Oliver)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
4 miles south, .5 miles west of Center. Rainbow trout stocked annually. (No ramp).			
<u>Olson WPA (Barnes)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles north of I-94 Exit 283. Moderate number of perch. (No ramp).			
<u>Oriole Lake (Logan)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
8.25 miles south of Gackle. Abundant pike. (No ramp).			
<u>Ost Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles east, 1 mile north, 1 mile west, .5 miles north of Lehr. Walleye up to 14 inches in length are abundant in this developing fishery. Fair numbers of perch are present as well. (No ramp).			
<u>OWLS Pond (Burleigh)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
Just west of Bismarck Game and Fish office. Catchable-size rainbow trout stocked in spring and fall. Other species (bluegill, perch, catfish and white bass) may be stocked. (Fishing pier, no ramp).			
<u>Painted Woods Creek (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles southeast of Washburn. Fair number of northern pike. (No ramp).			
<u>Painted Woods Pond (McLean)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
.6 miles south and .025 miles west of east of the junction of U.S. Highway 83 and ND Highway 1804. Stocked annually with rainbow trout and first stocked with bluegill in 2018. (No ramp).			
<u>Paris Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles east, 3.5 miles south of Woodworth. Moderate number of perch. (No ramp).			
<u>Pelican Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 8 miles east, .5 miles southwest of Bottineau. Decent number of northern pike.			
<u>Pelican Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles east, 11 miles north, 1 mile east of Robinson. Walleye and perch are present in fair numbers. (No ramp).			
<u>Pelican Lake (McLean)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles north, 3 miles east, .4 miles north of Mercer. Good number of pike and smaller perch. (No ramp).			
<u>Pfeifle Lake (McIntosh)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles south, 2 miles east of Wishek. Northern pike up to 12 pounds are abundant. (No ramp).			
<u>Pheasant Lake (Dickey)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles west of Ellendale. Moderate number of pike, perch, bluegill, crappie catfish and walleye. (Fishing pier).			
<u>Pintail Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles east of Ashley. Low numbers of perch are present. (No ramp).			
<u>Pipestem Reservoir (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles northwest, .8 miles west, 1 mile south of Jamestown. Abundant pike and crappie. Moderate number of walleye.			
<u>Plowe Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles east, 5 miles north, 1 mile east of Robinson. Walleye, northern pike and perch are present in fair numbers. (No ramp).			
<u>Porsborg Dam (Morton)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
Northwest Mandan. Rainbow trout (and other species) may be stocked in spring. (No ramp).			
<u>Powers Lake (Burke)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Southeast side of Powers Lake. Good population of northern pike and a variety of sizes. Low numbers of yellow perch (Fishing pier).			

<u>Pudwill Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
9 miles south, 4 miles west, 1 mile north, .5 miles west of Lehr. A low number of northern pike are present. (No ramp).			
<u>R and M Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles east, 5 miles north of Buchanan. Abundant walleye. Moderate number of perch. (No ramp).			
<u>Rafferty Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12 miles east, 9.8 miles north of Robinson. Walleye up to 18 inches are abundant. (No ramp).			
<u>Railroad Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5.5 miles east of Lehr. Fair numbers of both walleye and perch are present. (No ramp).			
<u>Raleigh Reservoir (Grant)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles west, .25 miles south of Raleigh. Abundant small bluegill and yellow perch, with some up to 3/4 pound. Good number of walleye 1 to 3 pounds. Water level is low, but boat ramp is usable. (Fishing pier).			
<u>Ranch Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west of Pettibone. Fair numbers of northern pike and perch are present. (No ramp).			
<u>Red River (Not Specified)</u>	<u>No Recent Stocking</u>	<u>No Recent Netting</u>	<u>No Recent Netting</u>
Abundant catfish. Some larger fish common. Moderate number of walleye, with larger fish present.			
<u>Kidder Recreation Area</u> -- North edge of Wahpeton. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- Wahpeton Park District).			
<u>Brushvale Bridge</u> -- 6 miles east, 1.3 miles south and east of Galchutt. (Paved access road, no restrooms -- Wahpeton Park District).			
<u>Fort Abercrombie</u> -- Just west of Abercrombie. (Paved access road, no restrooms, primitive camping, security lights, picnic shelter -- City of Abercrombie).			
<u>52nd Ave Area</u> -- 52nd Avenue in South Fargo. (Paved access road, picnic shelter, trash receptacles -- Fargo Park District).			
<u>Midtown Dam</u> -- Main Avenue south .3 miles off Lindenwood Dr. Fargo. (Paved access road, picnic shelter, trash receptacles -- Fargo Park District).			
<u>Belmont Park</u> -- 10 miles east and 1.5 miles north of Buxton. (Paved access road, no courtesy docks, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Trail County Park Board).			
<u>Lincoln Park</u> -- Belmont road and Elk Drive, Grand Forks. (Paved access road, no courtesy docks, picnic shelter, trash receptacles -- City Of Grand Forks).			
<u>North Forks Landing</u> -- 1 mile north of US Hwy 2 on Old Mill Road, Grand Forks. (Paved access road, trash receptacles -- City Of Grand Forks).			
<u>Drayton Dam</u> -- 2 miles north, 1 mile east of Drayton. (Gravel access road, security lights -- City Of Drayton).			
<u>Drayton City Park</u> -- East side of Drayton. (Paved access road, fish cleaning facility, security lights -- City Of Drayton).			
<u>Pembina City Park</u> -- East side of Pembina. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, access fee, RV dump station -- Pembina Community Club).			
<u>Red Willow Lake (Griggs)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles north, 2 miles west of Binford. Walleye, pike, perch and bluegill common. Nice walleye available, but also eater-sized. Pike abundant and in many sizes. Bluegill common and mostly smaller, but some up to 11 inches. Perch are typically small.			
<u>Reiland Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles north, .5 miles east of Lidgerwood. Abundant walleye. Moderate number of perch. (No ramp).			
<u>Remmick Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles east, 6 miles north of Robinson. Small walleye are abundant and low numbers of perch and bluegill are present. Winter fishing only. (No ramp).			
<u>Renwick Dam (Pembina)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles west, 1 mile north of Cavalier. Mostly pike and perch, with some crappie. Most crappie under 8 inches. Perch numerous, but typically smaller. White suckers and bullheads abundant. (Fishing pier).			

<u>Reule Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 5 miles west, 1.7 miles south of Medina. Abundant walleye. Moderate number of perch. (No ramp).			
<u>Rice Lake (Emmons)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles south of Strasburg. Walleye are abundant and occasionally surpass 25 inches in length. Northern pike and perch are also present in fair numbers.			
<u>Rice Lake (Ward)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles north, 7 miles east, 2 miles north of Ryder. High abundance of pike, with a wide range of sizes. (Fishing pier).			
<u>Lake Richard (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles south of Drake. Fair number of yellow perch and walleye, with some quality sized fish. (No ramp).			
<u>Riverdale City Pond (McLean)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
North side of Riverdale. Popular pond for kids and family outings. Lots of small bluegill. Stocked annually with rainbow trout. (Fishing pier, no ramp).			
<u>Round Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile north, 1.5 miles east of Pettibone. Suffered a winterkill during the winter of 2017-18 that primarily impacted walleye. Walleye were re-stocked in 2018. The lake currently contains fishable populations of both northern pike and perch. (No ramp).			
<u>Round Lake (McHenry)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles north, 3.7 miles east, 1 mile north of Drake. Good number of pike and walleye. (No ramp).			
<u>Rueb-Eszlinger (McIntosh)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
7.5 miles north, 2 miles west of Ashley. Multiple perch year-classes are abundant. (No ramp).			
<u>Rusten Slough (Foster)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3.5 miles west, 1 mile south of Grace City. Good numbers of various size perch. Most fish are between 9- 11 inches. (No ramp).			
<u>Ryan Park Pond (Grand Forks)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
South side of Grand Forks. This small urban fishery is a good place to take a kid fishing and is stocked annually with trout. Bluegill also introduced. (Fishing pier, no ramp).			

Walleye fishing was exceptional in 2018 and should remain so in 2019. High forage abundance and good habitat conditions have allowed Sakakawea walleye to maintain good body condition, good growth rates and high abundance. Overall walleye abundance is the highest documented in the last 45 years due to several strong year-classes in recent years. Anglers will find excellent numbers of 15- to 20-inch fish in 2019, with good numbers of larger fish present.

Northern pike abundance has declined from record highs the last couple years, but still remains exceptional. However, the population is maturing and average size is increasing. Pike exceeding 15 pounds will become more common in 2019 and the next few years.

Smallmouth bass population remains good and anglers will continue to encounter good numbers of fish. The population also contains good numbers of whopper-sized fish.

The Missouri River salmon fishery was greatly affected by high water in 2011, but has recovered well. Salmon fishing in 2016-17 but was somewhat slower 2018. However, the fall spawning run and egg collection efforts documented a strong spawning run of fish. Additionally young male salmon were very abundant in the 2018 spawning run, suggesting that the 2017 year-class is strong and fishing should be good over the next couple years. With high flows thru Garrison Dam in 2018 entrainment thru the dam likely was higher than normal for the 2018 stocking. With a strong smelt forage base, salmon fishing should remain good in coming years.

Lewis And Clark State Park -- 16 miles east of Williston on ND Highway 1804, then 3 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

Whitetail Bay (Lund's Landing) -- 22 miles east of Williston on ND Highway 1804. (Paved access road, fish cleaning facility, developed camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental -- Williams County WRD).

Tobacco Garden Creek Bay -- 2 miles east of Watford City on ND Highway 23, then 25 miles north and east on ND Highway 1806. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- McKenzie County Park Board).

Little Beaver Bay -- 32 miles northwest of New Town on ND Highway 1804, then 3 miles south. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Williams County WRD).

White Earth Bay -- 28 miles northwest of New Town on ND Highway 1804, then 2 miles south, 1 mile east, 3 miles south, 3 miles east. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- Mountrail County Park Board).

Sanish Bay (Aftem) -- 1 mile north, 2 miles west of New Town. (Gravel access road, no restrooms -- New Town Park Board/Aftem Development).

New Town Marina -- 2 miles west of New Town on ND Highway 23. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- New Town Marina Association).

Four Bears -- 4 miles west of New Town on ND Highway 23. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Three Affiliated Tribes).

Skunk Bay -- 14 miles northeast of Mandaree. (Gravel access road, developed and primitive camping, concession, lodging -- Three Affiliated Tribes/Roads Maker, Inc.).

Van Hook -- 5 miles east of New Town on ND Highway 23, then 2 miles south. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- Mountrail County Park Board).

Pouch Point -- 7 miles south, 2 miles east, 2 miles south, 1 mile east, 3 miles south of New Town. (Paved access road, no restrooms, security lights, picnic shelter, trash receptacles, concession -- Three Affiliated Tribes).

Littlefield Bay -- 5 miles south, 2 miles east of New Town. (Gravel access road, no restrooms, no courtesy docks -- North Dakota Game and Fish Department).

Parshall Bay -- 3 miles west, 1 mile south, 3 miles west, 1 mile south, 2 miles west of Parshall. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, boat rental, RV dump station -- Mountrail County Park Board).

Deep Water Creek Bay -- 14 miles south of Parshall on ND Highway 37, then either 1 mile south to the corps ramp or 2.5 miles west and .5 miles south to the county ramp. (Gravel access road, primitive camping, security lights, picnic shelter, trash receptacles -- U.S. Army Corps of Engineers/McLean County Park Board).

Little Missouri Bay -- 16 miles northeast of Dunn Center. (Gravel access road, security lights -- Dunn County Park Board).

McKenzie Bay -- 22 miles southeast of Mandaree. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Watford City Park Board).

Hale Marina -- 18 miles southeast of Mandaree. (Gravel access road, no restrooms, no courtesy docks -- Three Affiliated Tribes).

Charging Eagle Bay -- 12 miles north of Halliday on ND Highway 8, then 10 miles west on BIA No. 22. (Gravel access road, no restrooms, fish cleaning facility, primitive camping, trash receptacles -- Three Affiliated Tribes).

Indian Hills Resort -- 11 miles west of White Shield on ND Highway 1804, then 3 miles south. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- North Dakota Parks and Recreation/Three Affiliated Tribes).

Beaver Creek Bay -- 12 miles north of Zap. (Paved access road, primitive camping, picnic shelter, trash receptacles -- Zap City Park Board).

Dakota Waters Resort -- 15 miles north of Beulah. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- Dakota Waters Resort).

Beulah Bay -- 17 miles north of Beulah. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Beulah City Park Board).

Douglas Creek Bay -- 11 miles west of Garrison on ND Highway 37, 5 miles south, 5 miles east to corps ramp or 11 miles west of Garrison on ND Highway 37, 2 miles south, 1 mile east, 1 mile south to county ramp. (Gravel access road, primitive camping, trash receptacles -- U.S. Army Corps of Engineers/McLean County Park Board).

Camp of the Cross -- 4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison. (Gravel access road, no restrooms -- Camp of the Cross).

Hazen Bay -- 14 miles north of Hazen. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Hazen City Park Board).

Lake Sakakawea State Park -- Just east and north of Pick City. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

Garrison Creek -- 2 miles west of Garrison on ND Highway 37, 3 miles south, 1 mile east. (Gravel access road, no restrooms -- Garrison Cabin Association).

Fort Stevenson State Park -- 3 miles south of Garrison. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

Steinke Bay -- 3 miles west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south. (Gravel access road, primitive camping -- North Dakota Game and Fish Department).

Sportsmens Centennial Park -- 1 mile west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south, 1 mile west. (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession -- McLean County Park Board).

West Totten Trail -- 7 miles north of Coleharbor on U.S. Highway 83, then .5 miles west, or 2 miles south of the junction of U.S. Highway 83 and ND Highway 37, then .5 miles west. (Gravel access road -- McLean County Park Board).

Wolf Creek -- 1 mile east of Riverdale on ND Highway 200, then 2 miles north, 1 mile east, 1 mile north, .5 miles east. (Gravel access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- U.S. Army Corps of Engineers).

Government Bay -- Just north of Riverdale. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

[Sanborn Lake \(Barnes\)](#)

[Stocking Report](#)

[Sampling Report](#)

[Fish Length Table](#)

2 miles east, 1 mile north, .5 miles east of Sanborn. Moderate number of pike. (No ramp).

<u>Sanborn WPA (Barnes)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile east of Sanborn. Abundant pike. Moderate number of perch. (No ramp).			
<u>Sand Lake (Pierce)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles north of Pleasant Lake. Good pike fishery, with fish commonly up to 5 pounds. Perch numbers good, but most less than 8 inches.			
<u>Sather Dam (McKenzie)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles south, 8 miles west of Alexander. Good number of smaller bluegill and some nice largemouth bass. (Fishing pier).			
<u>Slecht-Thom Dam (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles west, .5 miles north of Edgeley. Moderate numbers of pike and bluegill.			
<u>Schlenker Dam (Lehr Dam) (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles west, .5 miles south of the junction of U.S. Highway 281 and ND Highway 46. Moderate numbers of pike and bluegill.			
<u>Schock Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles north, 3.5 miles east, 1 mile north, .5 miles west of Jamestown. Abundant perch. (No ramp).			
<u>School Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north, 5 miles east, 3 miles north of Streeter. Abundant perch. (No ramp).			
<u>School Section Lake (Rolette)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
9 miles north, 2.5 miles east of Dunseith. A significant fish kill occurred during the winter of 2017-2018. Some pike did survived. Some smaller perch available from a subsequent stocking.			
<u>Schroeder East (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
14 miles north, 3.7 miles east of Mercer. Newer perch lake, with some decent-sized fish. (No ramp).			
<u>Scooby Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles south, 1 miles west, .3 miles south of Benedict. Newer fishery, with a good number of small- to medium-sized walleye. Some good sized perch. (No ramp).			
<u>Seil Lake (Kidder)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles east, 10 miles north, 4.25 miles east of Robinson. Yellow perch are abundant. (No ramp).			
<u>Senger Lake (Emmons)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile north, 6 miles east of Strasburg. Low numbers of perch up to 13 inches in length are present. (No ramp).			
<u>Serpent Lake (McIntosh)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
13.5 miles east, 2 miles north, 1 mile east of Ashley. Moderate number of pike and perch. (No ramp).			
<u>Sheep Creek Dam (Grant)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, .5 miles west of Elgin. Rainbow trout stocked annually, with some up to 2 pounds. Abundant bluegill and crappie up to a half-pound. Fair number of largemouth bass up to 5 pounds. Some walleye up to 6 pounds. Some small brown trout. (Fishing pier).			
<u>Sheyenne Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
13.5 miles south, 1.5 miles east, .4 miles north of Anamoose. Pike stocked periodically. (No ramp).			
Sheyenne River (Not Specified)	No Recent Stocking	No Recent Netting	No Recent Netting
Southeastern part of state. Abundant smallmouth bass. Moderate numbers of walleye and catfish. (Fishing pier).			
<u>Shimmons Lake (Dickey)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
20.5 miles west, 1 mile south of Ellendale. Abundant pike. (No ramp).			
<u>Short Creek Dam (Burke)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5.5 miles north of Columbus. Fair populations of northern pike and walleye, low numbers of yellow perch and bluegill. (Fishing pier).			
<u>Shriner Lake (Richland)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles south, .25 miles east of Lidgerwood. Moderate numbers of pike and perch. Occasional walleye and crappie. (No ramp).			

<u>Sibley Lake (Griggs)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 3 miles south of Binford. Good pike population, with fish averaging near 5 pounds. Some perch, with an average length of 9 inches. (No ramp).			
<u>Sibley Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7 miles north, 2 miles east, 1 mile south of Dawson. Small walleye are abundant but fish over 20 inches in length are present. Multiple perch year-classes are also present in good numbers.			
<u>Silver Creek Dam (Nelson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles west, .5 miles south of McVile. Small reservoir with a winter pike fishery. Perch also present, but are usually less than 9 inches long. Bullheads and suckers are a problem for the sport fishery. (No ramp).			
<u>Silver Lake (Benson)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
4 miles west, 4.7 miles south, 2 miles east of Churchs Ferry. Connected to Devils Lake. Same species available. (No ramp).			
<u>Silver Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west, 2 miles south of Rutland. Moderate number of walleye. (Fishing pier).			
<u>Silver Lake (Wells)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 7.5 miles south, 2 miles west, 2 miles north of Bowdon. High perch densities. Lots of fish from 9 to 12 inches. Occasional 13- to 14-inch fish possible. (No ramp).			
<u>Silver Lake WMA (Wells)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles south of Chaseley. Fair number of 9- to 11-inch perch, with the occasional jumbo possible. Fast-growing walleye around 15-17 inches. (No ramp).			
<u>Skjermo Lake (Divide)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles west, 4 miles northwest of Fortuna. Suffered a partial winterkill in 2018. Stocked with adult yellow perch in the spring of 2018. Northern pike and bluegill present in low numbers. (Fishing pier).			
<u>Slater Pond (Stark)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
From I-94 Exit 84, .75 miles north, 1 mile east, .5 miles north, .5 miles east. Rainbow trout stocked annually. Abundant small perch. (No ramp).			
<u>Smishek Lake (Burke)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles northwest of Powers Lake. Decent numbers of walleye and northern pike, with some large fish of both species. Abundant small yellow perch and bluegill with some large bluegill present. White suckers are fairly abundant and a management problem. (Fishing pier).			
Souris River (Mouse River) (Not Specified)	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
North central part of state. Good numbers of pike, walleye and perch. (Fishing pier).			
<u>South (Hoffer) McClusky (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north, 1 mile west of McClusky. Decent numbers of perch, walleye and pike. Some bluegill and crappie. (Fishing pier).			
<u>South Carlson Lake (Ward)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles east of Ryder. Good fishing in recent years for mostly smaller pike. Bluegill numbers increasing recently. (Fishing pier).			
<u>South Golden Lake (Steele)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10 miles east, 3 miles north, .5 miles west of Finley. Primarily a walleye and perch fishery, with some pike and bluegill. Walleye do get large, with fish up to 8 pounds. Decent number of 20-inch-plus fish. Perch numbers are relatively low. Pike numbers low, but bigger fish available. Some nice bluegill. Bullheads are a problem. (Fishing pier).			
<u>Spiritwood Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
11 miles north, 4 miles east of Jamestown. Abundant smallmouth bass. Moderate numbers of walleye and perch. Low number of pike. (Fishing pier).			
<u>Sprague Lake (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles west, 4 miles south, 1.5 miles west of Cayuga. Fair number of walleye.			
<u>Spring Lake (Bowman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 4 miles west of Rhame. Good number of walleye up to 1 pound, perch up to 3/4 pound and bluegill up to 1/2 pound.			

<u>St. Mary's Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west, 5.5 miles south, 4 miles west, 1 mile north of Valley City. Abundant walleye and perch. (No ramp).			
<u>Stanley Pond (Mountrail)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
Northeast side of Stanley. Significant winterkill most winters. Stocked annually in spring with adult channel catfish and catchable-sized rainbow trout. (Fishing pier).			
<u>Stanley Reservoir (Mountrail)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south of Stanley. Abundant small northern pike.			
<u>State Fair Pond (Ward)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
North end of state fair grounds. Small pond stocked annually with trout and panfish. (Fishing pier, no ramp).			
<u>Stink Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2.5 miles east of Crystal Springs. Abundant walleye and perch. Occasional large pike. (No ramp).			
<u>Stirton Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
3 miles south of Cleveland. Abundant walleye. Some perch present. (No ramp).			
<u>Stober Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles east, 2 miles north, 2 miles east of McClusky. Fair number of walleye and perch, with some larger fish.			
<u>Strawberry Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles north, 2.5 miles east, .5 miles south of Carbury. Rainbow trout stocked annually. Some larger trout. (Fishing pier).			
<u>Strawberry Lake (McLean)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
17.5 miles north, 2 miles east of Turtle Lake. Good pike and walleye population. Lots of small perch and bluegill.			
<u>Streeter Lake (Stutsman)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
South side of Streeter. Low density large pike population. Rainbow trout present.			
<u>Stump Lake (Nelson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
The walleye population in Stump Lake is doing well. There are a variety of sizes available, with good numbers of fish from 15 to 20 inches long. Larger fish are doing well too, as their numbers are well above average.			
Northern pike numbers are below average right now, but they are still relatively abundant in Stump Lake. Most of the pike are between 28 and 34 inches long, but there are smaller and larger fish present.			
The numbers of yellow perch in Stump Lake are quite good right now. However, many of them are still smaller than 8 inches long. Overall, there should still be good perch fishing opportunities in 2018 and 2019, as the numbers of 8 inch and larger perch are a bit above average.			
The white bass numbers in Stump Lake increased greatly recently due to the strong hatch they had in 2015. Most of them will likely be between 13 to 15 inches long during 2018-2019.			
Northwest Area -- No Public Boating Access			
East Central Area -- No Public Boating Access			
Tolna Landing (Stump Lake) -- 3 miles north of Tolna. (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles -- Tolna Community Club).			
Stump Lake Park -- 11 miles south, 1 mile west of Lakota. (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station, fishing pier -- Nelson County Park Board).			
<u>Sunday Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 3 miles north of Woodworth. Abundant pike. Low number of perch. (No ramp).			
<u>Swan Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
10.5 miles north of Robinson. Small perch are abundant but fish up to 12 inches present. Low numbers of walleye up to 13 inches in length are also present. (No ramp).			
<u>Sweet Briar Lake (Morton)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
18 miles west of Mandan I-94 Exit 134. Fair numbers of walleye, pike, perch, bluegill, crappie and largemouth bass are present. (Fishing pier).			

<u>Sweetwater Lake (Barnes)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, 1 mile east of Sanborn. Moderate numbers of crappie, perch and walleye. (No ramp).			
<u>Sweetwater Lake (Ramsey)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
3 miles east, 7 miles north of Devils Lake. Low winter oxygen levels may have caused a partial fish kill. (No ramp).			
<u>Sykeston Dam (Wells)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Northwest side of Sykeston. Decent pike population, with some fish up to 8 pounds. Bullheads are a major problem. A few perch and bluegill present. (Fishing pier).			
<u>TAD Lake (Dickey)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
8 miles west of Oakes. Abundant walleye. Moderate number of perch. (No ramp).			
<u>Lake Tewaukon (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles south of Cayuga. Contact Tewaukon National Wildlife Refuge for most recent information. (Fishing pier).			
<u>Thompson Lake (Bottineau)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 4 miles east, 2 miles south, 1 mile east, 1 mile south of Bottineau. Abundant, mostly smaller yellow perch. (No ramp).			
<u>Thurn Lake (Logan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
5 miles north of Lehr, .5 miles east. Fair numbers of walleye up to 24 inches in length are present as are low numbers of perch. (No ramp).			
<u>Tioga Dam (Williams)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
North side of Tioga. Primarily a northern pike fishery, although small perch and bluegill present. (Fishing pier).			
<u>Tolna Dam (Nelson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile south, 2 miles east of Tolna. Some larger walleye and fair densities of pike under 5 pounds. Perch numbers fairly low.			
<u>Tosse Slough (Sargent)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7.5 miles south, 1 mile east, 2 miles south, 1 mile east of Geneseo. Low numbers of pike and walleye. Some larger pike present.			
<u>Trautman Slough (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles south, 2 miles west, 1 mile south of Cleveland. Abundant walleye. Occasional perch. (No ramp).			
<u>Trautmann Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1 mile west, 2 miles north, 1 mile west, 1 mile north of Robinson. Walleye up to 21 inches are abundant and perch are present in low numbers. (No ramp).			
<u>Trenton Lake (Williams)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
South side of Trenton. Good numbers of northern pike, crappie and channel catfish. Due to periodic interconnection with the Missouri River, many other species present. (Fishing pier).			
<u>Triangle Y Pond (McLean)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison. Small pond stocked with perch, used mostly by Triangle Y kids. (Fishing pier, no ramp).			
<u>Turtle Lake (McLean)</u>	No Recent Stocking	<u>Sampling Report</u>	<u>Fish Length Table</u>
4.5 miles west, 1 mile north of Turtle Lake. Decent number of northern pike, with some larger fish. (No ramp).			
<u>Turtle River (Not Specified)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
In Grand Forks County. Rainbow trout stocked twice in spring and once in fall to provide a unique riverine trout fishery. Mostly a put-and-take fishery. (No ramp).			
<u>Twin Lakes (LaMoure)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
4 miles north of LaMoure. Abundant walleye, pike and perch. Some larger fish present.			

Upper Missouri River (Not Specified)

No Recent Stocking

No Recent Netting

No Recent Netting

Primarily a spring and fall fishery for sauger and walleye, abundant channel catfish. Many other species present.

Confluence Area -- 1.5 miles south of Buford on ND Highway 1804. (Paved access road, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Williams County WRD).

Lewis And Clark Bridge -- 4 miles west of Williston on U.S. Highway 2, 3 miles south on U.S Highway 85, on south side of Missouri River, and east side of U.S. Highway 85. (Paved access road, no courtesy docks, security lights, picnic shelter -- Williams County WRD).

Upsilon Lake (Rolette)

Stocking Report

Sampling Report

Fish Length Table

6 miles west, 1 mile north of St. John. Perch fishing now considered fair with lower numbers and fewer fish longer than 10 inches. Pike common, with some large fish. Walleye in fair numbers with the aggressive stocking. Bluegill numbers are good with some big fish. (Fishing pier).

Velva Sportsmen's Pond (Ward)

Stocking Report

Sampling Report

Fish Length Table

7 miles south, 1.5 miles west, 1 mile south, .5 miles west of Velva. Consistently a quality fishery for nice-sized rainbow and brown trout.

Vislisl Lake (Richland)

Stocking Report

Sampling Report

Fish Length Table

1 mile north, 2 miles east, 1 mile north, 1 mile west of Lidgerwood. Abundant walleye and perch. (No ramp).

Vollrath Lake (Sheridan)

Stocking Report

Sampling Report

Fish Length Table

5.5 miles north, 1 mile east, 1 mile south of Goodrich. Good number of perch, with some quality-sized fish. (No ramp).

Wahl Lake (Richland)

Stocking Report

Sampling Report

Fish Length Table

1 mile east, 2 miles south of Lidgerwood. Abundant walleye and bluegill. Occasional pike. (No ramp).

Lake Walstead (Sargent)

Stocking Report

Sampling Report

Fish Length Table

4 miles south, 1 mile east, 1 mile north of Forman. Abundant walleye. Moderate number of pike. (No ramp).

Warsing Dam (Eddy)

Stocking Report

Sampling Report

Fish Length Table

1 mile northeast of Sheyenne. Good number of pike, with most fish about 25 inches. Some perch and small walleye. (Fishing pier).

Watford City Park Pond (McKenzie)

Stocking Report

No Recent Netting

No Recent Netting

Southeast side of Watford City. All fish lost to winterkill nearly every winter. Stocked annually in spring with adult channel catfish and catchable-sized rainbow trout. (Fishing pier, no ramp).

Weishaar WPA (McLean)

No Recent Stocking

Sampling Report

Fish Length Table

8 miles north, 8 miles west, 1 mile north of Turtle Lake. Winter perch fishery with mostly smaller perch. (No ramp).

Weisz Lake (Wells)

Stocking Report

Sampling Report

Fish Length Table

2 miles west, 1.5 miles south of Hurdsfield. Mostly smaller perch. (No ramp).

West Lake Napoleon (Logan)

Stocking Report

Sampling Report

Fish Length Table

1 mile west of Napoleon. Northern pike are abundant and a fair number of large perch are present. (Fishing pier, no ramp).

West Moran Lake (Richland)

Stocking Report

Sampling Report

Fish Length Table

2 miles east, .5 miles south of Lidgerwood. Abundant walleye. (No ramp).

West Park Lake (McLean)

Stocking Report

Sampling Report

Fish Length Table

9 miles south, 3 miles west of Mercer. Fair number of walleye and small perch. Good number of pike, with some larger fish. (No ramp).

West Spring Lake Pond (Williams)

Stocking Report

No Recent Netting

No Recent Netting

North edge of Williston. Stocked annually with rainbow trout and adult catfish. Black bullheads abundant and a serious management problem. (No ramp).

Wetzel Lake (Logan)

Stocking Report

Sampling Report

Fish Length Table

11 miles west, 1 mile south of Gackle. Small northern pike are abundant. (No ramp).

Wheaton Lake (Rolette)

Stocking Report

Sampling Report

Fish Length Table

4.5 miles north, 2 miles west of Belcourt. A northern pike and yellow perch fishery with some decent keeper fish present.

<u>White Earth Dam (Mountrail)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
6 miles north, 8.5 miles east, 2 miles south of Tioga. Fair number of walleye and northern pike. Low numbers of yellow perch, black crappie and some large bluegill. White suckers are fairly abundant and a management problem. (Fishing pier).			
<u>Whitman Dam (Nelson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
1.5 miles north, 3 miles east of Whitman. Keeper-sized perch, with most under 10 inches. Fair fishing for pike and walleye. Crappie population is good, with some larger fish. (Fishing pier).			
Wild Rice River (Not Specified)	No Recent Stocking	No Recent Netting	No Recent Netting
Southeastern part of state. Moderate numbers of catfish, walleye and pike. (No ramp).			
<u>Lake Williams (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
Just south of the town of Lake Williams. Fair numbers of walleye, northern pike and smallmouth bass are present			
<u>Willow Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
9 miles north, 3 miles west of Robinson. Perch up to 11 inches in length are abundant as are walleye up to 15 inches in length. (No ramp).			
<u>Wilson Dam (Dickey)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
7.5 miles west of Monango. Moderate numbers of perch, pike and bluegill. (Fishing pier).			
<u>Wilton City Pond (Burleigh)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
South side of Wilton. Catchable-size rainbow trout are stocked in the spring. (No ramp).			
<u>Wolf Lake (Sheridan)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
.5 miles south, 1.8 miles west of Martin. Restocked with pike fingerlings in spring 2015 and 2016. (No ramp).			
<u>Wood Lake (Benson)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles west, 1 mile south of Tokio. Perch and bluegill numerous, but most are less than 7 inches. Good number of walleye around 18 inches and a fair number of pike over 4 pounds.			
<u>North Woodhaven Pond (Cass)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
2.25 miles south, .25 miles east of I-94 Exit 348. Rainbow trout stocked annually. Bluegill present. (Fishing pier, no ramp).			
<u>South Woodhaven Pond (Cass)</u>	<u>Stocking Report</u>	No Recent Netting	No Recent Netting
2.8 miles south, .25 miles east of I-94 Exit 348. Perch present. (Fishing pier, no ramp).			
<u>Woodhouse Lake (Kidder)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
12 miles north, 12 miles east of Wing. Walleye up to 28 inches are abundant. Fair numbers of small perch are present. (No ramp).			
<u>Yellowstone River (Not Specified)</u>	No Recent Stocking	No Recent Netting	No Recent Netting
Primarily a spring and fall fishery for sauger and walleye, abundant channel catfish. Many other species present.			
Sundheim Park -- 2 miles west of Cartwright on ND Highway 200, on west side of Yellowstone River and south side of ND Highway 200. (Paved access road, no courtesy docks, security lights, picnic shelter, trash receptacles -- Yellowstone Township).			
<u>Zimmerman Lake (Stutsman)</u>	<u>Stocking Report</u>	<u>Sampling Report</u>	<u>Fish Length Table</u>
2 miles north of Cleveland. Abundant perch. (No ramp).			