



# North Dakota Public Fishing Waters

Data as of: April 11, 2021

The following lists all public fishing waters alphabetically by lake name. Each listing includes travel directions, current status of the fishery for the upcoming season, and fishing piers (listed if present). Lakes without a boat ramp are listed as 'no ramp'. Large systems have multiple access sites listed separately, with camping and other facilities noted along with the entity responsible for managing the facility.

Click on the Lake Name to view a [contour map](#) or [aerial photo](#) showing the access point for the lake. The **Current Lake Elevation** is listed if known. **All elevation data is in Datum NAVD88.**

[Stocking](#) will list fish stocking for the last 10 years.

[Survey Report](#) provides a summary of the most recent data (within the last 10 years) collected by fisheries biologists during their standard sampling. [Length Table](#) provides a table of the sizes of fish measured by fisheries biologists during their most recent standard sampling. [Length Chart](#) provides a graph of the sizes of

## Statewide Perch Waters by Lake Name

<a href="#">Adams Lake (Eddy)</a>	Not Stocked	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles south of Warwick. Lots of smaller perch around 7 inches, with some up to 10 inches, and a few walleye. (No ramp).				
<a href="#">Lake Addie (Griggs)</a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles east, 1 mile south, 1 mile west of Binford. Managed as a walleye and perch fishery. Several sizes of walleye available. Numbers of larger walleye are lower than several years ago. Most perch are under 8 inches. (No ramp).				
<a href="#">Alfred Lake (LaMoure)</a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7 miles east, 1.5 miles south of Gackle. Low density pike and perch populations. (No ramp).				
<a href="#">Alkali Lake (Stutsman)</a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
11 miles north, 5 miles east, .5 miles south of Jamestown. Good numbers of pike, perch and walleye. Some larger walleye and pike. (No ramp).				
<a href="#">Alkaline Lake (Kidder)</a> <b>1,864.9 msl</b>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
15 miles south, 7 miles east, 1.4 miles southeast of Dawson. Walleye abundant. Fair pike numbers, with fish occasionally over 10 pounds. Large perch in low numbers.				
<a href="#">Antelope Lake (Pierce)</a> <b>1,532.3 msl</b>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6.7 miles north, 3 miles east, 1 mile north, 2 miles east, 2 miles south of Anamoose. Some nice-sized perch. Good number of walleye from 13-27 inches.				
<a href="#">Armourdale Dam (Towner)</a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles east, 1.5 miles north of Rolla. Netting survey in 2020 showed walleye up to 20 inches, with most being smaller. Fair population of nice-sized pike. Some perch up to about 9 inches. (Fishing pier).				
<a href="#">Arnegard Dam (McKenzie)</a> <b>2,175.7 msl</b>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles west, 2 miles north, 1.5 miles west of Arnegard. Good number of northern pike. Yellow perch present, but most are smaller. Abundant black bullhead population. Stocked with adult catfish in 2020. (Fishing pier).				
<a href="#">Arnies Lake (Logan)</a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1.5 miles south of Gackle, 2 miles east, 1 mile south. Moderate numbers of pike, perch and walleye. (No ramp).				
<a href="#">Lake Ashtabula (Barnes)</a> <b>1,266.1 msl</b>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Walleye, pike and smallmouth bass abundant. Good number of larger fish. Moderate number of perch. Occasional crappie, white bass and bluegill. Muskellunge present.				

## Statewide Perch Waters by Lake Name

**Ashtabula Crossing** -- 16.5 miles north of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

**Eggerts Landing** -- 12 miles north, .4 miles west of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

**Headwaters Area** -- No Public Boating Access

**Karnack Bridge** -- 20 miles north, 2.3 miles west, 4 miles north, 2.8 miles east of Valley City (Gravel access road, no restrooms -- North Dakota Game and Fish Department).

**Katie Olson** -- 14.5 miles north on River Road, 3 miles east of Valley City (Gravel access road, security lights -- U.S. Army Corps of Engineers).

**Mel Reiman Area** -- 11 miles north on River Road of Valley City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).

**Sibley Crossing** -- 23.5 miles north of Valley City (Paved access road, fish cleaning facility, security lights, trash receptacles, concession, fishing pier -- U.S. Army Corps of Engineers).

**Sundstroms Landing** -- 9 miles north, 2 miles west, 1 miles north of Valley City (Gravel access road, security lights, picnic shelter, trash receptacles, fishing pier -- U.S. Army Corps of Engineers).

**Lake Audubon (McLean) 1,847.5 msl**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

Good number of walleye and an excellent smallmouth bass fishery. Anglers should see good numbers of 14- to 20-inch walleye. Some large pike and good sized muskie.

**Cabin Sites** -- 8.3 miles north on US HWY 83, 5.8 miles east, .8 miles south of Coleharbor (Gravel access road -- McLean County Park Board).

**Lane Ramp** -- 8.3 miles north on US HWY 83, 7.7 miles east, 1.5 miles south, 1 mile west of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

**Nelson Bay** -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

**North Arm** -- 8.3 miles north on US HWY 83, 7 miles east of Coleharbor (Paved access road, no restrooms -- McLean County Park Board).

**Refuge-East** -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

**Refuge-West** -- No Public Boating Access Gravel access road, no restrooms, no courtesy docks -- Audubon NWR).

**Three Mile Corn** -- 8.3 miles north on US HWY 83, 3 miles east, 1 miles south of Coleharbor (Gravel access road, no restrooms, primitive camping -- McLean County Park Board).

**Totten Trail** -- 6 miles north on US HWY 83, .2 miles east, .3 miles south of Coleharbor (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station, fishing pier -- U.S. Army Corps of Engineers).

**Turtle Lake Ramp** -- 8.3 miles north on US HWY 83, 7.7 miles east, 2.2 miles south of Coleharbor (Gravel access road, no restrooms, no courtesy docks, primitive camping -- North Dakota Game and Fish Department).

**Bader Lake (Stutsman) 1,779.1 msl**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

4 miles south, 1 mile east of I-94 Exit 230. Moderate numbers of walleye, pike and perch.

**Barreth Lake (Sheridan)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

2 miles south, 2 miles east, 2 miles south, .6 miles west of Goodrich. Newer perch lake, with some keeper-sized fish. (No ramp).

**Baukol-Noonan Dam (Divide)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

2 miles east, .5 miles south of Noonan. Decent northern pike and walleye populations. Abundant small yellow perch and bluegill. Largemouth bass present. (Fishing pier).

**Baukol-Noonan East Mine Pond (Divide)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

2 miles east, .5 miles south of Noonan. Good number of largemouth bass. Small bluegill and small yellow perch abundant. Black bullheads present.

**Beach City Pond (Golden Valley)**      **Stocking**      **Not Surveyed**

Southwest side of Beach. Rainbow trout stocked annually. (Fishing pier, no ramp).

## Statewide Perch Waters by Lake Name

<a href="#"><u>Beaver Lake (Logan)</u></a> <b>1,959.8 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
8 miles south, 8 miles east of Napoleon. Northern pike abundant, with fish occasionally over 10 pounds.				
<a href="#"><u>Becker-Schlepp Lake (McIntosh)</u></a>	<b>Not Stocked</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles north, 1 mile east, 1 mile north, .5 miles east of Ashley. Small perch abundant. (No ramp).				
<a href="#"><u>Belcourt Lake (Rolette)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles north of Belcourt. Yellow perch and northern pike abundant, with some larger keeper-sized fish. Black bullheads abundant.				
<a href="#"><u>Belfield Pond (Stark)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
Southwest side of Belfield. Rainbow trout stocked annually. Total winterkill in 2019. Adult channel catfish up to 8 pounds and adult yellow perch up to a half-pound in 2019. (Fishing pier).				
<a href="#"><u>Bender Lake (Sheridan)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
.5 miles south, 4 miles west, .5 miles south of Martin. Fair number of perch, with some larger fish. (No ramp).				
<a href="#"><u>Bergh Slough (Sargent)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile south, 2.5 miles east of Forman. Perch and pike present. (No ramp).				
<a href="#"><u>Berlin Lake (McIntosh)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
9.5 miles east, 7 miles north, 2 miles east, 2 miles north of Ashley. Perch present. (No ramp).				
<a href="#"><u>Beulah Mine Pond (Mercer)</u></a>	<b>Not Stocked</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles north, 2.5 miles east, .5 miles north of Beulah. Some pike and perch. (No ramp).				
<a href="#"><u>Bisbee Dam-Big Coulee (Towner)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile east of Bisbee. Most walleye over 16 inches. Good pike numbers, with some fish over 10 pounds. Fair number of perch, with most about 8-9 inches. Also, the occasional large bluegill and crappie. (Fishing pier).				
<a href="#"><u>Blacktail Dam (Williams)</u></a> <b>2,079.8 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
5 miles north, 5 miles west, 1 mile north of the junction of U.S. highways 2 and 85. Good numbers of walleye and northern pike, with some bigger fish of both species. Small yellow perch and bluegill abundant, with some bigger bluegill in low numbers. Smallmouth bass also present in low numbers. White suckers fairly abundant and remain a management concern. (Fishing pier).				
<a href="#"><u>Blickensderfer Dam (Hettinger)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4 miles south, 1 mile east, .5 miles south of Mott. Some small bluegill and yellow perch. Some northern pike up to 5 pounds and walleye up to 2 pounds. Stocked adult largemouth bass in 2017. (No ramp).				
<a href="#"><u>Blumers Pond (Barnes)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile south of Valley City. Perch and bluegill abundant. (No ramp).				
<a href="#"><u>Boom Lake (Marion Lake) (LaMoure)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
.5 miles west of Marion. Moderate numbers of pike and walleye.				
<a href="#"><u>Boundary Lake (Bottineau)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
9 miles north, 11 miles east, 2.5 miles north of Bottineau. Decent number of 6- to 8-inch perch. (No ramp).				
<a href="#"><u>Bowman-Haley Dam (Bowman)</u></a> <b>2,756.7 ms</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
11 miles south, 8 miles east, 2 miles south of Bowman. Some walleye up to 7 pounds and northern pike up to 13 pounds. Good number of white bass up to 1 pound and smallmouth bass up to 2 pounds. Some yellow perch and crappie up to a half-pound. Carp up to 15 pounds abundant, good for bowfishing. (Fishing pier).				
<a href="#"><u>Braddock Dam (Emmons)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles southwest of Braddock. Fair numbers of northern pike, walleye and yellow perch. Bluegill, channel catfish and black bullheads present.				
<a href="#"><u>Braun Lake (Logan)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
18 miles south, 1 mile east of Steele. Walleye and small perch abundant. (No ramp).				

## Statewide Perch Waters by Lake Name

**[Lake Brekken \(McLean\)](#) *1,827.0 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

1.5 miles north of Turtle Lake. Good number of walleye, with some larger fish. Mostly smaller perch abundant. (Fishing pier).

**[Brewer Lake \(Cass\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

1 mile south, 1 mile west of Erie. Largemouth bass and bluegill abundant. Some larger bass. Occasional walleye and crappie. (Fishing pier).

**[Brooks Complex \(Stutsman\)](#)      **Not Stocked**      **Not Surveyed****

4 miles south, 2 miles east, 2 miles south, .5 miles west of Cleveland. Perch abundant. (No ramp).

**[Brooks Harbor \(Cass\)](#)      **Stocking**      **Not Surveyed****

.5 miles south, .5 miles west of I-94 Exit 346. Rainbow trout and perch present. Public area south end. (Fishing pier, no ramp).

**[Brush Lake \(McLean\)](#) *1,826.9 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

3 miles north of Mercer. Good numbers of walleye and smaller perch. Good pike population, with some larger fish. (Fishing pier).

**[Buffalo Lake \(Pierce\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

4 miles west, 1 mile south of Esmond. A good pike population, but most fish are less than 24 inches due to winterkill in 2019. (Fishing pier).

**[Buffalo Lodge Lake \(McHenry\)](#) *1,482.2*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

2 miles east, 3 miles north, 2 miles east of Granville. Good numbers of northern pike and walleye. (Fishing pier).

**[Bylin Dam \(Walsh\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

3 miles east, 3 miles south of Adams. Fair population of pike, with some keeper-sized walleye. Perch mostly smaller, but also some decent fish. (Fishing pier).

**[Cain Lake \(Rolette\)](#)      **Stocking**      **Not Surveyed****

2 miles south, 9 miles west, .5 miles north of St. John. No recent information. Managed by the U.S. Fish and Wildlife Service. (No ramp).

**[Camp Lake \(McLean\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

17.5 miles north, 2 miles east of Turtle Lake. Decent number of pike and lots of small perch. (No ramp).

**[Carlson-Tande Dam \(Griggs\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

1 mile south, 5 miles west of Aneta. 2020 netting survey showed small perch, bluegill up to 8 inches, along with a few nice walleye and pike.

**[Carpenter Lake \(Rolette\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

12 miles west of St. John. Good pike population, with most fish longer than 25 inches. Recently stocked walleye are up to about 15 inches. A few perch, but most are under 8 inches.

**[Casselton Reservoir \(Cass\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

Just west of Casselton. Moderate numbers of pike and perch. (Fishing pier).

**[Cavanaugh Lake \(Ramsey\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

9 miles north, 1 mile west, .5 miles north of Devils Lake. Winterkills often, but fish repopulate during high spring runoff. No game fish sampled in 2019 netting survey. (No ramp).

**[Cedar Lake \(Slope\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

8 miles south, 5 miles west of the junction of ND highways 21 and 22. Some pike up to 9 pounds, good number of walleye up to 3 pounds, some catfish up to 7 pounds, some carp up to 10 pounds, bullheads up to a half-pound abundant.

**[Cherry Lake \(Kidder\)](#) *1,760.1 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

15 miles north, 3 miles east of Steele. Small northern pike are abundant, along with a fair number of perch.

## Statewide Perch Waters by Lake Name

<a href="#"><u>Cherry Lake (Sheridan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7 miles north, 3 miles east, 2 miles north, .3 miles west of Mercer. Fair number of perch and northern pike, with some quality-sized fish. (No ramp).				
<a href="#"><u>Clark Lake (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile west, 3 miles north, 4 miles west of Woodworth. Moderate numbers of walleye and pike. Occasional perch.				
<a href="#"><u>Clausen Springs (Barnes)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles north, 1 mile east, .5 miles north of the junction of ND highways 46 and 1. Largemouth bass and bluegill abundant. Occasional perch. (Fishing pier).				
<a href="#"><u>Clauson Lake (Barnes)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles west, .5 miles south, .5 miles east of Nome. Low density perch population. (No ramp).				
<a href="#"><u>Clear Lake (Pierce)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles east, .7 miles south of Anamoose. Good number of quality-sized walleye from 14-25 inches. Some larger-sized perch. (No ramp).				
<a href="#"><u>Clearwater Lake (Mountrail)</u></a> <b>2,229.6 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles east, 3.8 miles north, .5 miles east, 3 miles north-northeast, .5 miles east of Stanley. Decent walleye population. Northern pike and yellow perch present.				
<a href="#"><u>Cleveland Slough (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles south of Cleveland along County Road 67. Perch abundant. Occasional large pike. (No ramp).				
<a href="#"><u>Coal Mine Lake (Sheridan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
14 miles south, 5 miles east of Anamoose. Good number of hammer handle-sized northern pike. (Fishing pier).				
<a href="#"><u>Lake Coe (Eddy)</u></a> <b>1,505.0 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles south of Warwick on east side of Eddy County Road 8. Good number of walleye, with several size-classes available. Fish longer than 18 inches common. Fair perch numbers, with most less than 8 inches.				
<a href="#"><u>Coldwater Lake (McIntosh)</u></a> <b>1,957.7 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
15.5 miles east, 1 mile south, 1 mile west of Ashley. Moderate numbers of walleye and pike, with some larger fish. (Fishing pier).				
<a href="#"><u>Consolidated Lake (Sargent)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles south, 3 miles east of Forman. Moderate numbers of pike, walleye and largemouth bass. Crappie present. (No ramp).				
<a href="#"><u>Cottonwood Lake (McHenry)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2.5 miles north of Butte. Decent number of pike and a good number of walleye, with some being larger. (Fishing pier).				
<a href="#"><u>Cottonwood Lake (Williams)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile east, .5 miles north of Alamo. Decent yellow perch population, with some quality-sized fish. (Fishing pier).				
<a href="#"><u>Crimmins WPA (Burleigh)</u></a> <b>1,905.5 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles west, 11 miles north, .5 miles west of Wing. Walleye abundant and a low number of perch. (No ramp).				
<a href="#"><u>Crooked Lake (McLean)</u></a> <b>1,918.2 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles north, .2 miles east, .1 mile south of Turtle Lake. High number of 18- to 35-inch pike, some walleye and mostly smaller perch.				
<a href="#"><u>Crown Butte Dam (Morton)</u></a> <b>1,925.5 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles west on access road on north side of I-94 Exit 147. Complete winterkill in 2019. Catchable-sized trout and bluegill stocked. (Fishing pier).				
<a href="#"><u>Crystal Springs (Stutsman)</u></a> <b>1,747.9 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile east of Crystal Springs. Walleye and pike abundant.				



## Statewide Perch Waters by Lake Name

### [Cysewski Lake \(Stutsman\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

11 miles north, 4 miles east, 2 miles north, .5 miles east, 1 mile north of Jamestown. Perch abundant. Pike present. (No ramp).

### [Danzig Dam \(Morton\)](#) **2,103.4 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles north, 1.4 miles west, .2 miles north of I-94 Exit 120. Good number of northern pike up to 15 pounds and walleye up to 3 pounds, some small perch and bluegill. Abundant carp up to 9 pounds and some bullheads up to a half-pound.

### [Lake Darling \(Renville\)](#) **1,596.5 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

Strong northern pike, walleye and yellow perch populations, and a few smallmouth bass. Black bullheads abundant and a serious management problem.

**Grano Crossing** -- 1 miles west of Grano (Paved access road, picnic shelter -- Renville County Park Board).

**Greene Crossing** -- 8 miles west, 7 miles south of Mohall (Paved access road -- Renville County Park Board).

**Headwaters Area** -- No Public Boating Access

**Outlet Fishing Area** -- 6 miles east, 1 mile north, 1 mile east, .4 miles south of Carpio (Gravel access road, no courtesy docks, picnic shelter, fishing pier -- Upper Souris NWR).

**Spillway Boat Ramp** -- 6 miles east, 1 mile north, 1 mile east of Carpio (Paved access road -- Upper Souris NWR).

**West Landing # 1** -- 6 miles east, 1 mile north of Carpio (Gravel access road, picnic shelter -- Upper Souris NWR).

**West Landing # 2** -- 6 miles east, 2 mile north of Carpio (Gravel access road, no restrooms -- Upper Souris NWR).

**West Landing # 3** -- 6 miles east, 3 mile north of Carpio (Gravel access road, picnic shelter, fishing pier -- Upper Souris NWR).

### [Davis WPA \(Sheridan\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles south, 1 mile east of Denhoff. Decent number of walleye, with some larger fish. Mostly smaller-sized perch. (No ramp).

### [Deer Lake \(Kidder\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles east of Robinson. Small perch abundant. (No ramp).

## Statewide Perch Waters by Lake Name

**[Devils Lake \(Not Specified\)](#) *1,448.5 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

The walleye population continues to do well. Reproduction in recent years has generally been good and there are many fish less than 15 inches. The number of 15- to 20-inch walleye is below average due to three consecutive year-classes that were relatively low from 2013 to 2015. There are still fish in this size range, but anglers will have to fish longer to catch them. The number of walleye longer than 20 inches is similar to the long-term average.

Northern pike will continue to provide angler opportunities in 2021. Pike are relatively common and can be found throughout the lake, particularly in the shallower areas. The number of pike is likely down somewhat compared to recent years though. Most fish are between 22-32 inches, but trophy-sized pike are available.

The number of catchable-sized yellow perch is similar to last year. The number of perch from 8-12 inches are below the long-term average. The number of jumbos over 12 inches is also below average. Yet, the number of perch smaller than 8 inches is above average. Overall, there should be perch for anglers to pursue in 2021, but their numbers are below average.

White bass numbers are currently high. Most of them were hatched in 2015 and will probably be between 14-16 inches in 2021.

**Black Tiger Bay** -- 16.5 miles south of Devils Lake on ND Highway 20, then 4 miles north-northeast (Gravel access road, no restrooms -- North Dakota Parks and Recreation).

**Creel Bay** -- 3 miles south of Devils Lake on ND Highway 20, then 2 miles west and .25 miles north (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Ramsey County Park Board).

**East Bay** -- 3 miles south of Devils Lake on ND Highway 20 (Paved access road, security lights, trash receptacles -- North Dakota Game and Fish Department).

**East Devils Lake** -- No Public Boating Access

**Estenson Landing** -- 15 miles south of Devils Lake on ND Highway 20 (Paved access road, trash receptacles -- North Dakota Game and Fish Department).

**Grahams Island State Park** -- 10 miles west of Devils Lake on ND Highway 19, then 6 miles south (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

**Henegar Landing** -- 1 mile west of Devils Lake on ND Highway 19, then .75 miles south (Paved access road, fish cleaning facility, security lights, trash receptacles -- Ramsey County Park Board).

**Minnewaukan Dumpground** -- 1.5 miles south of Minnewaukan on old U.S. Highway 281 (Gravel access road -- Minnewaukan Community Club).

**Pelican Lake Bay** -- 15 miles west of Devils Lake on ND Highway 19 (Paved access road, trash receptacles -- North Dakota Game and Fish Department).

**Round Lake Bay** -- 3 miles south of Minnewaukan on U.S. Highway 281 (Paved access road, trash receptacles -- Minnewaukan Community Club).

**Schwab Landing** -- 7 miles west of Devils Lake on ND Highway 19 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- North Dakota Game and Fish Department).

**Spirit Lake Casino** -- 6 miles south of Devils Lake on ND Highway 20/57 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles, concession, lodging, boat rental, RV dump station -- Spirit Lake Casino).

**[Diamond Lake \(LaMoure\)](#) *1,940.0 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

5 miles north of Kulm. Walleye and perch abundant. Moderate number of pike.

**[Dickinson Dike \(Stark\)](#)      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

Southwest side of Dickinson. Rainbow trout stocked annually. Adult channel catfish up to 8 pounds and adult yellow perch up to a half-pound in 2020. Currently, mostly small largemouth bass abundant and bluegill present. (Fishing pier).

**[Dickinson Reservoir \(Stark\)](#) *2,418.3 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart****

2 miles west of Dickinson. Good number of walleye up to 4 pounds, good number of bluegill up to 1 pound, good number of pike up to 8 pounds, good number of yellow perch up to 1 pound, some crappie up to a half-pound and catfish up to 24 pounds. Abundant bullheads up to 1 pound. (Fishing pier).

## Statewide Perch Waters by Lake Name

<a href="#"><u>Dion Lake (Rolette)</u></a>	Stocking	Survey Report	Length Table	Length Chart
10 miles west, 2 miles north, 1 mile east of St. John. Walleye densities lower than recent years, but there are fish over 20 inches. Perch numbers are decent, with most fish under 9 inches. Illegally stocked pike are common, with some fish longer than 30 inches. Some bluegill are showing up. (Fishing pier).				
<a href="#"><u>Dollinger-Schnabel Lake (McIntosh)</u></a>	Stocking	Survey Report	Length Table	Length Chart
2 miles north, 5 miles west, 3 miles north of Venturia. Abundant perch and walleye. (No ramp).				
<a href="#"><u>Dorfman Lake (McIntosh)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5 miles north, 2 miles west of Ashley. Walleye abundant, along with a fair number of pike and perch. (No ramp).				
<a href="#"><u>Dry Lake (Foster)</u></a>	Stocking	Survey Report	Length Table	Length Chart
7 miles east, 5 miles south, 2 miles east of Carrington. Fair number of walleye, with several size-classes and some nice keepers. Low perch numbers. (No ramp).				
<a href="#"><u>Dry Lake (McIntosh)</u></a> <b>1,987.2 msl</b>	Stocking	Survey Report	Length Table	Length Chart
5 miles west, 4 miles north, 2 miles east, .5 miles south of Ashley. Excellent walleye fishery, with a low number of pike and large perch.				
<a href="#"><u>East Arroda Dam (Oliver)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile east of Fort Clark ND Highway 200A. Fair number of pike and perch, with mostly smaller perch. Earthen fishing piers available for shore-fishing access.				
<a href="#"><u>East Bieri Lake (Mountrail)</u></a>	Stocking		Not Surveyed	
1.5 miles south of Blaisdell. New lake stocked with adult perch in 2020. (No ramp).				
<a href="#"><u>East Easter Lake (Stutsman)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5 miles north, 4 miles east, 1 mile south of Streeter. Perch abundant, with some larger fish. (No ramp).				
<a href="#"><u>East Park Lake (McLean)</u></a> <b>1,841.0 msl</b>	Stocking	Survey Report	Length Table	Length Chart
9 miles south of Mercer. Decent walleye numbers, with some larger fish. Fair number of northern pike. (Fishing pier).				
<a href="#"><u>Eckelson Lake North (Barnes)</u></a>	Not Stocked	Survey Report	Length Table	Length Chart
3 miles north, .5 miles east, 1 mile north, .5 miles east of Eckelson. Perch abundant, with some larger fish. (No ramp).				
<a href="#"><u>Eckelson Lake South (Barnes)</u></a>	Stocking	Survey Report	Length Table	Length Chart
4 miles south, 1.5 miles east of Eckelson. Low number of pike. Moderate number of perch. (No ramp).				
<a href="#"><u>Elm Lake (Richland)</u></a>	Stocking	Survey Report	Length Table	Length Chart
.5 miles east, 3.5 miles south of Lidgerwood. Walleye abundant. Moderate number of pike. (No ramp).				
<a href="#"><u>Epping-Springbrook Dam (Williams)</u></a> <b>2,106</b>	Stocking	Survey Report	Length Table	Length Chart
1.5 miles east of Springbrook. Decent walleye population. Northern pike and yellow perch also present. Black bullheads and white suckers abundant and a serious management problem. (Fishing pier).				
<a href="#"><u>Erickson Lake (Logan)</u></a>	Stocking	Survey Report	Length Table	Length Chart
8.5 miles north, 3 miles west, 1 mile north, 1.5 miles west, .5 miles south of Kulm. Perch abundant, with some larger fish. (No ramp).				
<a href="#"><u>Fenster Lake (Ramsey)</u></a>	Stocking	Survey Report	Length Table	Length Chart
3 miles north, 4 miles east of Crary. Pike in fair numbers, with most fish more than 5 pounds. Low density perch population. (No ramp).				
<a href="#"><u>Fiala Lake (Sargent)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile west, 2 miles south of Forman. Moderate numbers of pike and perch. (No ramp).				
<a href="#"><u>Finley Dam (Lynch Lake) (Steele)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile south of Finley. Pike stocked regularly and provide fishing opportunities. Most pike around 20-26 inches. High bullhead population and stunted perch are management problems. (No ramp).				



## Statewide Perch Waters by Lake Name

<a href="#"><u>Flood Lake (LaMoure)</u></a>	Stocking	Survey Report	Length Table	Length Chart
3.5 miles north of Kulm. Good number of pike. Low density perch population.				
<a href="#"><u>Foot Lake (Stutsman)</u></a>	Stocking	Survey Report	Length Table	Length Chart
2 miles south, 4 miles west of Medina. Walleye and perch abundant. (No ramp).				
<a href="#"><u>Fordville Dam (Grand Forks)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5 miles west, 1 mile north, .5 miles west, .5 miles north of Inkster. Fair numbers of eating-sized walleye and larger pike, with a fair number of perch under 10 inches. Bluegill numbers are increasing, with fish up to 8 inches. Bullheads and suckers remain a management issue. (Fishing pier).				
<a href="#"><u>Four Corners Lake (Richland)</u></a>	Stocking	Survey Report	Length Table	Length Chart
3.5 miles east, 2 miles south, .5 miles west of Lidgerwood. Low density walleye and perch populations. (No ramp).				
<a href="#"><u>Fox Lake (Barnes)</u></a> 1,439.4 msl	Stocking	Survey Report	Length Table	Length Chart
1 mile north, .75 miles west of Eckelson. Walleye and perch abundant, with some larger fish.				
<a href="#"><u>Fresh Lake (Kidder)</u></a> 1,865.8 msl	Stocking	Survey Report	Length Table	Length Chart
15 miles south, 7 miles east, 1 mile south of Dawson. Walleye abundant. Pike and perch present. (No ramp).				
<a href="#"><u>Fritz Slough (Divide)</u></a>	Stocking	Not Surveyed		
6 miles east, 6 miles north, .5 miles east, 1.25 miles north of Wildrose. New lake stocked with adult perch in 2020. (No ramp).				
<a href="#"><u>Froelich Dam (Sioux)</u></a> 1,973.8 msl	Stocking	Survey Report	Length Table	Length Chart
9 miles north, 2 miles west of Selfridge. Walleye and northern pike abundant. Yellow perch, crappie, bluegill and largemouth bass present.				
<a href="#"><u>Gaebe Pond (Morton)</u></a>	Stocking	Not Surveyed		
1.5 miles west of New Salem. Rainbow trout stocked annually. Adult catfish up to 5 pounds stocked most years. Some small perch, crappie and bluegill. (Fishing pier, no ramp).				
<a href="#"><u>Gaier Lake (Stutsman)</u></a>	Stocking	Survey Report	Length Table	Length Chart
8.5 miles north, 1 mile west of Cleveland. Perch abundant. (No ramp).				
<a href="#"><u>Geier Lake (Kidder)</u></a>	Stocking	Survey Report	Length Table	Length Chart
12 miles east, 9.5 miles north of Robinson. Walleye abundant and a fair number of perch. (No ramp).				
<a href="#"><u>Lake Geneva (Kidder)</u></a> 1,805.1 msl	Stocking	Survey Report	Length Table	Length Chart
2 miles south, .5 miles east of I-94 Exit 195. Quality walleye and perch fishery. (No ramp).				
<a href="#"><u>George Lake (McHenry)</u></a>	Stocking	Survey Report	Length Table	Length Chart
13 miles north, 1 mile east, 1.3 miles north, .5 miles east of the junction of U.S. Highway 52 and ND Highway 14. Good number of pike, with some large fish. (Fishing pier).				
<a href="#"><u>Georgeson Lake (Wells)</u></a>	Not Stocked	Survey Report	Length Table	Length Chart
3 miles north, 3 miles east, .25 miles north of Bremen. A light perch population, with most fish less than 8 inches. (No ramp).				
<a href="#"><u>Lake Gertie (McLean)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile south of Benedict. Good number of northern pike. (No ramp).				
<a href="#"><u>Goose Lake (Wells)</u></a> 1,585.9 msl	Stocking	Survey Report	Length Table	Length Chart
3 miles north, 3 miles east, 1 mile north of Harvey. Fair number of pike, with increasing size structure. Walleye population in fine shape, with a good number of fish longer than 17 inches. Perch numbers are fair, with most about 8 inches.				
<a href="#"><u>Goose Lake (Emmons)</u></a>	Stocking	Survey Report	Length Table	Length Chart
3 miles east of Braddock. Northern pike up to 8 pounds abundant and a low number of perch. (No ramp).				

## Statewide Perch Waters by Lake Name

### [Gordon Lake \(Rolette\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

4.5 miles north, 1 mile west, .25 miles northwest of Belcourt. Walleye and yellow perch abundant, with some larger fish. Northern pike and bluegill in good numbers.

### [Gravel Lake \(Rolette\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

6 miles west, .5 miles north of St. John. Pike, bluegill and perch fishery. Pike average about 24 inches, with some up to 36 inches. Most perch under 10 inches. Bluegill mostly under 7 inches. (Fishing pier).

### [Green Lake \(McIntosh\)](#) **2,009.0 msl**

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles east, 4 miles south, 1 mile east of Wishek. Quality walleye and perch fishery, with a low number of pike. (Fishing pier).

### [Gullys Slough \(Richland\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

4 miles east, 1 mile south of Lidgerwood. Moderate numbers of pike, perch and walleye. Occasional bluegill. (No ramp).

### [Hankinson Legion Memorial Pond \(Richlan\)](#)

[Stocking](#)

**Not Surveyed**

1.5 miles south, .5 miles west of Hankinson. Trout stocked annually in late spring. (No ramp).

### [Harr Lake \(McIntosh\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

10 miles east, 12 miles north of Ashley. Walleye abundant and low numbers of large yellow perch. (No ramp).

### [Lake Harriet \(Arena Lake\) \(Burleigh\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

8 miles west, 1 mile south of Tuttle. Impacted by partial winterkill in 2018-19, but a fair number of northern pike present. (No ramp).

### [Harvey Dam \(Wells\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

Southeast side of Harvey. Significant winterkill in 2019 and 2020. Follow-up netting survey in 2020 sampled only bullheads. (Fishing pier).

### [Haus Lake \(Richland\)](#)

[Stocking](#)

[Survey Report](#)

[Length Table](#)

[Length Chart](#)

2 miles east, 7 miles south, .25 miles east of Lidgerwood. Moderate number of walleye. Occasional perch. (No ramp).

## Statewide Perch Waters by Lake Name

<a href="#"><u>Heart Butte Reservoir (Grant)</u></a> <b>2,063.1 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Abundance of mostly small walleye, with some fish up to 6 pounds, catfish up to 10 pounds, pike up to 17 pounds, white bass up to 2 pounds, crappie up to 1 pound and smallmouth bass up to 2 pounds. Good number of perch up to 1 pound and some bluegill up to a half-pound. Abundant large buffalo up to 40 pounds and bullheads up to 1.5 pounds and some large carp up to 15 pounds.				
<b>Boy Scout Camp</b> -- 17.3 miles south on ND HWY 49, 1.5 miles west, .8 miles north of Glen Ullin (Gravel access road, fish cleaning facility, primitive camping, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).				
<b>Cabin Area</b> -- 12.5 miles south on ND HWY 49, 1.6 miles south, 1.4 miles west of Glen Ullin (Gravel access road, no restrooms -- Grant County JDA).				
<b>Carson Sportsmens</b> -- 17.3 miles south on ND HWY 49, .8 miles west, 1.7 miles west-northwest of Glen Ullin (Gravel access road, picnic shelter, trash receptacles -- Grant County JDA).				
<b>Crappie Creek</b> -- 12.5 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).				
<b>Elgin Sportsmen</b> -- 19.5 miles south on ND HWY 49, .5 miles west, 2 miles north, .7 miles east of Glen Ullin (Gravel access road, picnic shelter, trash receptacles, fishing pier -- Grant County JDA).				
<b>Gilligan's Rec Area</b> -- 19.5 miles south on ND HWY 49, .5 miles west, 2.2 miles north of Glen Ullin (Gravel access road, no restrooms -- Grant County JDA).				
<b>Koehlert Point</b> -- 11.9 miles south on ND HWY 49, 1.8 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).				
<b>North Shore</b> -- 16.6 miles south on ND HWY 49, .3 miles west of Glen Ullin (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Grant County JDA).				
<b>Rimrock Rec Area</b> -- 17.3 miles south on ND HWY 49, .6 miles southwest Glen Ullin (Gravel access road, developed and primitive camping, picnic shelter, trash receptacles -- Grant County JDA).				
<b>Schatz Creek</b> -- 19.5 miles south on ND HWY 49, .5 miles west, 1.9 miles north, 1.6 miles east of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).				
<b>Sled Creek (New Leipzig)</b> -- 19.5 miles south on ND HWY 49, .5 miles west, 1 miles south, 1.3 miles west, 1.5 miles south of Glen Ullin (Gravel access road, primitive camping, picnic shelter, trash receptacles -- Grant County JDA).				
<a href="#"><u>Heckers Lake (Sheridan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles south, 2.4 miles east of Mercer. Fair number of walleye, with some quality-sized fish. Decent numbers of pike and smallmouth bass. (No ramp).				
<a href="#"><u>Hehn-Schaffer Lake (Stutsman)</u></a> <b>1,897.7</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles north of Gackle. Moderate numbers of pike, perch and walleye. (Fishing pier).				
<a href="#"><u>Heinrich Lake (Dickey)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
17.5 miles east, 1 mile south of Ashley. Low density perch population. (No ramp).				
<a href="#"><u>Heinrich-Martin Dam (LaMoure)</u></a>	<b>Not Stocked</b>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.75 miles east, .5 miles south of Adrian. Largemouth bass and bluegill abundant. Moderate numbers of crappie, perch and pike.				
<a href="#"><u>Helen Lake (Kidder)</u></a> <b>1,919.2 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2.5 miles west, 6 miles north of Tuttle. An excellent northern pike fishery, with fish occasionally over 8 pounds. Perch present. (No ramp).				
<a href="#"><u>Hiddenwood Lake (Ward)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles south of Makoti. Good numbers of walleye and smallmouth bass. Some larger-sized smallmouth bass. (Fishing pier).				
<a href="#"><u>Hieb Lake (Stutsman)</u></a>	<a href="#">Stocking</a>	<b>Not Surveyed</b>		
3.5 miles east, 6 miles north, 1 mile east of Medina. Moderate number of perch. (No ramp).				
<a href="#"><u>Hinsz Lake (Sheridan)</u></a> <b>1,624.4 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles south, 3 miles west, 1 mile south, .6 miles west, .7 miles northwest of Anamoose. Fair numbers of walleye and northern pike.				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Hobart Lake North (Barnes)</u></a>	<b>Not Stocked</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3.5 miles northwest of I-94 Exit 288. Perch abundant, with some large fish. (No ramp).				
<a href="#"><u>Hobart Lake South (Barnes)</u></a>	<b>Not Stocked</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1.4 miles south, 3.4 miles west of I-94 Exit 288. Perch abundant. (No ramp).				
<a href="#"><u>Hoggarth Dam (Stutsman)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles west, 3 miles south of Courtenay. Walleye and perch abundant. (No ramp).				
<a href="#"><u>Lake Holmes (McLean)</u></a> <b>1,825.8 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile northeast of Turtle Lake. Good number of walleye, with some larger fish. Small perch abundant.				
<a href="#"><u>Homme Dam (Walsh)</u></a> <b>1,077.6 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles west of Park River. High perch numbers, with most fish less than 9 inches. Crappie abundant, with most 6-9 inches, along with some bigger fish. Lower densities of pike and walleye, with some nice-sized fish. White suckers and bullheads abundant and problematic. (Fishing pier).				
<a href="#"><u>Horseshoe Lake (Richland)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4 miles west, 1 mile south of Hankinson. Moderate numbers of pike, perch, bluegill and walleye. Some larger walleye.				
<a href="#"><u>Lake Hoskins (McIntosh)</u></a> <b>1,980.0 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles west of Ashley. Fair numbers of walleye, northern pike and yellow perch. (Fishing pier).				
<a href="#"><u>Hurdsfield-Tuffy Lake (Wells)</u></a> <b>1,845.2 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3.5 miles east of Hurdsfield. Lots of eating-sized walleye ranging from 15-20 inches, with some big fish. Perch numbers are down, with most less than 11 inches. Carp are reproducing and may become a management problem. (No ramp).				
<a href="#"><u>Lake Ilo (Dunn)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile west, 1 mile south of Dunn Center. Pike up to 10 pounds abundant. Some perch up to a half-pound. (Fishing pier).				
<a href="#"><u>Indian Creek Dam (Hettinger)</u></a> <b>2,582.2 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1.5 miles west, 2 miles south, 2 miles west, 3 miles south of Regent. Good number of walleye up to 8 pounds, fair number of small perch, with some up to a half-pound. Some small bluegill and smallmouth bass up to 2 pounds. (Fishing pier).				
<a href="#"><u>Irvine-Alice-Mikes Complex (Ramsey)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4.5 miles north, .5 miles east of Churchs Ferry. Boat access conditions currently very poor, as the makeshift boat launch site a few miles north of Churchs Ferry is essentially unusable and likely will remain so unless water levels rise significantly.				
Walleye population continues to do relatively well. There are a variety of sizes available and good numbers of fish from 15-20 inches.				
Northern pike numbers are below average, but they are still abundant. Most pike are medium-sized, but there are some larger fish present. Pike in Lake Irvine are under-utilized, so anglers should not be shy about keeping their limit. In fact, the pike seem to be too abundant, as their body condition is relatively low at times, so keeping pike from this lake would be beneficial for the pike population as it may help reduce competition for food.				
Yellow perch numbers are low, but the few perch in the lake tend to be larger.				
White bass numbers are low, but they tend to be good-sized.				
Fish populations in Lake Alice are similar to those in Lake Irvine. (No ramp). (No ramp).				
<a href="#"><u>Lake Isabel (Kidder)</u></a> <b>1,728.3 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles south, .5 miles east, .75 miles south of Dawson. Small northern pike abundant. Perch and walleye present.				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Island Lake (Barnes)</u></a> <b>1,441.8 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles south, .5 miles east of Urbana. Walleye abundant. Moderate number of perch. Seasonal boat use restrictions. (No ramp).				
<a href="#"><u>Island Lake (Rolette)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles west, 2 miles south of Mylo. Good number of 24-inch-plus pike.				
<b>James River (Not Specified)</b> <b>1,424.3 msl</b>	<b>Not Stocked</b>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Southeastern part of state. Shore-fishing opportunities where lowhead dams and bridge crossings congregate pike, walleye and the occasional channel catfish.				
<a href="#"><u>Jamestown Reservoir (Stutsman)</u></a> <b>1,431.5</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Moderate numbers of pike and walleye. Crappie abundant. Occasional perch and smallmouth bass. 14- inch minimum walleye length limit.				
<b>Above Pelican Point</b> -- No Public Boating Access				
<b>Boat Club Bay</b> -- 5.5 miles north on ND Highway 20, .4 mile west, .4 miles north, .3 miles west of Jamestown (Gravel access road, primitive camping, security lights, picnic shelter, trash receptacles -- Stutsman County Park Board).				
<b>Buchanan Bridge Area</b> -- No Public Boating Access				
<b>Five Mile Corner Landing</b> -- 5.5 miles north on ND Highway 20, .8 mile west of Jamestown (Gravel access road, trash receptacles, fishing pier -- Stutsman County Park Board).				
<b>Marina Area</b> -- 2 miles north on ND Highway 20, .5 miles southwest of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board).				
<b>Pelican Point</b> -- 8 miles north on U.S. Highway 281, 2 miles east of Jamestown (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station, fishing pier -- Stutsman County Park Board).				
<b>West Landing</b> -- 4.5 miles north on U.S. Highway 281 and 1 miles east of Jamestown (Paved access road, trash receptacles -- Stutsman County Park Board).				
<a href="#"><u>Jarvis Lake (Rolette)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.75 miles southwest, 6 miles west of St. John. Yellow perch abundant, with a few larger fish. Walleye ranging from 12-18 inches abundant. Bluegill and northern pike present. (No ramp).				
<a href="#"><u>Jasper Lake (Kidder)</u></a> <b>1,819.9 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7 miles north, .5 miles east of Robinson. Walleye abundant and fish occasionally over 25 inches. Perch present.				
<a href="#"><u>Lake Josephine (Kidder)</u></a> <b>1,863.6 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles north of Tuttle. Walleye abundant, with fish occasionally over 25 inches. Fair number of perch and low number of northern pike. (Fishing pier).				
<a href="#"><u>Juanita Lake (Foster)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles east of Grace City. Good pike numbers, but most are smaller fish. Significant winterkill in 2019. (Fishing pier).				
<a href="#"><u>Kaibel Lake (Sheridan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10.2 miles south of Drake. Lots of perch, but many are smaller-sized. (No ramp).				
<a href="#"><u>Kalina Dam (Bowman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles west, 1 mile south, 1 mile west, 1 mile south of Bowman. Good number of pike up to 8 pounds. Some small bluegill, crappie and yellow perch. Make sure to access lake from south shore. (No ramp).				
<a href="#"><u>Kee Lake (Barnes)</u></a> <b>1,461.0 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7 miles south, 2 miles east of Eckelson. Walleye abundant. Moderate number of perch. Occasional pike. (No ramp).				
<a href="#"><u>Kislingbury Lake (McIntosh)</u></a> <b>1,932.5 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles east, 1.5 miles north of Ashley. Walleye abundant and perch in low numbers.				



## Statewide Perch Waters by Lake Name

<a href="#"><u>Kleingartner Lake (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles south, 5 miles west of Gackle. Fair number of northern pike and a low number of perch. (No ramp).				
<a href="#"><u>Koebornick Pond (Barnes)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile north, 4 miles west, 1 mile north of Rogers. Moderate number of perch. (No ramp).				
<a href="#"><u>Koenig North (Kidder)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
12.25 miles north, 1.5 miles east of Robinson. Small walleye abundant and perch present. Winter access only. (No ramp).				
<a href="#"><u>Koenig South (Kidder)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
12.25 miles north, 1.5 miles east of Robinson. Multiple perch year-classes present. Winter access only. (No ramp).				
<a href="#"><u>Kota-Ray Dam (Williams)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
5 miles south, .5 miles east, 2 miles south of Ray. Good number of nice largemouth bass. Small yellow perch abundant. Walleye, bluegill and smallmouth bass present. Rainbow trout stocked annually. (Fishing pier).				
<a href="#"><u>Kraft Slough (Sargent)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile south, 9 miles east, 2.5 miles north of Oakes. Walleye and perch abundant. Occasional pike.				
<a href="#"><u>Krieg's Pond (Morton)</u></a>	<a href="#">Stocking</a>	<a href="#">Not Surveyed</a>		
.5 miles east of Hebron. Rainbow trout stocked annually. Adult perch stocked most years. Adult catfish stocked 2015-19. (No ramp).				
<a href="#"><u>Kulm-Edgeley Dam (LaMoure)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles west, 2 miles south of Edgeley. Moderate numbers of pike, bluegill and perch. Low number of walleye.				
<a href="#"><u>Lake No. 5 (Kidder)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3.5 miles west, 7.5 miles north, 1.5 miles east, 1 mile south of Dawson. Northern pike abundant, but the lake frequently winterkills. (No ramp).				
<a href="#"><u>Lake LaMoure (LaMoure)</u></a> <b>1,350.2 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile south, 1 mile east, 2.5 miles south, 1 mile west, .5 miles south of LaMoure. Pike and crappie abundant. Moderate numbers of walleye and perch. Occasional bluegill. (Fishing pier).				
<a href="#"><u>Lake Laretta (Nelson)</u></a>	<a href="#">Not Stocked</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles west, 2 miles north of Michigan. Fair number of medium-sized pike. Perch that survive predation are large, but uncommon. Good number of walleye that average 18 inches. Some bigger fish available. (No ramp).				
<a href="#"><u>Larimore Dam (Grand Forks)</u></a> <b>1,069.1 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles northeast of Larimore. Walleye, pike, largemouth bass, perch, crappie and bluegill provide angling opportunities. Various sizes of walleye and pike, with some bigger fish. Crappie and bluegill are smaller, but also some nice fish. Most perch less than 9 inches. (Fishing pier).				
<a href="#"><u>Larson Lake (Hettinger)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles north and 2 miles east of Regent. Good number of yellow perch up to 1 pound.				
<a href="#"><u>Lehr WMA (McIntosh)</u></a> <b>1,970.7 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles east, 1 mile south of Lehr. Complete winterkill in 2019. Small walleye and perch are abundant and some adult walleye immigrated from adjoining Nagel Lake.				
<a href="#"><u>Lepp Lake (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile east, 1 mile north of Lehr. Fair numbers of pike and perch. (No ramp).				
<a href="#"><u>Lindemann Lake (Cass)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles north, 1 mile east, .5 miles north of Enderlin. Walleye and perch abundant. (No ramp).				
<a href="#"><u>Little Britches Pond (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Not Surveyed</a>		
Next to Jamestown Reservoir marina. Late spring rainbow trout, crappie and perch. Occasional walleye and pike. (No ramp).				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Logan (Mueller) WMA (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles north, 5 miles west, .5 miles south of Lehr. Severe winterkill in 2019, but a fair number of walleye and perch remain. (No ramp).				
<a href="#"><u>Logan Lake (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile west of Gackle. Walleye abundant. Fair number of small perch. (No ramp).				
<a href="#"><u>Lone Tree Lake (Englevale) (Ransom)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles north, 2 miles west of Englevale. Moderate number of perch. Pike present. (No ramp).				
<a href="#"><u>Long Alkaline Lake (Kidder)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles west, 7 miles north of Robinson. Small northern pike abundant. (No ramp).				
<a href="#"><u>Long Lake (Bottineau)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles north, 7 miles east, 1 mile south, 1 mile east, .5 miles south, .3 miles east of Bottineau. Decent pike and walleye populations. Lots of small perch and some nice bluegill.				
<a href="#"><u>Long Lake (Burleigh)</u></a>	<a href="#">Not Stocked</a>		<a href="#">Not Surveyed</a>	
1 mile south, 2.5 miles east of Moffit. Northern pike abundant. Contact refuge for specific angling regulations. (Fishing pier, no ramp).				
<a href="#"><u>Long Lake (McLean) 1,915.4 msl</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
13 miles north, 4 miles east, 2 miles north, 1.5 miles west of Turtle Lake. Good number of northern pike.				
<a href="#"><u>Loon Lake (Bottineau)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles north, 4 miles east, 2 miles south, 2 miles east, .5 miles north of Bottineau. High number of mostly smaller perch. Good number of decent-sized walleye. (No ramp).				
<a href="#"><u>Lueck Lake (Richland)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles east, 2.5 miles south of Lidgerwood. Walleye abundant, with some larger fish. (No ramp).				
<a href="#"><u>Lutz Dam (Bowman)</u></a>	<a href="#">Stocking</a>		<a href="#">Not Surveyed</a>	
2.5 miles south, 2 miles west, .75 miles north of Griffin. Rainbow trout stocked annually. Abundant small bluegill, some yellow perch and black crappie. (No ramp).				
<a href="#"><u>Magnuson's Slough (Divide)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
12 miles north of Alamo on County Road 11. Decent number of smaller perch. (No ramp).				
<a href="#"><u>Makoti Lake (Ward)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles south of Makoti. High number of 22- to 36-inch northern pike. (No ramp).				
<a href="#"><u>Manley Lake (Stutsman)</u></a>	<a href="#">Not Stocked</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles south, 9 miles west, .25 miles north of Pingree. Moderate number of perch. (No ramp).				
<a href="#"><u>Marvin Miller Lake (Logan) 1,857.5 msl</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6.5 miles south, 8 miles west, .5 miles north of Gackle. Excellent walleye fishery, with fish occasionally over 25 inches. Fair number of perch and a low number of northern pike.				
<a href="#"><u>Matejcek Dam (Walsh)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles south of Lankin. After recent winterkills, fish populations are comprised of some smaller perch, walleye and pike.				
<a href="#"><u>McClusky Canal (Not Specified)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Central part of state in McLean, Burleigh and Sheridan counties. Excellent smallmouth bass fishery, with some larger fish. Variety of fish species available. (No ramp).				
<a href="#"><u>McIntosh WMA (McIntosh)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles east, 9 miles north of Ashley. Fair numbers of perch and walleye. (No ramp).				

## Statewide Perch Waters by Lake Name

**[McLeod \(Ray\) Reservoir \(Williams\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

Southwest side of Ray. Northern pike abundant. Walleye, yellow perch and bluegill present. (Fishing pier).

**[McPhail WMA \(Kidder\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

7 miles north, 2 miles west of Tappen. Good numbers of perch up to 10 inches and a low number of walleye. (No ramp).

**[McVille Dam \(Nelson\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

1 mile east of McVille. Some larger walleye and pike, but at low densities. Perch and bluegill abundant, but most typically less than 8 inches. (Fishing pier).

**[Meadow Lake \(Barnes\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

6 miles west, 6 miles north of Litchville. Moderate number of perch, with some larger fish. Low density walleye population. (No ramp).

**[Lake Metigoshe \(Bottineau\)](#)** **2,139.8 msl**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

9 miles north, 4 miles east, 1 mile north of Bottineau. Several sizes of bluegill, including some large fish, along with some nice crappie. Good number of walleye in a wide range of sizes. Good pike fishing, with some large fish. (Fishing pier).

**[Middle Eckelson \(Barnes\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

2 miles east of Eckelson. Low density pike population. Moderate number of perch. (No ramp).

**[Miller Lake \(McIntosh\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

7.5 miles east, 2.5 miles south of Lehr. Fair numbers of northern pike and small perch. Low number of walleye present. (No ramp).

**[Miller Lake \(Sheridan\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

18 miles north, 2 miles east, .2 miles south of McClusky. Newer perch lake with mostly smaller perch. (No ramp).

**[Mirror Lake \(Adams\)](#)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

South side of Hettinger. Bullheads up to a half-pound abundant. Some northern pike up to 5 pounds. Good number of channel catfish up to 6 pounds. Some small yellow perch and bluegill. (Fishing pier).

**[Mission Lake \(Benson\)](#)**      **Not Stocked**      **Not Surveyed**

5 miles south, 1.5 miles east, 2 miles south of Devils Lake. No recent information. Lake managed by the U.S. Fish and Wildlife Service. (No ramp).

## Statewide Perch Waters by Lake Name

**Missouri River (Not Specified)** *1,652.1 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

The fishery downstream of Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. The Garrison Reach of the Missouri River upstream of Bismarck has been slow to recover and still suffers from depressed forage conditions. Walleye reproduction was good from 2014-16, so smaller walleye are present in good numbers and this fishery continues to provide opportunity for trophy-sized fish.

Garrison Dam Tailrace continues to maintain a diverse quality fishery, especially for walleye, brown trout, rainbow trout and salmon. Channel catfish are abundant and underutilized throughout the entire reach.

**Fox Island Park** -- From Washington Street, .75 miles west on Riverwood Drive (1 block south of Expressway), 1.5 miles south and .5 miles west (Paved access road, fish cleaning facility, security lights, trash receptacles -- Bismarck Parks and Recreation).

**Garrison Dam Tailrace** -- Directly below Garrison Dam (Paved access road, fish cleaning facility, developed camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

**Graner Bottoms (Sugar Loaf)** -- 19 miles south of Mandan on ND Highway 1806, then 1 mile east, or about 3 miles north of Huff (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- Morton County Park Board).

**Grant Marsh Bridge** -- On east side of the Missouri River near Bismarck, south side of the I-94 bridge on River Road (Paved access road, security lights, trash receptacles -- Bismarck Parks and Recreation).

**Hoge Landing** -- On east side of the Missouri River near Bismarck, 6.4 miles north of I-94 bridge on River Road, then .7 miles west and 1.5 miles south/southwest (Gravel access road, picnic shelter, trash receptacles -- Bismarck Parks and Recreation).

**Kimball Bottoms (Desert)** -- 8 miles south of Bismarck on ND Highway 1804, then 2 miles south (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

**Kniefel (Misty Waters) Landing** -- On east side of the Missouri River near Bismarck, 3 miles north of I-94 bridge on River Road, then 1 mile west (Paved access road, fish cleaning facility, security lights, picnic shelter, trash receptacles, concession -- Burleigh County Park Board).

**Little Heart Bottoms (Schmidt)** -- 11 miles south of Mandan on ND Highway 1806, then 1 mile north (Paved access road, trash receptacles -- Morton County Park Board).

**Sanger (Cross Ranch)** -- Just east of Sanger townsite on west side of Missouri River (Gravel access road, primitive camping, picnic shelter, trash receptacles -- North Dakota Parks and Recreation).

**Steckel Boat Landing (Wilton)** -- 22 miles north of Bismarck on ND Highway 1804, or 5.5 miles west, 1 mile south, and 1.5 miles west of junction of U.S. Highway 83 and ND Highway 36 (Paved access road, primitive camping, picnic shelter, trash receptacles -- Burleigh County Park Board).

**UPA Site (Stanton)** -- Just west of UPA Power Plant on ND Highway 200A near Stanton (Paved access road, security lights, trash receptacles -- City of Stanton).

**Washburn** -- On east side of the Missouri River near Washburn, north of ND Highway 200A bridge (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles, RV dump station, fishing pier -- Washburn City Park Board).

**Monson Lake (Wells)**      **Not Stocked**      **Survey Report**      **Length Table**      **Length Chart**

1 mile south, 1 mile east, 8 miles south, 1 mile west of Bowdon. Low perch population, with some keeper fish. Walleye population is fair, with most fish over 20 inches. (No ramp).

**Moon Lake (Barnes)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

2 miles west, 5.5 miles south, 4 miles west, 2 miles north of Valley City. Walleye and perch abundant. Occasional smallmouth bass, brown trout and rainbow trout.

**Moore's Lake (Dickey)**      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

18.5 miles west, 1 mile north of Ellendale. Moderate numbers of pike and perch. (No ramp).

**Mount Carmel Dam (Cavalier)** *1,530.7 msl*      **Stocking**      **Survey Report**      **Length Table**      **Length Chart**

9 miles north, 2 miles east, 2 miles north of Langdon. Fair number of perch, with most under 9 inches. Walleye numbers fair, with several sizes available, including some big fish. Decent number of nice-sized pike. Increasing crappie numbers, with most under 9 inches. (Fishing pier).

## Statewide Perch Waters by Lake Name

<b><u>Mud and Pearl Lakes (Stutsman)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
North Access: 11 miles north, 2.5 miles west of Medina. South Access: 8 miles north, 2 miles west, 1.25 miles north of Medina.. Perch and walleye abundant. (No ramp).				
<b><u>Mud Lake (Sheridan)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4.5 miles south of Anamoose. Newer perch lake, with a fair number of fish. (No ramp).				
<b><u>Mudd Lake (McIntosh)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile west of Lehr. Fair number of northern pike and a low number of perch. (No ramp).				
<b><u>Mundt Lake (Logan)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles east, 4 miles north, 1 mile east, .5 miles south of Lehr. Walleye abundant, with perch and smallmouth bass in fair numbers. (Fishing pier).				
<b><u>Nagel Lake (Koeplin WPA) (McIntosh)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1.5 miles east, .5 miles south of Lehr. Walleye abundant and a low number of perch. (No ramp).				
<b><u>North Napoleon Lake (Logan)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4.5 miles west, 1 mile north, 1 mile east of Napoleon. Northern pike and small perch abundant. (No ramp).				
<b><u>Nelson Lake (Sargent)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4.5 miles south, .5 miles east of Forman. Pike abundant. Moderate numbers of perch and walleye. (No ramp).				
<b><u>New Johns Lake (Burleigh) 1,841.0 msl</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
11.8 miles south, 3 miles east of Mercer. Decent walleye numbers, with some larger fish. Good number and sizes of smallmouth bass. Periodically stocked with muskies. (Fishing pier).				
<b><u>North Carlson Lake (Ward)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
10 miles east of Ryder. Fair number of northern pike and mostly small perch.				
<b><u>North Golden Lake (Steele)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
10 miles east, 4 miles north, .5 miles west of Finley. Fair perch numbers, with most fish less than 10 inches. Fair numbers of keeper-sized pike and walleye. Walleye longer than 20 inches and pike up to 10 pounds. Also a fair number of bluegill, with some fish up to 9 inches. Bullheads a serious fish management problem.				
<b><u>North Lake Washington (Eddy) 1,479.3</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
6 miles south of Warwick. Decent walleye population, with fish averaging 18 inches. Some keeper-sized perch, but most are around 8 inches.				
<b><u>North Lemmon (Adams) 2,483.7 msl</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
5 miles north of Lemmon, South Dakota. Rainbow trout stocked annually. Some brown trout up to 2 pounds. Small yellow perch abundant. Fair number of bluegill, with some up to a three-quarters of a pound. Fair number of largemouth bass, mostly 2-4 pounds. Good number of walleye, mostly 3-9 pounds. (Fishing pier).				



## Statewide Perch Waters by Lake Name

<b><u>Lake Oahe (Not Specified)</u></b> <i>1,614.6 msl</i>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
<p>The fishery from Garrison Dam to the South Dakota border was greatly impacted following the flood of 2011. Fortunately, the upper Oahe fishery recovered much better than the Garrison Reach. Forage abundance remains limited, but walleye reproduction was very good from 2014-20. Small walleye are abundant, but larger fish are present. Pike abundance has declined from recent years, but average size is excellent, with fish occasionally over 20 pounds. Channel catfish are very abundant and vastly underutilized throughout upper Lake Oahe.</p>				
<b>Beaver Bay</b> -- 13 miles west of Linton on ND Highway 13, then 2 miles south on ND Highway 1804 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- U.S. Army Corps of Engineers).				
<b>Cattail Bay (Winona)</b> -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 1 mile north on ND Highway 1804, 2 miles west, 2 miles south, 1 mile west (Gravel access road, primitive camping, trash receptacles, concession -- U.S. Army Corps of Engineers).				
<b>Fort Rice</b> -- 28 miles south of Mandan on ND Highway 1806, then .5 miles east (Paved access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles -- Morton County Park Board).				
<b>Fort Yates</b> -- North edge of Fort Yates (Paved access road, primitive camping, picnic shelter, trash receptacles -- Standing Rock Sioux Tribe).				
<b>Hazelton</b> -- 31 miles southeast of Bismarck on ND Highway 1804 or 13 miles west and 2 miles north of Hazelton. Campground located just south of boat ramp (Paved access road, developed and primitive camping, security lights, picnic shelter, trash receptacles -- U.S. Army Corps of Engineers).				
<b>Jennerville (Rivory)</b> -- 13 miles west of Linton on ND Highway 13, then 6.5 miles south on ND Highway 1804, and 3.5 miles west at Rivory turnoff (Gravel access road, no restrooms, no courtesy docks -- U.S. Army Corps of Engineers).				
<b>Langeliers Bay</b> -- 10 miles west of Strasburg, 1 mile south, 7 miles west, then 11 miles south on ND Highway 1804, and .75 miles west (Paved access road, fish cleaning facility, primitive camping, security lights, trash receptacles -- Emmons County Park Board).				
<b>Maclean Bottoms (Gun Range)</b> -- 14 miles south of Bismarck on ND Highway 1804, then 2 miles south (Paved access road, picnic shelter, trash receptacles -- Burleigh County Park Board).				
<b>Prairie Knights Marina</b> -- 10 miles south of the Cannonball River on ND Highway 1806, then 3.5 miles east (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Prairie Knights Casino).				
<b><u>Odland Dam (Golden Valley)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
7 miles north of Beach. Perch up to three-quarters of a pound abundant, some bluegill up to 1 pound and walleye up to 3 pounds. (Fishing pier).				
<b><u>Ole Breum Lake (Sargent)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
5 miles north, 1 mile east of Rutland. Moderate number of pike. Low number of perch. Occasional walleye and crappie. (No ramp).				
<b><u>Olson WPA (Barnes)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1.5 miles north of I-94 Exit 283. Moderate number of perch and pike. (No ramp).				
<b><u>Ost Lake (Logan)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
7 miles east, 1 mile north, 1 mile west, .5 miles north of Lehr. Small walleye abundant. Fair number of perch. (No ramp).				
<b><u>OWLS Pond (Burleigh)</u></b>	<b>Stocking</b>	<b>Not Surveyed</b>		
Just west of Bismarck Game and Fish office. Catchable-sized rainbow trout stocked in spring and fall. Other species (bluegill, perch, catfish and white bass) may be stocked. (Fishing pier, no ramp).				
<b><u>Paris Lake (Stutsman)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
8 miles east, 3.5 miles south of Woodworth. Perch abundant. (No ramp).				
<b><u>Pelican Lake (Bottineau)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
9 miles north, 8 miles east, .5 miles southwest of Bottineau. Decent number of northern pike.				
<b><u>Pelican Lake (Kidder)</u></b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles east, 11 miles north, 1 mile east of Robinson. Walleye and small perch present in fair numbers. (No ramp).				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Pelican Lake (McLean)</u></a>	Not Stocked	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7 miles north, 2 miles east, .2 miles north of Mercer. Good numbers of pike and smaller perch. (No ramp).				
<a href="#"><u>Pfeifle Lake (McIntosh)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10 miles south, 2 miles east of Wishek. Northern pike, perch and walleye in fair numbers. (No ramp).				
<a href="#"><u>Pheasant Lake (Dickey)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles west of Ellendale. Moderate numbers of pike, perch, bluegill, crappie, catfish and walleye. (Fishing pier).				
<a href="#"><u>Pintail Lake (McIntosh)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
5 miles east of Ashley. Low number of perch. (No ramp).				
<a href="#"><u>Pipestem Reservoir (Stutsman) 1,441.1</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
5 miles northwest, .8 miles west, 1 mile south of Jamestown. Abundant pike and perch. Low number of walleye.				
<a href="#"><u>Pleasant Lake (Stutsman)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles south, 2 miles east, 2 miles south, 1 mile east of Cleveland. Perch abundant. (No ramp).				
<a href="#"><u>Plowe Lake (Kidder)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles east, 5 miles north, 1 mile east of Robinson. Walleye, northern pike and perch in fair numbers. (No ramp).				
<a href="#"><u>Porsborg Dam (Morton)</u></a>	Stocking		Not Surveyed	
Northwest Mandan. Rainbow trout (and other species) may be stocked in spring. (No ramp).				
<a href="#"><u>R and M Lake (Stutsman)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles east, 5 miles north of Buchanan. Walleye abundant. Moderate number of perch. (No ramp).				
<a href="#"><u>Railroad Lake (Logan)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
5.5 miles east of Lehr. Fair numbers of walleye and perch. (No ramp).				
<a href="#"><u>Raleigh Reservoir (Grant) 2,181.4 msl</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3.5 miles west, .25 miles south of Raleigh. Small bluegill abundant, with some up to a half-pound, good number of walleye up to 4 pounds and some mostly small yellow perch. Adult largemouth bass stocked in 2019. (Fishing pier).				
<a href="#"><u>Ranch Lake (Kidder)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile west of Pettibone. Northern pike abundant and perch present. (No ramp).				
<a href="#"><u>Red Willow Lake (Griggs) 1,463.7 msl</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles north, 2 miles west of Binford. Walleye, pike, perch and bluegill common. Nice walleye, averaging around 22 inches available. Pike abundant and in many sizes. Bluegill common and mostly smaller, but some up to 10 inches. Perch typically small.				
<a href="#"><u>Reiland Lake (Richland)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles north, .5 miles east of Lidgerwood. Walleye abundant. Moderate number of perch. (No ramp).				
<a href="#"><u>Remmick Lake (Kidder)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles east, 6 miles north of Robinson. Partial winterkill in 2019. Walleye and perch present in low numbers. (No ramp).				
<a href="#"><u>Renwick Dam (Pembina)</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles west, 1 mile north of Cavalier. Mostly pike for a predator fish. Perch and crappie abundant, most under 8 inches. White suckers and bullheads abundant and a management problem. (Fishing pier).				
<a href="#"><u>Reule Lake (Stutsman) 1,752.0 msl</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles north, 5 miles west, 1.7 miles south of Medina. Walleye abundant. Moderate number of perch. (No ramp).				
<a href="#"><u>Rice Lake (Emmons) 1,800.3 msl</u></a>	Stocking	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9.5 miles south, .8 miles west of Strasburg. Walleye abundant and occasionally over 25 inches. Northern pike and perch in low numbers.				

## Statewide Perch Waters by Lake Name

**[Rice Lake \(Ward\)](#)**

**Stocking**

**Survey Report**

**Length Table**

**Length Chart**

4 miles north, 7 miles east, 2 miles north of Ryder. Pike abundant, mostly ranging from 24-39 inches. (Fishing pier).

**[Lake Richard \(Sheridan\)](#)**

**Stocking**

**Survey Report**

**Length Table**

**Length Chart**

4.5 miles south of Drake. Good number of 17- to 24-inch walleye. (No ramp).

**[Round Lake \(Barnes\)](#)**

**Not Stocked**

**Survey Report**

**Length Table**

**Length Chart**

1.5 miles east, 1 miles south of Sanborn. Moderate numbers of pike and perch. (No ramp).

**[Round Lake \(Kidder\)](#)**

**Stocking**

**Survey Report**

**Length Table**

**Length Chart**

1 mile north, 1.5 miles east of Pettibone. Winterkilled in 2017-18 and primarily impacted walleye. Walleye restocked in 2018. Currently holds fishable populations of northern pike and perch. (No ramp).

**[Round Lake \(McHenry\)](#) *1,542.7 msl***

**Stocking**

**Survey Report**

**Length Table**

**Length Chart**

10 miles north, 1.5 miles west of Anamoose. Decent numbers of pike and walleye.

**[Rueb-Eszlinger \(McIntosh\)](#)**

**Not Stocked**

**Survey Report**

**Length Table**

**Length Chart**

7.5 miles north, 2 miles west of Ashley. Multiple perch year-classes abundant. (No ramp).

## Statewide Perch Waters by Lake Name

**Lake Sakakawea (Not Specified)** [1,836.4 m](#)      [Stocking](#)      [Survey Report](#)      [Length Table](#)      [Length Chart](#)

Walleye fishing was good in 2020 and should remain so in 2021. High forage abundance and good habitat conditions have allowed Sakakawea walleye to maintain good body condition, good growth rates and high abundance. Walleye abundance and size structure did moderate in the middle and upper regions of the reservoir in 2020, but remains above the long-term averages. Anglers should find good numbers of 14- to 20-inch fish in 2021 as several strong, young year-classes were recruited to the fishery. Good numbers of larger fish are available, but primarily in the lower reservoir.

Northern pike abundance has declined from record highs the last decade, but still remain good. Large trophy-sized pike exceeding 15 pounds are abundant in the reservoir.

The smallmouth bass population remains good and anglers will continue to encountered good numbers of fish. The population also contains good numbers of whopper-sized fish.

The Missouri River salmon fishery was greatly affected by high water in 2011 , but recovered and salmon fishing in 2016-17 was good, but somewhat slower in 2019 and 2020. Fall spawning operations in 2020 found exceptional numbers of spawning fish in Sakakawea and egg collection goals were easily met. The effects of high entrainment in 2018 and 2019 should continue to lessen on the Sakakawea salmon fishery in 2021.

**Beaver Creek Bay** -- 12 miles north of Zap (Paved access road, primitive camping, picnic shelter, trash receptacles -- Zap City Park Board).

**Beulah Bay** -- 17 miles north of Beulah (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, lodging, RV dump station -- Beulah City Park Board).

**Camp of the Cross** -- 4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison (Gravel access road, no restrooms -- Camp of the Cross).

**Charging Eagle Bay** -- 12 miles north of Halliday on ND Highway 8, then 10 miles west on BIA No. 22 (Gravel access road, no restrooms, fish cleaning facility, primitive camping, trash receptacles -- Three Affiliated Tribes).

**Dakota Waters Resort** -- 15 miles north of Beulah (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- Dakota Waters Resort).

**Deep Water Creek Bay** -- 14 miles south of Parshall on ND Highway 37, then either 1 mile south to the corps ramp (no camping) or 2.5 miles west and .5 miles south to the county ramp (primitive camping) (Gravel access road -- U.S. Army Corps of Engineers/McLean County Park Board).

**Douglas Creek Bay** -- 11 miles west of Garrison on ND Highway 37, 5 miles south, 5 miles east to corps ramp or 11 miles west of Garrison on ND Highway 37, 2 miles south, 1 mile east, 1 mile south to county ramp (Gravel access road, primitive camping, trash receptacles -- U.S. Army Corps of Engineers/McLean County Park Board).

**Fort Stevenson State Park** -- 3 miles south of Garrison (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

**Four Bears** -- 4 miles west of New Town on ND Highway 23 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Three Affiliated Tribes).

**Garrison Creek** -- 2 miles west of Garrison on ND Highway 37, 3 miles south, 1 mile east (Gravel access road, no restrooms -- Garrison Cabin Association).

**Government Bay** -- Just north of Riverdale (Paved access road, fish cleaning facility, developed and primitive camping, security lights, trash receptacles -- U.S. Army Corps of Engineers).

**Hale Marina** -- 18 miles southeast of Mandaree (Gravel access road, no restrooms, no courtesy docks -- Three Affiliated Tribes).

**Hazen Bay** -- 14 miles north of Hazen (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Hazen City Park Board).

**Indian Hills Resort** -- 11 miles west of White Shield on ND Highway 1804, then 3 miles south (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, RV dump station -- North Dakota Parks and Recreation/Three Affiliated Tribes).

**Lake Sakakawea State Park** -- Just east and north of Pick City (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental, access fee, RV dump station -- North Dakota Parks and Recreation).

## Statewide Perch Waters by Lake Name

**Lewis And Clark State Park** -- 16 miles east of Williston on ND Highway 1804, then 3 miles south (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, access fee, RV dump station -- North Dakota Parks and Recreation).

**Little Beaver Bay** -- 32 miles northwest of New Town on ND Highway 1804, then 3 miles south (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles -- Williams County WRD).

**Little Missouri Bay** -- 16 miles northeast of Dunn Center (Gravel access road, security lights -- Dunn County Park Board).

**Littlefield Bay** -- 5 miles south, 2 miles east of New Town (Gravel access road, no restrooms, no courtesy docks -- North Dakota Game and Fish Department).

**McKenzie Bay** -- 22 miles southeast of Mandaree (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- Watford City Park Board).

**New Town Marina** -- 2 miles west of New Town on ND Highway 23 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- New Town Marina Association).

**Parshall Bay** -- 3 miles west, 1 mile south, 3 miles west, 1 mile south, 2 miles west of Parshall (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, boat rental, RV dump station -- Mountrail County Park Board).

**Pouch Point** -- 7 miles south, 2 miles east, 2 miles south, 1 mile east, 3 miles south of New Town (Paved access road, security lights, picnic shelter, trash receptacles, concession -- Three Affiliated Tribes).

**Sanish Bay (Aftem)** -- 1 mile north, 2 miles west of New Town (Gravel access road, no restrooms -- New Town Park Board/Aftem Development).

**Skunk Bay** -- 14 miles northeast of Mandaree (Gravel access road, developed and primitive camping, concession, lodging -- Three Affiliated Tribes/Roads Maker, Inc.).

**Sportsmens Centennial Park** -- 1 mile west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south, 1 mile west (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession -- McLean County Park Board).

**Steinke Bay** -- 3 miles west of the junction of ND Highway 37 and U.S. Highway 83, then 2 miles south (Gravel access road, primitive camping -- North Dakota Game and Fish Department).

**Tobacco Garden Creek Bay** -- 2 miles east of Watford City on ND Highway 23, then 25 miles north and east on ND Highway 1806 (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station -- McKenzie County Park Board).

**Van Hook** -- 5 miles east of New Town on ND Highway 23, then 2 miles south (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station -- Mountrail County Park Board).

**West Totten Trail** -- 7 miles north of Coleharbor on U.S. Highway 83, then .5 miles west, or 2 miles south of the junction of U.S. Highway 83 and ND Highway 37, then .5 miles west (Gravel access road -- McLean County Park Board).

**White Earth Bay** -- 28 miles northwest of New Town on ND Highway 1804, then 2 miles south, 1 mile east, 3 miles south, 3 miles east (Gravel access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, RV dump station, fishing pier -- Mountrail County Park Board).

**Whitetail Bay (Lund's Landing)** -- 22 miles east of Williston on ND Highway 1804 (Paved access road, fish cleaning facility, developed camping, security lights, picnic shelter, trash receptacles, concession, lodging, boat rental -- Williams County WRD).

**Wolf Creek** -- 1 mile east of Riverdale on ND Highway 200, then 2 miles north, 1 mile east, 1 mile north, .5 miles east (Gravel access road, fish cleaning facility, primitive camping, security lights, picnic shelter, trash receptacles, RV dump station -- U.S. Army Corps of Engineers).

### Sanborn Lake (Barnes)

Stocking

Survey Report

Length Table

Length Chart

2 miles east, 1 mile north, .5 miles east of Sanborn. Moderate number of pike. (No ramp).

### Sanborn WPA (Barnes)

Not Stocked

Survey Report

Length Table

Length Chart

1 mile east of Sanborn. Moderate numbers of pike and perch. (No ramp).



## Statewide Perch Waters by Lake Name

<a href="#"><u>Sand Lake (Pierce)</u></a>	Stocking	Survey Report	Length Table	Length Chart
4 miles north of Pleasant Lake. Good pike fishery, with some fish up to 5 pounds. Perch numbers are good, but most fish less than 8 inches.				
<a href="#"><u>Schlecht-Thom Dam (LaMoure)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5 miles west, .5 miles north of Edgeley. Moderate numbers of pike and bluegill.				
<a href="#"><u>Schlenker Dam (Lehr Dam) (LaMoure)</u></a>	Stocking	Survey Report	Length Table	Length Chart
11 miles west, .5 miles south of the junction of U.S. Highway 281 and ND Highway 46. Moderate numbers of pike and bluegill.				
<a href="#"><u>Schock Lake (Stutsman)</u></a>	Stocking	Survey Report	Length Table	Length Chart
11 miles north, 3.5 miles east, 1 mile north, .5 miles west of Jamestown. Perch abundant. (No ramp).				
<a href="#"><u>School Lake (Stutsman)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5 miles north, 5 miles east, 3 miles north of Streeter. Perch abundant. (No ramp).				
<a href="#"><u>School Section Lake (Rolette)</u></a>	Stocking	Survey Report	Length Table	Length Chart
9 miles north, 2.5 miles east of Dunseith. Total winterkill in 2019. A May netting survey only sampled perch that were stocked just prior to the netting survey.				
<a href="#"><u>Schroeder East (McLean)</u></a>	Stocking	Survey Report	Length Table	Length Chart
14 miles north, 3.7 miles east of Mercer. Newer perch lake, with some decent-sized fish. (No ramp).				
<a href="#"><u>Schumacher Lake (Kidder)</u></a>	Not Stocked	Survey Report	Length Table	Length Chart
7 miles north, 1 mile east, .2 miles northeast of Robinson. Yellow perch and walleye abundant. Walk in access on state land northwest part of lake. (No ramp).				
<a href="#"><u>Scooby Lake (McLean)</u></a> <i>1,996.3 msl</i>	Stocking	Survey Report	Length Table	Length Chart
.5 miles south, 1 mile west, .3 miles south of Benedict. Newer fishery, with a good number of 14- to 18-inch walleye. Some good-sized perch. (No ramp).				
<a href="#"><u>Seil Lake (Kidder)</u></a>	Not Stocked	Survey Report	Length Table	Length Chart
6 miles east, 10 miles north, 4.25 miles east of Robinson. Yellow perch abundant. (No ramp).				
<a href="#"><u>Senger Lake (Emmons)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile north, 6 miles east of Strasburg. Low number of perch up to 13 inches. (No ramp).				
<a href="#"><u>Serpent Lake (McIntosh)</u></a>	Stocking	Survey Report	Length Table	Length Chart
13.5 miles east, 2 miles north, 1 mile east of Ashley. Moderate numbers of pike and perch. (No ramp).				
<a href="#"><u>Sheyenne Lake (Sheridan)</u></a>	Stocking	Survey Report	Length Table	Length Chart
13.5 miles south, 1.5 miles east, .4 miles north of Anamoose. Pike stocked periodically. (No ramp).				
<a href="#"><u>Short Creek Dam (Burke)</u></a>	Stocking	Survey Report	Length Table	Length Chart
5.5 miles north of Columbus. Significant winterkill in 2019 reduced fish populations. Stocked with adult perch, adult bluegill and walleye fingerlings in 2019 and 2020. (Fishing pier).				
<a href="#"><u>Shriner Lake (Richland)</u></a>	Stocking	Survey Report	Length Table	Length Chart
4.5 miles south, .25 miles east of Lidgerwood. Moderate numbers of pike and perch. Occasional walleye and crappie. (No ramp).				
<a href="#"><u>Shutte Lake (Rolette)</u></a>	Not Stocked	Survey Report	Length Table	Length Chart
.5 miles east of Dunseith. Pike and perch fishery. Pike numerous, with most fish between 3-5 pounds. Perch abundant, with most less than 8 inches. (No ramp).				
<a href="#"><u>Sibley Lake (Griggs)</u></a>	Stocking	Survey Report	Length Table	Length Chart
1 mile west, 3 miles south of Binford. Good pike population, with fish averaging near 5 pounds. Some perch available. (No ramp).				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Sibley Lake (Kidder)</u></a> <b>1,733.4 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
7 miles north, 2 miles east, 1 mile south of Dawson. Abundant walleye and perch.				
<a href="#"><u>Silver Creek Dam (Nelson)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4 miles west, .5 miles south of McVile. Small reservoir with a winter pike fishery. Some bigger pike present. Perch present, but usually less than 9 inches. Bullheads and suckers abundant and a management problem. (No ramp).				
<a href="#"><u>Silver Lake (Wells)</u></a>	<b>Not Stocked</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile west, 7.5 miles south, 2 miles west, 2 miles north of Bowdon. No recent information. (No ramp).				
<a href="#"><u>Silver Lake WMA (Wells)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles south of Chaseley. Fair number of 9- to 12-inch perch, with the occasional jumbo. Decent population of eater-sized walleye, with some fish up to 22 inches. Carp infested the lake in 2019 during extremely high water. (No ramp).				
<a href="#"><u>Skjermo Lake (Divide)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
3 miles west, 4 miles northwest of Fortuna. Good perch population, with some nice fish. Northern pike also present. (Fishing pier).				
<a href="#"><u>Slater Pond (Stark)</u></a>	<b>Stocking</b>	<b>Not Surveyed</b>		
From I-94 Exit 84, .75 miles north, 1 mile east, .5 miles north, .5 miles east. Rainbow trout stocked annually. Small perch abundant. (No ramp).				
<a href="#"><u>Smishek Lake (Burke)</u></a> <b>2,245.9 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
4 miles northwest of Powers Lake. Decent numbers of walleye and northern pike, with some large fish of both species. Small yellow perch and bluegill abundant, with some large bluegill. White suckers fairly abundant and a management problem. (Fishing pier).				
<b>Souris River (Mouse River) (Not Specified)</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
Fair numbers of pike, walleye and perch. <b>Mouse River Park</b> -- 3 miles north, 1.5 miles northeast of Tolley (, fish cleaning facility, fishing pier -- Renville County Park Board). <b>Southeast Minot Crossing</b> -- City of Minot (, no restrooms, no courtesy docks, fishing pier -- City of Minot).				
<a href="#"><u>South (Hoffer) McClusky (Sheridan)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles north, 1 mile west of McClusky. Decent numbers of perch, walleye and pike. Some bluegill and crappie. (Fishing pier).				
<a href="#"><u>South Carlson Lake (Ward)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
10 miles east of Ryder. Fair number of northern pike. Bluegill numbers increasing. (Fishing pier).				
<a href="#"><u>South Golden Lake (Steele)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
10 miles east, 3 miles north, .5 miles west of Finley. Primarily a walleye and perch fishery, with some pike and bluegill. Walleye do get large with fish up to 8 pounds. Fair number of 20-inch-plus fish. Perch numbers relatively low. Pike numbers low, but bigger fish available. Some nice bluegill. Bullheads abundant and a huge problem. (Fishing pier).				
<a href="#"><u>Spiritwood Lake (Stutsman)</u></a> <b>1,449.9 msl</b>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
11 miles north, 4 miles east of Jamestown. Smallmouth bass abundant. Moderate numbers of walleye and perch. Low number of pike. (Fishing pier).				
<a href="#"><u>Spring Lake (Bowman)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
1 mile south, 4 miles west of Rhame. Good number of walleye up to 3 pounds, some perch up to 1 pound and small bluegill abundant.				
<a href="#"><u>St. Mary's Lake (Barnes)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2 miles west, 5.5 miles south, 4 miles west, 1 mile north of Valley City. Walleye and perch abundant. (No ramp).				
<a href="#"><u>Stink Lake (Stutsman)</u></a>	<b>Stocking</b>	<b>Survey Report</b>	<b>Length Table</b>	<b>Length Chart</b>
2.5 miles east of Crystal Springs. Walleye and perch abundant. Occasional large pike. (No ramp).				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Stirton Lake (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
3 miles south of Cleveland. Walleye abundant. Some perch present. (No ramp).				
<a href="#"><u>Stober Lake (Sheridan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles east, 2 miles north, 2 miles east of McClusky. Fair numbers of walleye and perch, with some larger fish.				
<a href="#"><u>Strawberry Lake (McLean)</u></a> <b>1,937.5 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
17.5 miles north, 2 miles east of Turtle Lake. Good pike and walleye populations. Lots of small perch and bluegill.				
<a href="#"><u>Stump Lake (Nelson)</u></a> <b>1,448.4 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
The walleye population is doing well. There are a variety of sizes available, with good numbers of fish. The size groups that anglers would be interested in are all above average right now.				
Northern pike numbers are below average, but pike are still available. Most pike are between 25-34 inches, but there are smaller and larger fish present.				
Yellow perch are relatively abundant. However, many of the fish will likely be under 9 inches or so. Overall, there should still be perch fishing opportunities in 2021, but fishing may be slower than usual for perch larger than 10 inches.				
White bass are still relatively common. Most bass will likely be between 15-17 inches in 2021.				
<b>East Central Area</b> -- No Public Boating Access				
<b>Northwest Area</b> -- No Public Boating Access				
<b>Stump Lake Park</b> -- 11 miles south, 1 mile west of Lakota (Paved access road, fish cleaning facility, developed and primitive camping, security lights, picnic shelter, trash receptacles, concession, lodging, RV dump station, fishing pier -- Nelson County Park Board).				
<b>Tolna Landing (Stump Lake)</b> -- 3 miles north of Tolna (Gravel access road, fish cleaning facility, security lights, picnic shelter, trash receptacles -- Tolna Community Club).				
<a href="#"><u>Sunday Lake (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile west, 3 miles north of Woodworth. Abundant pike. Low number of perch. (No ramp).				
<a href="#"><u>Swan Lake (Kidder)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
10.5 miles north of Robinson. Small perch abundant, but fish up to 10 inches present. Low number of walleye. (No ramp).				
<a href="#"><u>Sweet Briar Lake (Morton)</u></a> <b>1,941.5 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
18 miles west of Mandan I-94 Exit 134. Fair numbers of walleye, pike, perch, bluegill, crappie and largemouth bass. (Fishing pier).				
<a href="#"><u>Sweetwater Lake (Barnes)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles south, 1 mile east of Sanborn. Moderate numbers of crappie, perch and walleye. (No ramp).				
<a href="#"><u>Sykeston Dam (Wells)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
Northwest side of Sykeston. The 2020 netting survey sampled mostly pike and bullheads. Pike were mostly over 24 inches. (Fishing pier).				
<a href="#"><u>TAD Lake (Dickey)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles west of Oakes. Abundant walleye. Moderate number of perch. (No ramp).				
<a href="#"><u>Thompson Lake (Bottineau)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles north, 4 miles east, 2 miles south, 1 mile east, 1 mile south of Bottineau. Mostly smaller yellow perch abundant. (No ramp).				
<a href="#"><u>Tioga Dam (Williams)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
North side of Tioga. Good northern pike population. Yellow perch and bluegill present. (Fishing pier).				
<a href="#"><u>Tolna Dam (Nelson)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile south, 2 miles east of Tolna. Fair walleye and pike densities, several sizes present with some big fish. Perch numbers fairly low. Some smallmouth bass.				

## Statewide Perch Waters by Lake Name

<a href="#"><u>Tosse Slough (Sargent)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
7.5 miles south, 1 mile east, 2 miles south, 1 mile east of Geneseo. Low numbers of pike and walleye. Some larger pike.				
<a href="#"><u>Trautman Slough (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles south, 2 miles west, 1 mile south of Cleveland. Walleye abundant. Occasional perch. (No ramp).				
<a href="#"><u>Triangle Y Pond (McLean)</u></a>	<a href="#">Stocking</a>	<a href="#">Not Surveyed</a>		
4 miles west, 1.5 miles south, 1 mile west, 1 mile south, 1 mile west, .5 miles south of Garrison. Small pond stocked with perch, used mostly by Triangle Y kids. (Fishing pier, no ramp).				
<a href="#"><u>Twin Lakes (LaMoure)</u></a> <b>1,406.2 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles north of LaMoure. Walleye, pike and perch abundant. Some larger fish.				
<a href="#"><u>Upsilon Lake (Rolette)</u></a> <b>2,108.4 msl</b>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
6 miles west, 1 mile north of St. John. Good pike numbers of all sizes, with some large fish. Fair to low numbers of nice walleye present, along with many smaller bluegill and some smaller perch. Larger perch and bluegill at low densities. (Fishing pier).				
<a href="#"><u>Vislisel Lake (Richland)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile north, 2 miles east, 1 mile north, 1 mile west of Lidgerwood. Walleye and perch present. (No ramp).				
<a href="#"><u>Wahl Lake (Richland)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile east, 2 miles south of Lidgerwood. Walleye and bluegill abundant. Occasional pike. (No ramp).				
<a href="#"><u>Lake Walstead (Sargent)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
4 miles south, 1 mile east, 1 mile north of Forman. Walleye abundant. Moderate number of pike. (No ramp).				
<a href="#"><u>Wanzek Slough (Stutsman)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
.5 miles west, 1 mile south, .75 miles west of Windsor. Pike, perch and walleye present. Winter fishery/access only. (No ramp).				
<a href="#"><u>Warsing Dam (Eddy)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile northeast of Sheyenne. Partial winterkill in 2019. Spring netting survey sampled pike, perch and bullheads. Northern pike adults were stocked in spring 2019 to establish an instant fishery. (Fishing pier).				
<a href="#"><u>Weishaar WPA (McLean)</u></a>	<a href="#">Not Stocked</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
8 miles north, 8 miles west, 1 mile north of Turtle Lake. Winter perch fishery for mostly smaller perch. (No ramp).				
<a href="#"><u>West Arroda Dam (Oliver)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile east of Fort Clark ND Highway 200A. Stocked with adult bluegill, crappie and rainbow trout in spring 2019. Earthen fishing piers available for shore-fishing access.				
<a href="#"><u>West Bieri Lake (Mountrail)</u></a>	<a href="#">Stocking</a>	<a href="#">Not Surveyed</a>		
1.5 miles south of Blaisdell. New lake stocked with adult perch in 2020. (No ramp).				
<a href="#"><u>West Lake Napoleon (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
1 mile west of Napoleon. Northern pike abundant. Low numbers of walleye and perch. (Fishing pier, no ramp).				
<a href="#"><u>West Moran Lake (Richland)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
2 miles east, .5 miles south of Lidgerwood. Walleye abundant. (No ramp).				
<a href="#"><u>West Park Lake (McLean)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
9 miles south, 3 miles west of Mercer. Decent number of walleye and small perch. Some larger northern pike. (No ramp).				
<a href="#"><u>Wetzel Lake (Logan)</u></a>	<a href="#">Stocking</a>	<a href="#">Survey Report</a>	<a href="#">Length Table</a>	<a href="#">Length Chart</a>
11 miles west, 1 mile south of Gackle. Small northern pike abundant. (No ramp).				

